

# Release Notes

---



## IBM<sup>®</sup> Tivoli<sup>®</sup> Identity Manager ACE Server Adapter

### ***Version 4.6.0***

#### **Tenth Edition (June 23, 2005)**

This edition applies to version 4.6 of this Adapter and to all subsequent releases and modifications until otherwise indicated in new editions.

IBM, Tivoli, and WebSphere are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both.

Windows is a trademark of Microsoft® Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States, other countries or both.

Other company, product, and service names may be the trademarks or service marks of others. U.S. Government Users Restricted Rights – Use, duplication, or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

© Copyright International Business Machines Corporation 2004, 2005. All rights reserved.

US Government Users Restricted Rights -- Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

## Contents

Preface.....	3
Adapter Features and Purpose .....	3
Contents of this Release .....	4
Adapter Version.....	4
New Features.....	4
Closed Issues .....	4
Known Issues.....	4
Installation and Configuration Notes .....	5
Corrections to Installation Guide.....	5
Configuration Notes .....	5
Supported Configurations .....	6
Installation Platform .....	6
Notices .....	7
Trademarks .....	8

## Preface

Welcome to the IBM Tivoli Identity Manager ACE Server Adapter.

These Release Notes contain information for the following products that was not available when the IBM Tivoli Identity Manager manuals were printed:

- IBM Tivoli Identity Manager ACE Server Adapter Configuration and Installation Guide

## Adapter Features and Purpose

The ACE Server Adapter is designed to create and manage ACE Server accounts and Tokens. This adapter must be installed on the server where ACE is installed. For replicated ACE systems, install one Adapter on the primary ACE server.

The ACE Server Adapter is a powerful tool that requires Administrator Level authority. The Adapter operates much like a human system administrator, creating accounts and assigning privileges. Operations requested from the Identity Manager server will fail if the Adapter is not given sufficient authority to perform the requested task. IBM recommends that this Adapter run with administrative permissions.

## Contents of this Release

### Adapter Version

Component	Version
Release Date	June 23, 2005
Adapter Version	4.6.0 (build 4.6.1001)
Comm. Libraries	ADK v4.65
Documentation	ACE Server Adapter Installation and Configuration Guide v4.6.0

### New Features

Enhancement # (FITS)	Description
	<b>Items included in current release</b>
	Updated to work with ITIM 4.6.0

### Closed Issues

DevTrack	APAR#	PMR# / Description
		<b>Items closed in current version</b>
S16312	IY72244	63027,122,000 Ace Server adapter does not always correctly process a modify operation when there is a token replacement of a single token.

### Known Issues

DevTrack	APAR#	PMR# / Description
		None

## Installation and Configuration Notes

See the IBM Tivoli Identity Manager ACE Server Adapter Installation Guide for detailed instructions.

### ***Corrections to Installation Guide***

The following corrections to the Installation Guide apply to this release:

None.

### ***Configuration Notes***

The following corrections to the Installation Guide apply to this release:

NOTE: The account, which the Agent will run from, must comply with the following:

- The Agent account must have full permissions on the directory that contains the ACE/Server software.
- The Agent account must be registered in the ACE/Server database with administrator role.

#### Maximum Token Limit:

The ACE/Server limits the number of tokens to three. When assigning a password to a user, the ACE/Server will treat that as a special token, hence, the available numbers of tokens will become two.

#### Assigning Password:

When applying (assigning) a Password to a user, the Agent must receive the following:

- a) The password, passed in the Password attribute.
- b) Duration of the password is valid, passed in two attributes:
  - Days attribute (number of days password is valid).
  - Duration attribute (number of hours password is valid).
- c) PasswordToken attribute MUST be set to YES.

#### Un-Assigning Tokens:

When Un-Assigning the Last Tokens from a user, the ACE/Server will delete the user from the database unless one of the following is true:

- a) The user belongs to any group
- b) The user is enabled on any client.
- c) The user is an administrator.
- d) The user record has extension fields.

If any of the above is true, the ACE/Server will fail the un-assignment of a token, and the Agent will fail the transaction as well.

In the event where the user is deleted due to un-assigning of the last token, the Agent will re-add the user without any tokens. The Agent will use the existing Login ID, Last Name, First Name, Default Shell and Create PIN mode to re-add the user

#### Suspend/Restore a User:

Suspending a user implies that all the user's tokens will be disabled.

Restoring a user implies that all the user's tokens will be enabled.

## Supported Configurations

### ***Installation Platform***

The IBM Tivoli Identity Manager Adapter was built and tested on the following product versions.

Adapter Installation Platform:

AIX 5.1

AIX 5.2

AIX 5.3

Managed Resource:

RSA Authentication Manager (ACE/Server) on AIX

IBM Tivoli Identity Manager:

ITIM 4.6.0 or later

IMPORTANT NOTE:

This Adapter must be installed on the same server as the ACE system.

## Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing  
IBM Corporation  
North Castle Drive  
Armonk, NY 10504-1785  
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation  
Licensing  
2-31 Roppongi 3-chome, Minato-ku  
Tokyo 106-0032, Japan

**The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:** INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged should contact:

IBM Corporation  
2ZA4/101  
11400 Burnet Road  
Austin, TX 78758 U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this information and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement, or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

## ***Trademarks***

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

AIX  
DB2  
IBM  
IBM logo  
SecureWay  
Tivoli  
Tivoli logo  
Universal Database  
WebSphere

Lotus is a registered trademark of Lotus Development Corporation and/or IBM Corporation.  
Domino is a trademark of International Business Machines Corporation and Lotus Development Corporation in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, and service names may be trademarks or service marks of others.



## End of Release Notes