



IBM® Tivoli® Identity Manager

Sybase Adapter

Version 5.0.3

First Edition (September 11, 2011)

This edition applies to version 5.0 of Tivoli Identity Manager and to all subsequent releases and modifications until otherwise indicated in new editions.

Copyright International Business Machines Corporation 2003, 2007. All rights reserved. US Government Users Restricted Rights -- Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Preface	3
Adapter Features and Purpose	3
Contents of this Release	4
Adapter Version	4
New Features	5
Closed Issues.	5
Known Issues	6
Installation and Configuration Notes	7
Running v4.6 and v5.0 Adapters on the Same Server	7
Corrections to Installation Guide	7
Configuration Notes	
New Features in the 5.0.2 Version of the Adapter	7
Customizing or Extending Adapter Features	8
Getting Started	8
Support for Customized Adapters	8
Supported Configurations	9
Installation Platform	9
Notices	
Trademarks	11

Preface

Welcome to the IBM Tivoli Identity Manager Sybase Adapter.

These Release Notes contain information for the following products that was not available when the IBM Tivoli Identity Manager manuals were printed:

IBM Tivoli Identity Manager Sybase Adapter Installation and Configuration Guide

Adapter Features and Purpose

The Sybase Adapter is designed to create and manage accounts on a Sybase database. The adapter runs in "agentless" mode and communicates using Sybase APIs to the systems being managed.

IBM recommends the installation of this adapter in agentless mode (remote from the target system). A single copy of the adapter can handle multiple Identity Manager Services. The optimum deployment configuration is based, in part, on the topology of your network domain, but the primary factor is the planned structure of your Identity Manager Provisioning Policies and Approval Workflow process. Please refer to the Identity Manager Information Center for a discussion of these topics.

The Identity Manager adapters are powerful tools that require administrator level authority. Adapters operate much like a human system administrator, creating accounts, permissions and home directories. Operations requested from the Identity Manager server will fail if the adapter is not given sufficient authority to perform the requested task. IBM recommends that this adapter run with administrative (root) permissions.

Contents of this Release

Adapter Version

Component	Version	
Release Date	September 11, 2011	
Adapter Version	5.0.3	
Component Versions	Adapter Build: 5.0.1006 Profile: 5.0.1002 ADK: 5.17	
Documentation	Sybase Adapter Installation and Configuration Guide SC23-6171-00	

New Features

Enhancement # (FITS)	Description
	Items included in current release
MR0105112957	Add support for the Sybase adapter on Windows 2008 64-bit.
	Items included in 5.0.2 release
MR063009291	Activating roles when creating a Sybase account.
MR071609660	Provide expanded error handling in the Sybase adapter to detect that the adapter's administration account has expired.
	Items included in 5.0.1 release
	Initial release for Tivoli Identity Manager v5.0.

Closed Issues

CMVC#	APAR#	PMR# / Description
		Items closed in current version None
		Items closed in 5.0.2 version None
		Items closed in 5.0.1 version None

Known Issues

CMVC#	APAR#	PMR# / Description
N/A	N/A	Support on Windows 2008 64-bit NOTE: The Sybase adapter still communicates to the managed resource using the 32 bit version of the Sybase APIs (the libsybdb library versus the libsybdb64 library).
N/A	N/A	Editing adapter profiles on UNIX or Linux The adapter profile JAR file may contain ASCII files that were created with a MS-DOS ASCII format. For example, the schema.dsml, CustomLabels.properties, and service.def files.
		If you edit a MS-DOS ASCII file in Unix you will often see the characters ^M at the end of each line. This is the extra character 0x0d that is used to indicate a new line of text in MS-DOS. There are tools, such as dos2unix, that can be used to strip out the ^M character. In addition, there are text editors that will ignore the ^M character. If you are using the vi editor, you can strip out the ^M character as follow: From the vi's command mode: :%s/^M//g followed by pressing Enter. The ^M (or Ctrl-M) typed to show it here should actually be entered by pressing ^v^M in sequence. (The ^v preface tells vi to use the next keystroke literally instead of taking it as a command.)
N/A	N/A	Using the Upgrade Option The Upgrade option is applicable only to 5.0.x maintenance upgrades. The upgrade option is not designed for v4.6 to v5.0 migrations. NOTE: After using the "Update Installation" option with a higher version of the adapter, an extra folder with name "_uninst2" is created. It can be ignored. To Uninstall the Adapter, use "_uninst" folder.
N/A	N/A	Event Notification Account status (Active/Inactive) might not be correctly updated on Identity Manager after an event notification.
		This adapter does not use an xforms.xml file. Errors in the adapter log concerning xforms may be safely ignored. Error message is: "Unable to load XML transformation buffer from".

Installation and Configuration Notes

See the IBM Tivoli Identity Manager Adapter Installation Guide" for detailed instructions.

Running v4.6 and v5.0 Adapters on the Same Server

The Identity Manager version 5.0 adapters have enhanced capabilities that are not compatible with older version 4.6 adapters. It is highly recommended that all adapters hosted on an individual server are upgraded at the same time.

Adapters installed on the same server may share common components or run-time environments. The version 4.6 adapters may not be compatible with the version 5.0 component and may no longer operate as expected after installation of a version 5.0 adapter. On Windows servers all adapters must be upgraded simultaneously due to the sharing of DLLs. Check the adapter installation guide for additional information.

Corrections to Installation Guide

The following corrections to the Installation Guide apply to this release:

NOTE: The Adapter Installation and Configuration Guide lists Windows 2000 as a supported platform, however, Microsoft has recently ended mainstream support for this version. While there are no known issues associated with hosting the adapter on Windows 2000, if a problem does arise that is tracked to the OS, Tivoli Support will ask you to upgrade to the officially supported version, Windows 2003.

Configuration Notes

The following configuration notes apply to this release:

New Features in the 5.0.2 Version of the Adapter

Sybase Adapter is enhanced to manage the active roles and display inactive roles if any after recon. After assignment of role (System as well as user defined roles) to user it will be active by default.

To support this enhancement schema of Sybase Adapter is extended.

Following new String attribute are defined in the schema.dsml file.

i) "erSybInactiveRoles" (OID: 1.3.6.1.4.1.6054.3.72.2.12)" added in the "erSybaseAccount" class.

A new label (Inactive Roles (Read Only)) is added for the "erSybInactiveRoles" attribute in the CustomLabels.properties file.

This attribute displays inactive roles for the user after reconciliation or user lookup. This is Read only attribute, do not provide any values during user add/mod operation. The attribute "Inactive Roles (Read only)" will only show inactive role list, you can activate this role from TIM modify operation by adding specified role to "Roles Assigned" attribute. After assigning inactive role, role is visible in both "Roles Assigned" and "Inactive Roles (Read only)" fields that means that role is active by default. To have TIM and resource in sync you will need to perform the reconciliation or user lookup operation.

Customizing or Extending Adapter Features

The Identity Manager adapters can be customized and/or extended. The type and method of this customization may vary from adapter to adapter.

Getting Started

Customizing and extending adapters requires a number of additional skills. The developer must be familiar with the following concepts and skills prior to beginning the modifications:

- LDAP schema management
- Working knowledge of scripting language appropriate for the installation platform
- Working knowledge of LDAP object classes and attributes
- Working knowledge of XML document structure

NOTE: This adapter supports customization only through the use of pre-Exec and post-Exec scripting.

Tivoli Identity Manager Resources:

Check the <u>Tivoli Identity Manager Support website</u> for links to training, publications, and demos.

Support for Customized Adapters

The integration to the Identity Manager server – the adapter framework – is supported. However, IBM does not support the customizations, scripts, or other modifications. If you experience a problem with a customized adapter, IBM Support may require the problem to be demonstrated on the GA version of the adapter before a PMR is opened.

Supported Configurations

Installation Platform

The IBM Tivoli Identity Manager Adapter was built and tested on the following product versions.

Adapter Installation Platform:

Windows 2003 Server Standard Edition 32-bit OS on x86 compatible CPU Windows 2003 Server Enterprise Edition 32-bit OS on x86 compatible CPU Windows 2008 Server Standard Edition 32-bit OS on x86 compatible CPU Windows 2008 Server Enterprise Edition 32-bit OS on x86 compatible CPU

Windows 2008 Server Enterprise Edition 64-bit OS

Managed Resource:

Sybase Adaptive Server Enterprise (ASE) v12.5 with Sybase Open Client v12.5 Sybase Adaptive Server Enterprise (ASE) v15.0 with Sybase Open Client v15.0

IBM Tivoli Identity Manager:

Identity Manager v5.0

Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing IBM Corporation North Castle Drive Armonk, NY 10504-1785 U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

```
IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106-0032, Japan
```

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged should contact:

```
IBM Corporation
2ZA4/101
11400 Burnet Road
Austin, TX 78758 U.S.A.
```

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this information and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement, or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Trademarks

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

IBM IBM logo Tivoli

Adobe, Acrobat, Portable Document Format (PDF), and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, other countries, or both.

Cell Broadband Engine and Cell/B.E. are trademarks of Sony Computer Entertainment, Inc., in the United States, other countries, or both and is used under license therefrom.



Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft, Windows, Windows NT®, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Intel®, Intel logo, Intel Inside®, Intel Inside logo, Intel Centrino™, Intel Centrino logo, Celeron®, Intel Xeon™, Intel SpeedStep®, Itanium®, and Pentium® are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Linux is a trademark of Linus Torvalds in the U.S., other countries, or both.

ITIL® is a registered trademark, and a registered community trademark of the Office of Government Commerce, and is registered in the U.S. Patent and Trademark Office.

IT Infrastructure Library® is a registered trademark of the Central Computer and Telecommunications Agency which is now part of the Office of Government Commerce.

Other company, product, and service names may be trademarks or service marks of others.

End of Release Notes