



Software Product Compatibility Reports
Detailed System Requirements
Aggregated Summary Across Maintenance Levels

Product name

Tivoli Monitoring 6.3.0

Operating system

z/OS



Contents

[Component list](#)

[Operating systems](#)

[Hypervisors](#)

[Prerequisites](#)

[Supported software](#)

[Hardware](#) (No hardware specified for this product)

[Packaging list](#) (No packaging list specified for this product)

[Glossary](#)

[Disclaimers](#)



Component list

This complete component list provides a high-level view of the components that run on the z/OS operating system. In the detailed sections of this report, component lists are provided that show only the z/OS operating systems that the components or the deployment units support.

Component support

- ✔ The component supports all or some of the z/OS versions.
 - ✘ The component does not support any z/OS versions.
-

Desktop

- ✘ Agent Builder Server (AB)
- ✘ TEP (Tivoli Enterprise Portal)

Server

- ✔ TEMS (Tivoli Enterprise Management Server)
- ✘ IBM Infrastructure Management Dashboard
- ✘ TEPS (Tivoli Enterprise Portal Server)

Agent or client

- ✔ OS Agents & TEMA (Tivoli Enterprise Management Agent)
- ✘ Summarization and Pruning Agent (SPA)
- ✘ System Director base Agent
- ✘ Tivoli Log File Agent
- ✘ Tivoli Performance Analyzer (ITPA)
- ✘ Warehouse Proxy Agent (WPA)



Operating systems

Tivoli Monitoring 6.3.0 and its maintenance levels support the following operating systems.

To view specific information for version 6.3.0 or one of its maintenance levels, consult its detailed report.

Component support

- Full
- Partial
- None

Operating system	Hardware	Bitness	Agent or Client	Desktop	Server	Operating system minimum	Product minimum	Notes?
z/OS 1.12	System z	31, 64-Tolerate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Base	6.3.0	Yes
z/OS 1.13	System z	31, 64-Tolerate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Base	6.3.0	Yes
z/OS 2.1	System z	31, 64-Tolerate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Base	6.3.0	Yes



Hypervisors

Tivoli Monitoring 6.3.0 and its maintenance levels support the following hypervisors.

To view specific information for version 6.3.0 or one of its maintenance levels, consult its detailed report.

Component support

- Full
- Partial
- None

Hypervisor	Agent or Client	Desktop	Server	Limited guest operating system support?	Product minimum	Notes?
z/VM 6.2	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	No	6.3.0	No



Prerequisites

Tivoli Monitoring 6.3.0 and its maintenance require the following prerequisites.

To view specific information for version 6.3.0 or one of its maintenance levels, consult its detailed report.

Component support

- Full
- Partial
- None

Capabilities

[Databases](#) [Java](#) [Runtime Environment](#) [Security Libraries](#)
[Web Browsers](#) [Web Servers](#)

Databases

Prerequisite	Version	Agent or Client	Desktop	Server	Prerequisite minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
Apache Derby	10.3	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	10.3	6.3.0	No	None	Yes
DB2 Enterprise Server Edition	9.7	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	9.7	6.3.0	No	None	Yes
DB2 Enterprise Server Edition	10.1	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	10.1	6.3.0	No	None	Yes
DB2 Enterprise Server Edition	10.5	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	10.5	6.3.0.1	No	None	No
DB2 Workgroup Server Edition	9.7	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	9.7	6.3.0	No	None	Yes
DB2 Workgroup Server Edition	10.5	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	10.5	6.3.0.1	No	None	No



Tivoli Monitoring 6.3.0 on z/OS

Detailed System Requirements – Aggregated Summary Across Maintenance Levels

Prerequisite	Version	Agent or Client	Desktop	Server	Prerequisite minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
DB2 for z/OS	9.1	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	9.1	6.3.0	No	None	Yes
DB2 for z/OS	10.1	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	10.1	6.3.0	No	None	Yes
Microsoft SQL Server Enterprise Edition	2008	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	2008	6.3.0	No	None	Yes
Microsoft SQL Server Enterprise Edition	2008 R2	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	2008 R2	6.3.0	No	None	Yes
Microsoft SQL Server Enterprise Edition	2012	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	2012	6.3.0	No	None	Yes
Oracle Database 11g Enterprise Edition	Release 1	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	Release 1	6.3.0	No	None	Yes
Oracle Database 11g Enterprise Edition	Release 2	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	Release 2	6.3.0	No	None	Yes



Java

Prerequisite	Version	Agent or Client	Desktop	Server	Prerequisite minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
IBM Runtime Environment, Java Technology Edition	7.0.3				7.0.3	6.3.0	No	None	No



Runtime Environment

Prerequisite	Version	Agent or Client	Desktop	Server	Prerequisite minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
Jazz for Service Management	1.1				1.1	6.3.0	No	None	No



Security Libraries

Prerequisite	Version	Agent or Client	Desktop	Server	Prerequisite minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
IBM Global Security Kit (GSKit)	8.0.0.n				8.0.0.n	6.3.0	No	None	No



Web Browsers

Prerequisite	Version	Agent or Client	Desktop	Server	Prerequisite minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
Microsoft Internet Explorer	8.0	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	8.0	6.3.0	No	None	No
Microsoft Internet Explorer	9.0	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	9.0	6.3.0	No	None	No
Mozilla Firefox	ESR 17.0	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	ESR 17.0	6.3.0	No	None	No



Web Servers

Prerequisite	Version	Agent or Client	Desktop	Server	Prerequisite minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
IBM HTTP Server	8.0				8.0	6.3.0	No	None	No



Supported software

Tivoli Monitoring 6.3.0 and its maintenance support the following additional software.

To view specific information for version 6.3.0 or one of its maintenance levels, consult its detailed report.

Capabilities

[Data Protection and Recovery](#) [Event Management](#) [Reporting and Analysis](#)
[Resource Management](#) [Service Management](#)

Component support

- Full
- Partial
- None

Data Protection and Recovery

Supported software	Version	Agent or Client	Desktop	Server	Supported software minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
Tivoli System Automation for Multiplatforms	3.2	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	3.2	6.3.0	No	None	Yes
Tivoli System Automation for Multiplatforms	3.2.1	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	3.2.1	6.3.0	No	None	Yes
Tivoli System Automation for Multiplatforms	3.2.2	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	3.2.2	6.3.0	No	None	Yes



Event Management

Supported software	Version	Agent or Client	Desktop	Server	Supported software minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
Tivoli Enterprise Console	3.9				3.9	6.3.0	No	None	Yes
Tivoli Netcool/OMNibus	7.2.1				7.2.1	6.3.0	No	None	Yes
Tivoli Netcool/OMNibus	7.3.0				7.3.0	6.3.0	No	None	Yes
Tivoli Netcool/OMNibus	7.3.1				7.3.1	6.3.0	No	None	Yes
Tivoli Netcool/OMNibus	7.4.0				7.4.0	6.3.0	No	None	Yes



Reporting and Analysis

Supported software	Version	Agent or Client	Desktop	Server	Supported software minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
SPSS Statistics	20.0.0.0				20.0.0.0	6.3.0	No	None	Yes
SPSS Statistics	21.0.0.0				21.0.0.0	6.3.0	No	None	Yes
SPSS Statistics	22.0.0.0				22.0.0.0	6.3.0	No	None	Yes
Tivoli Common Reporting	2.1.1				2.1.1	6.3.0	No	None	No
Tivoli Common Reporting	3.1				3.1	6.3.0	No	None	No



Resource Management

Supported software	Version	Agent or Client	Desktop	Server	Supported software minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
Tivoli Application Dependency Discovery Manager	7.2.1				7.2.1	6.3.0	No	None	Yes



Service Management

Supported software	Version	Agent or Client	Desktop	Server	Supported software minimum	Product minimum	Operating system restrictions?	Packaging	Notes?
Tivoli Business Service Manager	4.2.1				4.2.1	6.3.0	No	None	Yes
Tivoli Business Service Manager	6.1				6.1	6.3.0	No	None	Yes
Tivoli Business Service Manager	6.1.1				6.1.1	6.3.0	No	None	No



Glossary

Bitness

Compatibility of the product with the bit version support that is provided by an operating system. Different parts of a product might run on the same operating system but support different application bitness. For example, one part of the product might run only in 32-bit mode, whereas another might support 64-bit tolerate mode.

31: The product or part of the product runs as a 31-bit application in a 31-bit operating environment.

32: The product or part of the product runs as a 32-bit application in a 32-bit operating environment.

64-tolerate: The product or part of the product runs as a 32-bit application in a 64-bit operating environment.

64-exploit: The product or part of the product runs natively as a 64-bit application in a 64-bit operating environment.

Co-packaged

Additional products that are included in the product package.

Co-installed

Additional products that are included in the product package and installed when the product is installed.

Deployment unit

Deployment Structure identifies pieces of a product that can be independently deployed onto one or more machines in a distributed infrastructure.

- The top level of the deployment structure consists of one or more deployment units. There are four possible deployment units that a product might support: Desktop, Server, Agent or client, Mobile.
- Deployment units may be further divided into deployable **components**

Desktop deployment unit: Part of the deployment structure intended for use by a single user, typically installed on the user desktops. Examples of desktop deployment units include development tools, administrative tools, stand-alone business applications.

Server deployment unit: Part of the deployment structure that can provide services to multiple clients, providing the server in a client-server architecture. Examples of server deployment units include application servers, management servers, database servers and server-based business applications.

Agent or client deployment unit: Part of the deployment structure that allows remote connection between software. Examples of agent or client deployment



units include agents in management system that are installed in the same tier as the managed resources, a remote application, or database clients that are installed with the software accessing the remote services.

Mobile deployment unit: Part of the deployment structure intended for use by a single user, typically installed on a mobile device. An example of a mobile deployment unit is a mobile application.

Hypervisor	A virtual machine in which a product can run on a guest operating system.
Limited operating system support	By default, the supported guest operating systems for a product and a hypervisor are the operating systems that are supported by both the product and the hypervisor. If a product restricts support to a subset of these operating systems, this restriction will be indicated by specifying that there is Limited Operating System Support.
Operating system minimum	The minimum operating system maintenance level that is required to run on the product.
Prerequisite minimum	The minimum maintenance level that is required for the prerequisite to work with the product.
Product minimum	The minimum maintenance level that is required for the product to run on the operating system, on an hypervisor, or work with a prerequisite product or supported software.
Supported software minimum	The minimum maintenance level that is required for the supported software to work with the product.



Disclaimers

This report is subject to the Terms of Use and the following disclaimers:

The information contained in this report is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied, including but not limited to the implied warranties of merchantability, non-infringement, and fitness for a particular purpose. In addition, this information is based on IBM's current product plans and strategy, which are subject to change by IBM without notice. IBM shall not be responsible for any direct, indirect, incidental, consequential, special or other damages arising out of the use of, or otherwise related to, this report or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software.

References in this report to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in this presentation may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. The underlying database used to support these reports is refreshed on a weekly basis. Discrepancies found between reports generated using this web tool and other IBM documentation sources may or may not be attributed to different publish and refresh cycles for this tool and other sources. Nothing contained in this report is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth, savings or other results. You assume sole responsibility for any results you obtain or decisions you make as a result of this report.

Notwithstanding the Terms of Use, users of this site are permitted to copy and save the reports generated from this tool for such users own internal business purpose. No other use shall be permitted.