

Platform	Component	Item	Directory	File(s)	Notes
Unix/Linux	<b>Install</b>	Configuration Files	install_dir/config	*	
		Logs	install_dir/logs	candle_installation.log itm_install.* itm_config.*	
			install_dir/patchlogs	itmpatch.log patch.hist	
		Registry	install_dir/registry	*	
	<b>TEMS</b>	Configuration Files	install_dir/config	ms.ini <hostname>_ms_<tems_name>.config	
		Runtime Logs	install_dir/logs	ms.env <hostname>_cms_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_ms_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_ms_<sysutcstart> <sup>2</sup> .log	<sup>1</sup> <sysutcstart> is a hexadecimal representation of the UTC startup time in seconds <sup>2</sup> <sysutcstart> is a decimal representation of the UTC startup time in seconds
		TEMS Database Files	install_dir/tables/<temsname>/	QA1*.*	
	<b>TEPS</b>	Configuration Files	install_dir/config	cq.ini cq.config <hostname>_cq.cfg kf.config	
		Runtime Logs	install_dir/logs	cq.env kf.env <hostname>_cq_KfwInstallClient_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_cq_KfwSQLClient_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_cq_KfwServices_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_cq_KfwInstallClient.inv <hostname>_cq_KfwSQLClient.inv <hostname>_cq_KfwServices.inv <hostname>_cq_<sysutcstart> <sup>2</sup> .log kfwservices.msg kfwjras1.log	<sup>1</sup> <sysutcstart> is a hexadecimal representation of the UTC startup time in seconds <sup>2</sup> <sysutcstart> is a decimal representation of the UTC startup time in seconds
		Install/Upgrade Logs	install_dir/logs	InstallPresentation.log migrate.log	
	<b>Agent</b>	Agent/runtime logs	install_dir/logs	<hostname>_<pc>_<process>_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_<pc>_<sysutcstart> <sup>2</sup> .log <hostname>:<PC>:LG* <hostname>_<pc>_<sysutcstart> <sup>2</sup> .pid<pid>	<sup>1</sup> <sysutcstart> is a hexadecimal representation of the UTC startup time in seconds <sup>2</sup> <sysutcstart> is a decimal representation of the UTC startup time in seconds
		Remote Deploy	install_dir/logs	kuiras1_<user>_<sysutcstart>-<num>.log	
		Configuration files	install_dir/config	<pc>.ini <pc>.config	
	Agent files	install_dir/<platform>/<pc>			
	ODI files	Located on TEPS	dock<pc>		

		atr	install_dir/<platform>/<pc>/tables/ATTRLIB	k<pc>.atr	
		cat	(Located on TEMS) install_dir/tables/<temsname>/	k<pc>.cat	
Windows	<b>Install</b>	Configuration Files	install_dir\InstallITM\ver	manifest.hive	
		Logs	install_dir\InstallITM	IBM Tivoli Monitoring <date> <time>.log	
		Registry	HKLM\Software\Candle\OMEGAMON		reg query HKLM\Software\Candle\OMEGAMON /s
	<b>TEMS</b>	Configuration Files	install_dir/cms	GLB_site.txt	
		Runtime Logs	install_dir/logs	<hostname>_cms_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_ms_<sysutcstart> <sup>1</sup> -<num>.log	
		Message File	install_dir/cms	kdsmain.msg	
		TEMS Database Files	install_dir/cms	QA1*.*	
	<b>TEPS</b>	Configuration Files	install_dir/cnps	kfwenv	
		Runtime Logs	install_dir/logs	<hostname>_cq_KfwInstallClient_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_cq_KfwSQLClient_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_cq_KfwServices_<sysutcstart> <sup>1</sup> -<num>.log <hostname>_cq_KfwInstallClient.inv <hostname>_cq_KfwSQLClient.inv <hostname>_cq_KfwServices.inv <hostname>_cq_<sysutcstart> <sup>2</sup> .log kfwservices.msg kfwjras1.log InstallPresentation.log	
		Install/Upgrade Logs	install_dir/cnps	ITMFileRegistry.xml migrate.log	
	<b>Agent</b>	Install log	install_dir\InstallITM	IBM Tivoli Monitoring <date> <time>.log	
		Agent/runtime logs	install_dir/tmaitm6/logs	<hostname>_<pc>_<process>_<sysutcstart>-<num>.log <hostname>_<pc>_<?????>.log <hostname>:<PC>:LG*	
		Remote Deploy Configuration files	install_dir/tmaitm6	k<pc>env	
		Agent files	install_dir/tmaitm6		
		ODI files	install_dir/CNPS/ (TEPS)	dock<pc>	
	atr	install_dir/CMS/ATTRLIB (TEMS)	k<pc>.atr		
	cat	install_dir/CMS/RKDSCATL (TEMS)	k<pc>.cat		
i5/OS	<b>Agent</b>				

		Install log	System job log		
		Install logs	System job log		
		Uninstall logs			
		Agent/runtime logs	QAUTOTMP library	KA4AGENT**	
		Remote Deploy	N/A		
		Configuration files	QAUTOTMP library	KMSPARM FILE KBBENV MEMBER	
		Agent files	QAUTOMON library		
		ODI files	N/A	Docka4	
		atr	N/A	ka4.cat	
		cat	N/A	ka4.atr	
z/OS	<b>Install</b>	Configuration Files	&shilev.INST*, &shilev.SMP*		
		Logs	Each job produces a log.		
		Registry	N/A		
	<b>TEMS</b>	Configuration Files	&rhilev.&rte.RKANCMD/CMDU		
		Logs	JESxLOG, RKLVLLOG, RKLVSnap, RKPDOU, RKPDLLOG		
		Parmlib	&rhilev.&rte.RKANPAR/PARU	KDSENV	
	<b>TEPS</b>	N/A			
	<b>Agent</b>	Configuration Files	&rhilev.&rte.RKANCMD/CMDU		
		Logs	JESxLOG, RKLVLLOG, RKLVSnap, RKPDOU, RKPDLLOG		
		Parmlib	&rhilev.&rte.RKANPAR/PARU		
		Install logs	N/A		
		Uninstall logs	N/A		
		Agent/runtime logs	N/A		
		Remote Deploy	N/A		
		Configuration files	N/A		
		Agent files	N/A		

		ODI files	N/A		
		atr	&rhilev.&rte.RKANDATV		
		cat	&rhilev.&rte.RKANDATV		