

## Toshiba TCxWave is the most versatile store system you can buy POS, Kiosk, or Self Service

### Table of contents

<a href="#">2 Overview</a>	<a href="#">8 Publications</a>
<a href="#">2 Key prerequisites</a>	<a href="#">9 Technical information</a>
<a href="#">2 Planned availability date</a>	<a href="#">10 Terms and conditions</a>
<a href="#">3 Description</a>	<a href="#">11 Prices</a>
<a href="#">3 Product number</a>	

### At a glance



Toshiba's commitment to innovation is evident in the launch of the new Toshiba® TCxWave™, designed to establish a new benchmark for the next-generation point-of-sale. The distinctive, smart design and intuitive touch interface complements any store environment, whether it is being used in traditional POS mode by store associates or by customers themselves in self-service or kiosk interactions. A choice of configurations gives the versatility that retailers need as their stores evolve to meet the demands of Together Commerce. The multipurpose, flexible, and attractive modern platform is based on the retail-hardened and reliable technology for which IBM and Toshiba are justly renowned.

#### Distinctive, smart design

- Smart look and appeal
  - Our slimmest POS or Kiosk
- New intuitive touch wide screen
  - First 16:9 ratio multitouch gesture-based POS/Kiosk
  - Store System screen designed to be as easy to use as a smart phone
  - A 16x9 ratio viewing screen - widest integrated screen on the market
- Human Factors design by award-winning team
  - Bidirectional MSR
  - Multiple viewing angles and heights
- Versatile
  - Full-function point of sale, self service, and kiosk

- Investment protection for evolving retail space - consumer goods to food service
- Flexible placement options - in low and high light spaces
- Reliable
  - Retail-hardened design and durability
  - Antiglare screen protection
  - Top performing solid-state drive

---

## Overview

---

Toshiba Global Commerce Solutions, a Toshiba and IBM® Company, introduces the new Toshiba TCxWave . Toshiba has designed the new Toshiba TCxWave so that retailers can create a unique brand experience through store technology that optimizes each customer engagement and supports a flexible, consumer-centric shopping experience and store environment.

The Toshiba TCxWave goes beyond offering only a single-purpose hardware; its POS, Kiosk, or Self Service capabilities deliver the performance, versatility, and distinctive, smart design, and function that global retailers have come to trust from the team that continues to produce one of the leading store solutions in the industry.

---

## Key prerequisites

---

One of the following operating systems is required to run the Toshiba TCxWave .

Preload Operating Systems supported:

- POSReady 7<sup>1</sup>
- POSReady 2009<sup>1</sup>
- Windows™ 7 Professional<sup>1</sup>

Other Operating Systems supported:

- 4690 Operating System Version 6 Enhanced only<sup>2</sup>
- Microsoft™ PosReady 7 (64 bit)
- Microsoft Windows 7 Professional (64 bit)
- Microsoft Windows 8<sup>2</sup>

<sup>1</sup> Only 32 bit is available preloaded.

<sup>2</sup> Support target by end of year 2013

**Note:** DOS is not supported.

**Other applications supported:** Remote Management Agent V3

**Drivers supported:** UPOS 1.13.4, or higher

---

## Planned availability date

---

April 17, 2013

---

## Description

---

### Accessibility by people with disabilities

---

A US Section 508 Voluntary Product Accessibility Template (VPAT) containing details on accessibility compliance can be requested at

[http://www.ibm.com/able/product\\_accessibility/index.html](http://www.ibm.com/able/product_accessibility/index.html)

---

## Product number

---

Description	Machine	
	Type	Model
Toshiba TCxWave Head, 18.5" LCD, Touch, 2GB Mem	6140	100
Toshiba TCxWave Head, 18/5" LCD, Touch, 2GB Mem Depot Model	6140	10D
Toshiba TCxWave Preload - Head, 18.5" LCD, Touch, 2GB Mem & SSD with Preloaded OS	6140	E10
Toshiba TCxWave Preload - Head, 18.5" LCD, Touch, 2GB Mem & SSD with Preloaded OS Depot Model	6140	E1D
Bulk Ordering Feature Machine Type	4611	614

Description	Feature
-------------	---------

The following features are orderable on machine type 6140 Models 100, 10D, E10 and E1D:

#### Voltage Specify Codes

Low Voltage	2900
-------------	------

#### System Unit features

Base System-USB ports, Ethernet, display port & dock	1020
Base MES - USB ports, Ethernet, display port & dock	1021
Distributed POS Hub - USB ports, & Y cable 24V Pwr USB	1400
Power Adapter	4930
Micro SD Card	5179
USB to RS232 Adapter	5180
Y Cable - 24V Powered USB	5181
Display Port to VGA Adapter Cable	5182
Head Cable Cover/Rear VESA Cover	5101

#### I/O System options

2x20 Display/USB	2600
Mag Stripe Reader/USB	2601
2x20/MSR/USB	2602

#### Storage Devices

64GB System SSD	7320
64GB SSD MES	7321

## Memory

2GB Additional Memory (1 -2GB DIMM)	7010
4GB System Memory (1- 4GB DIMM)	7011
4GB Additional Memory (1-4GB DIMM)	7012

## Preload features

Description	Feature
-------------	---------

The following features are orderable on machine type 6140, Models E10 and E1D.

### Windows 7 Pro

Windows 7 Pro	4220
Windows 7 Pro Recovery Media	4221

### POSReady 7 Full OS

POSReady 7 Full OS	4225
POSReady 7 Language Packs	4226
POSReady 7 Additional Components	4227
POSReady 7 Recovery Media	4228

### POSReady 2009

POSReady 2009 Full OS	4229
POSReady 2009 Media-language packs	4230
POSReady 2009 Image Recovery Media	4231

## Features for Hub (FC 1400) or Base (FC 1020 or 1021)

Description	Feature
-------------	---------

### Pre-Configured Modular Keyboards

Modular CANPOS w/Touchpad/Point stick Iron only (no MSR)	1350
Modular ANPOS w/MSR, Touchpad/Ptg, keylock Iron	1351
Modular 67 Key Kybd w/MSR & Keylock Iron	1355
Modular 67 Key Kybd w/LCD & MSR & Keylock Iron	1356

### Modular Keyboard Feature Integration

Integration of Keyboard Features	1111
----------------------------------	------

Modular CANPOS Keyboards (Iron Gray)	
Modular Compact ANPOS Keyboard - US-English	2250
Modular Compact ANPOS Keyboard - Spanish	2254

### 67 Key Keyboards

Modular 67 Key Keyboard Iron	2270
Modular 67 Key Keyboard w /LCD Iron	2240

### Modular ANPOS Keyboards

Modular ANPOS Kybd (Spanish) Iron	2290
Modular ANPOS Kybd (US Eng) Iron	2280

### Keyboard optional features

3-Track MSR Module	2260
Two Position Keylock Module	2264
Touch Pad/Pointing Stick Module	2266
Fingerprint Reader Module	2268

## Fillers

Filler MSR Iron Gray	1370
Filler Authentication Module Iron Gray	1374
Filler Glide Pad/Pointer Iron Gray	1376
Keyboard Cables	
USB cable 1.4M Black	1320
USB cable 3.8M Black	1321
Key Kits	
Modular 67 Key Kybd Lens Kit	1420
Modular ANPOS Lens Kit	1421
Modular CANPOS Lens Kit	1422
Key Caps	
Keyboard Key Caps - 1x1 SS (25 units)	1426
Keyboard Key Caps - 1x2 (25 units)	1427
Keyboard Key Caps - 1x1 Tall (25 units)	1428
Keyboard Key Caps - 1x2 Tall (25 units)	1429
67 Key Keyboard Single Caps - 1x1 (25 units)	1430
67 Key Keyboard Double Caps - 1x2 (25 units)	1431
67 Key Keyboard Single Caps - 1x1 Tall (25 units)	1432
67 Key Keyboard Double Caps - 1x2 WT Tall (25 units)	1433
Legends Sheets	
Modular ANPOS Kybd Legend - Blank	1423
Modular CANPOS Kybd Legend - Blank	1424
Modular 67 Key Kybd Legend - Blank	1425
Cash Drawers	
USB Compact Cash Drawer with Vertical Till, iron	4508
USB Compact Cash Drawer with Horizontal Till, iron	4509
USB Wide Cash Drawer iron gray	4510
Flip Top Drawer- iron gray	4484
Flip Top Till & Locking Cover	4485
Compact Cash Drawer- 24V/38V with Vertical Till, iron gray	4408
Compact Cash Drawer- 24V/38V with Horizontal Till, iron gray	4409
Wide Cash Drawer- iron gray 24V/38V	4881
Tills & Covers	
Wide CD Locking Till Cover	4875
Wide Cash Drawer Adj Till	4870
Wide Fixed Till	4865
Comp CD Vert Till Insert	4775
Comp CD Horiz Till Insert	4770
Comp CD Locking Till Cover	4765
Cables	
USB Std Compact Cash Dr Cable 3.8M	4511
USB Powered Compact Cash Dr Cable 3.8M	4512
Dist Cash Drawer Cable	4575
4610 Printer RJ11 to SDL Cable 3.8M	3387
Keylocks	
Keylock	9202
Keylock	9203
Keylock	9204
Keylock	9205

Keylock	9206
Plug	9200
Random Keylock	9218
Keylock Hardware Kit	9521

Premium Keylocks

Cash Drawer Premium Lock (1)	4380
Cash Drawer Premium Lock (2)	4375
Cash Drawer Premium Lock (3)	4370
Cash Drawer Premium Lock (4)	4365
Cash Drawer Premium Lock (5)	4360

Displays

USB 40 Char VFD (1-sided)- iron	5961
USB 40 Char LCD- iron	5951
USB Char/Graphic Display iron	5946

Display Cables

Short VFD USB Cable	5575
Medium VFD USB Cable	5572
Long VFD USB Cable	5570
Medium LCD USB Cable- powered USB	5097
Long LCD USB Cable- powered USB	5560
Standard USB Cable 3.8M	4555

Power Cords

Power Cord, 4.3M Locking	9873
Power Cord, 4.3M Non-locking	9875
Power Cord, 1.8M Non-Locking	9880

Description	Part Number
Accessory	
Blanking bar, 67-key black, kit of 5	46V4077
Blanking bar, ANPOS black, kit of 5	46V4079
MSR Test Card	90X9640
Key Puller Kit	93F1944

The following features are orderable on machine type 4611, Model 614:

Description	Feature
2GB Additional Memory (1 -2GB DIMM)	7010
4GB Additional Memory (1-4GB DIMM)	7012
64GB SSD MES	7321
2x20 Display/USB	2600
Mag Stripe Reader/USB	2601
2x20/MSR/USB	2602
Micro SD Card	5179
USB to RS232 Adapter	5180
Y Cable - 24V Powered USB	5181
Display Port to VGA Adapter Cable	5182
Head Cable Cover/Rear VESA Cover	5101
Base MES - USB ports, Ethernet, display port & dock	1021
Modular 67 Key Keyboard	2270
Modular 67 Key Keyboard w /LCD	2240
Filler MSR Iron Gray	1370
Filler Authentication Module Iron Gray	1374
Filler Glide Pad/Pointer Iron Gray	1376
USB cable 1.4M Black	1320
USB cable 3.8M Black	1321
Modular 67 Key Kybd Lens Kit	1420
Modular ANPOS Lens Kit	1421
Modular CANPOS Lens Kit	1422

Keyboard Key Caps - 1x1 SS (25 units)	1426
Keyboard Key Caps - 1x2 (25 units)	1427
Keyboard Key Caps - 1x1 Tall (25 units)	1428
Keyboard Key Caps - 1x2 Tall (25 units)	1429
67 Key Keyboard Single Caps - 1x1 (25 units)	1430
67 Key Keyboard Double Caps - 1x2 (25 units)	1431
67 Key Keyboard Single Caps - 1x1 Tall (25 units)	1432
67 Key Keyboard Double Caps - 1x2 WT Tall (25 units)	1433
Modular ANPOS Kybd Legend - Blank	1423
Modular CANPOS Kybd Legend - Blank	1424
Modular 67 Key Keybd Legend - Blank	1425
USB Compact Cash Drawer with Vertical Till, iron	4508
USB Compact Cash Drawer with Horizontal Till, iron	4509
USB Wide Cash Drawer iron gray	4510
Flip Top Drawer- Iron Gray	4484
Flip Top Till & Locking Cover	4485
Compact Cash Drawer- 24v/38V with Vertical Till	4408
Compact Cash Drawer- 24v/38V with Horizontal Till	4409
Wide Cash Drawer- Iron Gray 24v/38V	4881
Wide CD Locking Till Cover	4875
Wide Cash Drawer Adj Till	4870
Wide Fixed Till	4865
Comp CD Vert Till Insert	4775
Comp CD Horiz Till Insert	4770
Comp CD Locking Till Cover	4765
USB Std Compact Cash Dr Cable 3.8M	4511
USB Powered Compact Cash Dr Cable 3.8M	4512
Dist Cash Drawer Cable	4575
4610 Printer RJ11 to SDL Cable 3.8M	3387
Keylock	9202
Keylock	9203
Keylock	9204
Keylock	9205
Keylock	9206
Plug	9200
Random Keylock	9218
Keylock hardware kit	9521
Cash Drawer Prem Lock (1)	4380
Cash Drawer Prem Lock (2)	4375
Cash Drawer Prem Lock (3)	4370
Cash Drawer Prem Lock (4)	4365
Cash Drawer Prem Lock (5)	4360
USB 40 Char VFD (1-sided)- iron	5961
USB 40-char VFD (2-sided) iron	5700
USB 40 Char LCD- pearl/storm	5950
USB 40 Char LCD- iron	5951
Short VFD USB Cable	5575
Medium VFD USB Cable	5572
Long VFD USB Cable	5570
Medium LCD USB Cable- powered USB	5097
Long LCD USB Cable- powered USB	5560
Modular ANPOS Kybd (Spanish)	2290
Modular ANPOS Kybd (US Eng)	2280
Modular Compact ANPOS Keyboard - US Eng	2250
Modular Compact ANPOS Keyboard - Spanish	2254

---

## Education support

---

Multimedia education is available for Toshiba Global Commerce Solutions employees, Business Partners, and customers who sell, support, or service the Toshiba TCxWave Models 100 and E10. The following courses are available:

### **Toshiba Global Commerce Solutions employee and Business Partner sales education**

Title	Course Number
Selling the Toshiba TCxwave models 100 and E10	RE6140S

Title	Course Number
Supporting the Toshiba TCxwave models 100 and E10.	RE6140T
Toshiba TCxwave models 100 and E10. Hardware Service Training	SE614000

### **Toshiba Global Commerce Solutions customers**

Title	Course Number
Introducing the Toshiba TCxwave Models 100 and E10.	RE6140C
Toshiba TCxwave Models 100 and E10. Hardware Service Training	SE614000

To enroll in these courses and view additional Toshiba Global Commerce Solutions education offerings, visit

<http://www.toshibagcs.com/education>

If you have education related questions, contact:

grse@us.ibm.com

### **Business Partner information**

---

If you are a Direct Reseller - System Reseller acquiring products from IBM , you may link directly to Business Partner information for this announcement. A PartnerWorld® ID and password are required (use IBM ID).

<https://www.ibm.com/partnerworld/mem/sla.jsp?num=113-001>

---

## Publications

---

The following documents can be downloaded from the Toshiba Global Commerce Solutions website at



Title	Order Number
Toshiba MT 6140 Planning, Installation, and Service Guide Models 100, E10, EP1,10D, and E1D	G362-0597
Toshiba 6140-100 10D E1D, E10, and EP1 Operating System Installation Guide	G362-0599
Toshiba TCxWave POS Hub Planning, Installation, and Service Guide	GA27-4370

---

## Services

---

### Global Technology Services

---

IBM services include business consulting, outsourcing, hosting services, applications, and other technology management.

These services help you learn about, plan, install, manage, or optimize your IT infrastructure to be an on-demand business. They can help you integrate your high-speed networks, storage systems, application servers, wireless protocols, and an array of platforms, middleware, and communications software for IBM and many non-IBM offerings. IBM is your one-stop shop for IT support needs.

For details on available services, contact your IBM representative or visit

<http://www.ibm.com/services/>

For details on available IBM Business Continuity and Recovery Services, contact your IBM representative or visit

<http://www.ibm.com/services/continuity>

For details on education offerings related to specific products, visit

<http://www.ibm.com/services/learning/index.html>

Select your country, and then select the product as the category.

---

## Technical information

---

### Specified operating environment

---

#### *Homologation*

#### **Operating environment**

- Temperature (no HDD): 5°C to 40°C (32°F to 104°F)
- Relative humidity: 8% to 80%
- Wet bulb (caloric value): 27°C
- Heat dissipation: 115 watts, 392 BTU/Hr
- Electrical power: 0.14 kVA
- Capacity of exhaust: cubic meter/min
- Noise level: 3.6 bels at idle
- Leakage and starting current: 0.0035/50 Ampere

## Physical characteristics for installation planning

Physical Specs Hgt mm (in) Wid mm (in) Dep mm (in) Wgt kg (lbs)

POS System	324 (12.75)	470 (18.5)	305 (12)	10.4 (23)
Head Module	337 (13.25)	470 (18.5)	76 (3)	6.4 (14)
MSR / Display	70 (2.75)	318 (12.5)	25 (1)	0.3 (0.6)
Base Module	191 (7.5)	470 (18.5)	292 (11.5)	4 (9)

## Planning information

---

### **Cable orders**

None required.

### **Security, auditability, and control**

---

The customer is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communications facilities.

---

## Terms and conditions

---

**Volume orders:** Contact your IBM representative.

### **IBM Global Financing**

Yes

### **Warranty period**

One year

### **On-site Service**

Service or your reseller will either repair or exchange the failing machine at your location and verify its operation. You must provide a suitable working area to allow disassembly and reassembly of the failed machine. The area must be clean, well lit and suitable for the purpose. For some machines, certain repairs may require sending the machine to a service center.

On-site service

- 24 hours per day, 7 days a week, same day response.

### **Usage plan machine**

No

### **IBM hourly service rate classification**

One

When a type of service involves the exchange of a machine part, the replacement may not be new, but will be in good working order.

### **Field-installable features**

Yes

**Model conversions**

No

**Machine installation**

Customer setup. Customers are responsible for installation according to the instructions IBM provides with the machine.

**Graduated program license charges apply**

No

**Licensed Internal Code and Licensed Machine Code**

This product does not contain Licensed Internal Code or Licensed Machine Code.

**Machine Code License Acceptance requirement**

Acceptance-By-Use Machine: Yes, acceptance of the Machine Code license terms is conveyed through the user's initial use of the machine.

**Educational allowance**

A reduced charge is available to qualified education customers. The educational allowance may not be added to any other discount or allowance.

The educational allowance is 15% for the products in this announcement.

---

**Prices**

---

Description	Mach Type	Model
Toshiba TCxWave Head, 18.5" LCD, Touch, 2GB Mem	6140	100
Toshiba TCxWave Head, 18/5" LCD, Touch, 2GB Mem, Depot Model	6140	10D
Toshiba TCxWave Preload - Head, 18.5" LCD, Touch, 2GB Mem & SSD with Preloaded OS	6140	E10
Toshiba TCxWave Preload - Head, 18.5" LCD, Touch, 2GB Mem & SSD with Preloaded OS, Depot Model	6140	E1D
Bulk Ordering Feature Machine Type	4611	614

The following features are orderable on machine type 6140, Models 100, 10D, E10, and E1D:

Description	Feat	P F B
Voltage Specify Codes		
Low Voltage	2900	P

## System Unit features

Base System-USB ports, Ethernet, display port & dock	1020	P
Base MES - USB ports, Ethernet, display port & dock	1021	F
Distributed POS Hub - USB ports, & Y cable 24V Pwr'd USB	1400	B
Power Adapter	4930	B
Micro SD Card	5179	B
USB to RS232 Adapter	5180	B
Y Cable - 24V Powered USB	5181	B
Display Port to VGA Adapter Cable	5182	B
Head Cable Cover/Rear VESA Cover	5101	B

## I/O System Options

2x20 Display/USB	2600	B
Mag Stripe Reader/USB	2601	B
2x20/MSR/USB	2602	B

## Storage Devices

64GB System SSD	7320	P
64GB SSD MES	7321	B

## Memory

2GB Additional Memory (1 -2GB DIMM)	7010	B
4GB System Memory (1- 4GB DIMM)	7011	P
4GB Additional Memory (1-4GB DIMM)	7012	B

## Preload features

The following features are orderable on machine type 6140, Models E10 and E1D.

### Windows 7 Pro

Windows 7 Pro OS	4220	P
Windows 7 Pro Recovery Media	4221	B

### POSReady 7 Full OS

POSReady 7 Full OS	4225	P
POSReady 7 Language Packs	4226	B
POSReady 7 Additional Components	4227	B
POSReady 7 Recovery Media	4228	B

### POSReady 2009

POSReady 2009 Full OS	4229	P
POSReady 2009 Media-language packs	4230	B
POSReady 2009 Image Recovery Media	4231	B

## Features for Hub (FC 1400) or Base (FC 1020 or 1021)

		P
		F
Description	Feat	B

### Pre-Configured Modular Keyboards

Modular CANPOS w/Touchpad/Point stick Iron only (no MSR)	1350	P
Modular ANPOS w/MSR, Touchpad/Ptg, keylock Iron	1351	P
Modular 67 Key Kybd w/MSR & Keylock Iron	1355	P
Modular 67 Key Kybd w/LCD & MSR & Keylock	1356	P

Iron		
Modular Keyboard Feature Integration		
Integration of Keyboard Features	1111	P
Modular CANPOS Keyboards (Iron Gray)		
Modular Compact ANPOS Keyboard - US-English	2250	B
Modular Compact ANPOS Keyboard - Spanish	2254	B
67 Key Keyboards		
Modular 67 Key Keyboard Iron	2270	B
Modular 67 Key Keyboard w /LCD Iron	2240	B
Modular ANPOS Keyboards		
Modular ANPOS Kybd (Spanish) Iron	2290	B
Modular ANPOS Kybd (US Eng) Iron	2280	B
Keyboard optional features		
3-Track MSR Module	2260	B
Two Position Keylock Module	2264	B
Touch Pad/Pointing Stick Module	2266	B
Fingerprint Reader Module	2268	B
Fillers		
Filler MSR Iron Gray	1370	F
Filler Authentication Module Iron Gray	1374	F
Filler Glide Pad/Pointer Iron Gray	1376	F
Keyboard Cables		
USB cable 1.4M Black	1320	B
USB cable 3.8M Black	1321	B
Key Kits		
Modular 67 Key Kybd Lens Kit	1420	B
Modular ANPOS Lens Kit	1421	B
Modular CANPOS Lens Kit	1422	B
Key Caps		
Keyboard Key Caps - 1x1 SS (25 units)	1426	B
Keyboard Key Caps - 1x2 (25 units)	1427	B
Keyboard Key Caps - 1x1 Tall (25 units)	1428	B
Keyboard Key Caps - 1x2 Tall (25 units)	1429	B
67 Key Keyboard Single Caps - 1x1 (25 units)	1430	B
67 Key Keyboard Double Caps - 1x2 (25 units)	1431	B
67 Key Keyboard Single Caps - 1x1 Tall (25 units)	1432	B
67 Key Keyboard Double Caps - 1x2 WT Tall (25 units)	1433	B
Legends Sheets		
Modular ANPOS Kybd Legend - Blank	1423	B
Modular CANPOS Kybd Legend - Blank	1424	B
Modular 67 Key Keybd Legend - Blank	1425	B
Cash Drawers		
USB Compact Cash Drawer with Vertical Till, iron	4508	B

USB Compact Cash Drawer with Horizontal Till, iron	4509	B
Flip Top Drawer- Iron Gray	4484	B
Flip Top Till & Locking Cover	4485	B
Compact Cash Drawer- 24V/38V with Vertical Till, Iron	4408	B
Compact Cash Drawer- 24V/38V with Horizontal Till, Iron	4409	B
Wide Cash Drawer- Iron Gray 24V/38V	4881	B

#### Tills & Covers

Wide CD Locking Till Cover	4875	B
Wide Cash Drawer Adj Till	4870	B
Wide Fixed Till	4865	B
Comp CD Vert Till Insert	4775	B
Comp CD Horiz Till Insert	4770	B
Comp CD Locking Till Cover	4765	B

#### Cables

USB Std Compact Cash Dr Cable 3.8M	4511	B
USB Powered Compact Cash Dr Cable 3.8M	4512	B
Dist Cash Drawer Cable	4575	B
4610 Printer RJ11 to SDL Cable 3.8M	3387	B

#### Keylocks

Keylock	9202	B
Keylock	9203	B
Keylock	9204	B
Keylock	9205	B
Keylock	9206	B
Plug	9200	B
Random Keylock	9218	B
Keylock Hardware Kit	9521	B

#### Premium Keylocks

Cash Drawer Premium Lock (1)	4380	B
Cash Drawer Premium Lock (2)	4375	B
Cash Drawer Premium Lock (3)	4370	B
Cash Drawer Premium Lock (4)	4365	B
Cash Drawer Premium Lock (5)	4360	B

#### Displays

USB 40 Char VFD (1-sided)- iron	5961	B
USB 40 Char LCD- iron	5951	B
USB Char/Graphic Display iron	5946	B

#### Display Cables

Short VFD USB Cable	5575	B
Medium VFD USB Cable	5572	B
Long VFD USB Cable	5570	B
Medium LCD USB Cable- powered USB	5097	B
Long LCD USB Cable- powered USB	5560	B
Standard USB Cable 3.8M	4555	B

#### Power Cords

Power Cord, 4.3M Locking	9873	P
Power Cord, 4.3M Non-locking	9875	P
Power Cord, 1.8M Non-Locking	9880	P

#### Accessory

Description	Part
Blanking bar, 67-key black,	46V4077

kit of 5	
Blanking bar, ANPOS black,	46V4079
kit of 5	
MSR Test Card	90X9640
Key Puller Kit	93F1944

The following features are orderable on machine type 4611, Model 614:

Description	Feat	P F B
64GB SSD MES	7321	B
2GB Additional Memory (1 -2GB DIMM)	7010	B
4GB Additional Memory (1-4GB DIMM)	7012	B
2x20 Display/USB	2600	B
Mag Stripe Reader/USB	2601	B
2x20/MSR/USB	2602	B
Micro SD Card	5179	B
USB to RS232 Adapter	5180	B
Y Cable - 24V Powered USB	5181	B
Display Port to VGA Adapter Cable	5182	B
Head Cable Cover/Rear VESA Cover	5101	B
Base MES - USB ports, Ethernet, display port & dock	1021	B
Modular 67 Key Keyboard	2270	B
Modular 67 Key Keyboard w /LCD	2240	B
Filler MSR Iron Gray	1370	B
Filler Authentication Module Iron Gray	1374	B
Filler Glide Pad/Pointer Iron Gray	1376	B
USB cable 1.4M Black	1320	B
USB cable 3.8M Black	1321	B
Modular 67 Key Kybd Lens Kit	1420	B
Modular ANPOS Lens Kit	1421	B
Modular CANPOS Lens Kit	1422	B
Keyboard Key Caps - 1x1 SS (25 units)	1426	B
Keyboard Key Caps - 1x2 (25 units)	1427	B
Keyboard Key Caps - 1x1 Tall (25 units)	1428	B
Keyboard Key Caps - 1x2 Tall (25 units)	1429	B
67 Key Keyboard Single Caps - 1x1 (25 units)	1430	B
67 Key Keyboard Double Caps - 1x2 (25 units)	1431	B
67 Key Keyboard Single Caps - 1x1 Tall (25 units)	1432	B
67 Key Keyboard Double Caps - 1x2 WT Tall (25 units)	1433	B
Modular ANPOS Kybd Legend - Blank	1423	B
Modular CANPOS Kybd Legend - Blank	1424	B
Modular 67 Key Keybd Legend - Blank	1425	B
USB Compact Cash Drawer with Vertical Till, iron	4508	B
USB Compact Cash Drawer with Horizontal Till, iron	4509	B
USB Wide Cash Drawer Iron Gray	4510	B
Flip Top Drawer- Iron Gray	4484	B
Flip Top Till & Locking Cover	4485	B
Compact Cash Drawer- 24V/38V with Vertical Till	4408	B
Compact Cash Drawer- 24V/38V with Horizontal Till	4409	B
Wide Cash Drawer- Iron Gray 24V/38V	4881	B
Wide CD Locking Till Cover	4875	B
Wide Cash Drawer Adj Till	4870	B
Wide Fixed Till	4865	B
Comp CD Vert Till Insert	4775	B
Comp CD Horiz Till Insert	4770	B
Comp CD Locking Till Cover	4765	B

USB Std Compact Cash Dr Cable 3.8M	4511	B
USB Powered Compact Cash Dr Cable 3.8M	4512	B
Dist Cash Drawer Cable	4575	B
4610 Printer RJ11 to SDL Cable 3.8M	3387	B
Keylock	9202	B
Keylock	9203	B
Keylock	9204	B
Keylock	9205	B
keylock	9206	B
Plug	9200	B
Random Keylock	9218	B
keylock hardware kit	9521	B
Cash Drawer Prem Lock (1)	4380	B
Cash Drawer Prem Lock (2)	4375	B
Cash Drawer Prem Lock (3)	4370	B
Cash Drawer Prem Lock (4)	4365	B
Cash Drawer Prem Lock (5)	4360	B
USB 40 Char VFD (1-sided)- iron	5961	B
USB 40-char VFD (2-sided) iron	5700	B
USB 40 Char LCD- pearl/storm	5950	B
USB 40 Char LCD- iron	5951	B
Short VFD USB Cable	5575	B
Medium VFD USB Cable	5572	B
Long VFD USB Cable	5570	B
Medium LCD USB Cable- powered USB	5097	B
Long LCD USB Cable- powered USB	5560	B
Modular ANPOS Kybd (Spanish)	2290	B
Modular ANPOS Kybd (US Eng)	2280	B
Modular Compact ANPOS Keyboard - US Eng	2250	B
Modular Compact ANPOS Keyboard - Spanish	2254	B

P = Plant  
F = Field  
B = Both

### **Pricing terms**

---

Prices in the following PDF prices link are suggested list prices on day of announcement for the US only. They are provided for your information only. Dealer prices may vary, and prices may also vary by country. Toshiba Global Commerce Solutions list price does not include tax or shipping and is subject to change without notice.

[ENUS-113-001-LIST\\_PRICES\\_2013\\_01\\_15.PDF](#)

### **Maintenance charges**

---

For additional information on maintenance and pricing, contact your IBM representative or your IBM Business Partner, or call 1-800-IBM-CALL (1-800-426-2255).

For ServiceElect (ESA) maintenance service charges, contact IBM Global Services at 888-IBM-4343 (426-4343).

### **IBM Global Financing**

---

IBM Global Financing offers competitive financing to credit-qualified customers to assist them in acquiring IT solutions. Offerings include financing for IT acquisition, including hardware, software, and services, from both IBM and other manufacturers or vendors. Offerings (for all customer segments: small, medium, and large enterprise), rates, terms, and availability can vary by country. Contact your local IBM Global Financing organization or visit

<http://www.ibm.com/financing>



IBM Global Financing offerings are provided through IBM Credit LLC in the United States, and other IBM subsidiaries and divisions worldwide to qualified commercial and government customers. Rates are based on a customer's credit rating, financing terms, offering type, equipment type, and options, and may vary by country. Other restrictions may apply. Rates and offerings are subject to change, extension, or withdrawal without notice.

Financing solutions from IBM Global Financing can help you stretch your budget and affordably acquire the new product. But beyond the initial acquisition, our end-to-end approach to IT management can also help keep your technologies current, reduce costs, minimize risk, and preserve your ability to make flexible equipment decisions throughout the entire technology lifecycle.

### ***Trademarks***

Toshiba and Toshiba logo are trademarks or registered trademarks of Toshiba Corporation in the United States, other countries, or both.

TCxWave is a trademark of Toshiba Global Commerce Solutions in the United States, other countries, or both.

IBM and PartnerWorld are registered trademarks of IBM Corporation in the United States, other countries, or both.

Windows and Microsoft are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.

### ***Terms of use***

Toshiba Global Commerce Solutions (TGCS) products and services are offered for sale under applicable TGCS customer agreements and prices in effect at the time of your order. Not all products and services may be available in your country. TGCS reserves the right to modify or withdraw these products at any time without notice. The information in this announcement is provided for your information only. Additional terms and conditions are located at

<http://www.toshibagcs.com/terms.html>

For the most current information regarding TGCS products, contact your Toshiba Global Commerce Solutions representative or reseller, or visit the Toshiba Global Commerce Solutions website at

<http://www.toshibagcs.com/>