

United States hardware list prices

Pricing terms

Prices are suggested list prices on day of announcement for the US only. They are provided for your information only. Dealer prices may vary, and prices may also vary by country. IBM® list price does not include tax or shipping and is subject to change without notice.

| MT | Model/Feature | Description | List Price |
|------|---------------|--------------------------------|------------|
| 8284 | 21A | BASE | 200 |
| 8284 | 2 | SOLUTION DELIVERY | - |
| | | INTEGRAT WD0215 | |
| 8284 | 3 | SOLUTION DELIVERY | - |
| | | INTEGRAT | |
| 8284 | 5 | SDI BILLING ADJUSTMENT | - |
| | | IND | |
| 8284 | 6 | OEM LIGHT MAN ORDER IND | - |
| | | EM | |
| 8284 | 9 | LIGHT MAN ORD IND DO NOT | - |
| | | B WD0215 | |
| 8284 | 10 | ONE CSC BILLING UNIT | 170 |
| 8284 | 11 | TEN CSC BILLING UNITS | 1,700 |
| 8284 | 40 | MIRRORED SYSTEM DISK | - |
| | | LEVE | |
| 8284 | 41 | DEVICE PARITY PROTECTION | - |
| | | A | |
| 8284 | 43 | MIRRORED SYSTEM BUS | - |
| | | LEVEL | |
| 8284 | 47 | DEVICE PARITY RAID 6 ALL S | - |
| 8284 | 205 | RISC TO RISC DATA | - |
| | | MIGRATIO | |
| 8284 | 265 | AIX® PARTITION SPECIFY | - |
| 8284 | 267 | I OPERATING SYSTEM | - |
| | | PARTITI | |
| 8284 | 308 | MIRRORED LEVEL SYSTEM | - |
| | | SPEC | |
| 8284 | 347 | RAID HOT SPARE SPECIFY | - |
| 8284 | 348 | V.24 EIA232 6.1M 20 FT PCI | 124 |
| 8284 | 353 | V.35 6.1M 20 FT PCI CABLE | 124 |
| 8284 | 359 | X.21 6.1M 20 FT PCI CABLE | 371 |
| 8284 | 444 | CBU SPECIFY | - |
| 8284 | 551 | 19 INCH 1.8 METER HIGH | 2,644 |
| | | RAC | |
| 8284 | 553 | 19 INCH 2.0 METER HIGH | 3,585 |
| | | RAC | |
| 8284 | 599 | RACK FILLER PANEL KIT | 74 |
| 8284 | 719 | LOAD SOURCE NOT IN CEC | - |
| 8284 | 837 | SAN LOAD SOURCE SPECIFY | - |
| 8284 | 983 | US TAA COMPLIANCE | - |
| | | INDICATO | |
| 8284 | 984 | PRODUCT ASS USA MANUF | - |
| | | PLAN | |
| 8284 | 1025 | MODEM CABLE US CANADA | 13 |
| | | AND | |
| 8284 | 1107 | USB 500 GB REMOVABLE | 255 |
| | | DISK | |
| 8284 | 1140 | CUSTOM SERV SPECIFY ROCH | - |
| 8284 | 1953 | 300GB 15K RPM SAS SFF 2 DI 790 | |
| 8284 | 1964 | 600GB 10K RPM SAS SFF 2 DI 649 | |
| 8284 | 2145 | PRIMARY OS I | - |
| 8284 | 2146 | PRIMARY OS AIX | - |

| | | | |
|------|------|------------------------------|-------|
| 8284 | 2319 | FACTORY DECONFIGURATION - OF | |
| 8284 | 2456 | LC-SC 50 MICRON FIBER CONV | 83 |
| 8284 | 2459 | LC-SC 62.5 MIC FIB CONV CA | 83 |
| 8284 | 2934 | ASYNCH TERMIN PRINT CBL EI | 37 |
| 8284 | 2936 | ASYNCHRONOUS CABLE EIA 232 | 61 |
| 8284 | 3124 | SER TO SER PORT CAB DRAW/D | 67 |
| 8284 | 3125 | SERIAL TO SE PORT CBL RACK | 67 |
| 8284 | 3287 | 1M QDR IB COPPER CABLE | 519 |
| 8284 | 3288 | 3M QDR IB COPPER CABLE | 649 |
| 8284 | 3289 | 5M QDR IB ENET COPPER CABL | 700 |
| 8284 | 3290 | 10M QDR IB OPTIC CABLE | 750 |
| 8284 | 3293 | 30M QDR IB OPTIC CABLE | 900 |
| 8284 | 3632 | WIDESCREEN LCD MONITOR | 999 |
| 8284 | 3684 | SAS CAB AE ADAPTER TO EN 3 | 150 |
| 8284 | 3685 | SAS CABLEAE ADAPTER TO EN | 301 |
| 8284 | 3925 | 0.3M SERIAL PRT CONVERTER | 21 |
| 8284 | 3927 | SERIAL PORT NULL MOD CAB 3 | 67 |
| 8284 | 3928 | SER.PORT NULL MODEM CABLE | 67 |
| 8284 | 3930 | SYSTEM SERIAL PORT CONVERT | 14 |
| 8284 | 4256 | EXTENDER CABLE USB KEYBO 1 | 42 |
| 8284 | 4648 | RACK INTEGRATION SERVICES | 120 |
| 8284 | 4649 | RACK INTEGRATION SERVICES | 150 |
| 8284 | 4650 | NO FACTORY INTEGRATION IND | - |
| 8284 | 4651 | RACK INDICATOR RACK 1 | - |
| 8284 | 4652 | RACK INDICATOR RACK 2 | - |
| 8284 | 4653 | RACK INDICATOR RACK 3 | - |
| 8284 | 4654 | RACK INDICATOR RACK 4 | - |
| 8284 | 4655 | RACK INDICATOR RACK 5 | - |
| 8284 | 4656 | RACK INDICATOR RACK 6 | - |
| 8284 | 4657 | RACK INDICATOR RACK 7 | - |
| 8284 | 4658 | RACK INDICATOR RACK 8 | - |
| 8284 | 4659 | RACK INDICATOR RACK 9 | - |
| 8284 | 4660 | RACK INDICATOR RACK 10 | - |
| 8284 | 4661 | RACK INDICATOR RACK 11 | - |
| 8284 | 4662 | RACK INDICATOR RACK 12 | - |
| 8284 | 4663 | RACK INDICATOR RACK 13 | - |
| 8284 | 4664 | RACK INDICATOR RACK 14 | - |
| 8284 | 4665 | RACK INDICATOR RACK 15 | - |
| 8284 | 4666 | RACK INDICATOR RACK 16 | - |
| 8284 | 4793 | POWER® ACTIVE MEMORY EXPANS | 2,100 |
| 8284 | 5000 | SOFTWARE PRELOAD REQUIRED | - |
| 8284 | 5260 | PCIE2 LP 4 PORT 1GBE ADAPT | 351 |
| 8284 | 5273 | PCIE LP 8GB 2 PORT FIBRE C | 3,499 |
| 8284 | 5277 | PCIELP 4PORTASYNCEIA 232AD | 699 |
| 8284 | 5550 | SYS CONSOLE ON HMC | - |
| 8284 | 5557 | SYS CONSOLEETHERNET NO IOP | - |
| 8284 | 5771 | SATA SLIMLINE DVD RAM DRIV | 299 |
| 8284 | 6068 | OPT FRONT DOOR FOR 1.8M RA | 340 |
| 8284 | 6069 | OPT FRONT DOOR FOR 2.0M RA | 416 |
| 8284 | 6248 | 1.8M RACK ACOUSTIC DOORS | 3,513 |
| 8284 | 6249 | 2.0M RACK ACOUSTIC DOORS | 3,513 |

| | | | |
|------|------|-------------------------------------|-------|
| 8284 | 6263 | 1.8M RACK TRIM KIT | 399 |
| 8284 | 6272 | 2.0M RACK TRIM KIT | 399 |
| 8284 | 6458 | PWR CRD 4.3M 14FT WALL IBM | 14 |
| 8284 | 6460 | PWR CRD 14FT DRWR OEM PDU | 14 |
| 8284 | 6469 | PWR CRD 4.3M 14FT WALL OEM | 14 |
| 8284 | 6470 | PWR CRD 1.8M 6FT WALL 125V | 14 |
| 8284 | 6471 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6472 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6473 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6474 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6475 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6476 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6477 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6478 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6488 | PWR CRD 2.7M 9FT WALL OEM | 40 |
| 8284 | 6489 | 4.3M 14 FT 3PH 24A 380 41 | 275 |
| 8284 | 6491 | 4.3M 14 FT 1PH 63A 200 24 | 302 |
| 8284 | 6492 | 4.3M 14 FT 1PH 48 60A 200 | 302 |
| 8284 | 6493 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6494 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 6496 | PWR CRD 2.7M 9FT WALL 250V | 14 |
| 8284 | 6577 | POWER CABLE DRAWER TO IBM | 14 |
| 8284 | 6580 | OPTIONAL RACK SECURITY KIT | 136 |
| 8284 | 6586 | MODEM TRAY FOR 19INCH RACK | 189 |
| 8284 | 6651 | PWR CRD 2.7M 9FT WALL 125V | 14 |
| 8284 | 6653 | 4.3M 14 FT 3PH 16A 380 41 | 183 |
| 8284 | 6654 | 4.3M 14 FT 1PH 24 30A PWR | 181 |
| 8284 | 6655 | 4.3M 14 FT 1PH 24 30A WR | 400 |
| 8284 | 6656 | 4.3M 14 FT 1PH 24A POWER | 181 |
| 8284 | 6657 | 4.3M 14 FT 1PH 32A POWER | 191 |
| 8284 | 6658 | 4.3M 14 FT 1PH 24A PWR | 183 |
| 8284 | 6659 | PWR CORD 9FT TO WALL OEM P | 14 |
| 8284 | 6660 | PWR CRD 14FT 4.3M WALLOEM | 14 |
| 8284 | 6665 | PWR CRD 2.8M 9.2FT PDU | 14 |
| 8284 | 6667 | 4.3M 14FT 3PH 32A PWR CD A550 | 14 |
| 8284 | 6669 | PWR CRD 4.3M DRWR OEM PDU | 14 |
| 8284 | 6671 | PWR CRD 2.7M DRWR IBM PDU | 14 |
| 8284 | 6672 | POWERCORD 2M 6.5 FOOT DRAW | 14 |
| 8284 | 6680 | PWR CRD 2.7M 9FT WALL OEM | 14 |
| 8284 | 7109 | IINTELLIGENT PDU+ 1 EIA UN | 1,099 |
| 8284 | 7118 | ENVIRONMENTAL MONITORING P | 280 |
| 8284 | 7188 | POWER DISTRIBUTION UNIT | 756 |
| 8284 | 7196 | POWDISTRIBUTION UNIT US FIXED PO | 1,145 |
| 8284 | 7770 | OEM GENERIC INDICATOR | - |
| 8284 | 7773 | OEM GROUP BULL INDICATOR | - |
| 8284 | 7775 | OEM HITACHI INDICATOR | - |

| | | | |
|------|------|---------------------------------|-------|
| 8284 | 7779 | OEM PUBLIC FOR IBM LOGO - PR | - |
| 8284 | 8845 | USB MOUSE | 30 |
| 8284 | 9169 | ORDER ROUTING INDICATOR - SY | - |
| 8284 | 9300 | LANGUAGE GROUP SPCF US - ENG | - |
| 8284 | 9440 | NEW AIX LICENSE CORE - COUNT | - |
| 8284 | 9441 | NEW I LIC CORE COUNTER | - |
| 8284 | 9444 | OTHER AIX LIC CORE - COUNTER | - |
| 8284 | 9448 | OTHER I LIC CORE COUNTER | - |
| 8284 | 9449 | OTHER LICENSE CORE - COUNTER | - |
| 8284 | 9461 | MONTH INDICATOR | - |
| 8284 | 9462 | DAY INDICATOR | - |
| 8284 | 9463 | HOUR INDICATOR | - |
| 8284 | 9464 | MINUTE INDICATOR | - |
| 8284 | 9465 | QTY INDICATOR | - |
| 8284 | 9466 | COUNTABLE MEMBER - INDICATOR | - |
| 8284 | 9700 | LANGUAGE GROUP SPCF - DUTCH | - |
| 8284 | 9703 | LANGUAGE GROUP SPCF - FRENCH | - |
| 8284 | 9704 | LANGUAGE GROUP SPCF - GERMAN | - |
| 8284 | 9705 | LANGUAGE GROUP SPCF - POLISH | - |
| 8284 | 9706 | LANG GROUP SPECIFY - NORWEGI | - |
| 8284 | 9707 | LANG.GROUP SPCF - PORTUGUESE | - |
| 8284 | 9708 | LANGUAGE GROUP SPCF - SPANIS | - |
| 8284 | 9711 | LANGUAGE GROUP SPCF - ITALIA | - |
| 8284 | 9712 | LANGUA GR SPECI CANADIAN - F | - |
| 8284 | 9714 | LANGUAGE GROUP SPCF - JAPANE | - |
| 8284 | 9715 | LANGUAGE GROUP SPECIFY - TR | - |
| 8284 | 9716 | LANGUAGE GROUP SPCF - KOREAN | - |
| 8284 | 9718 | LANGUAGE GROUP SPCF - TURKIS | - |
| 8284 | 9719 | LANGUAGE GROUP SPCF - HUNGAR | - |
| 8284 | 9720 | LANGUAGE GROUP SPCF - SLOVAK | - |
| 8284 | 9721 | LANGUAGE GROUP SPCF - RUSSIA | - |
| 8284 | 9722 | LANG GROUP SPCF SIMPL - CHIN | - |
| 8284 | 9724 | LANGUAGE GROUP SPCF - CZECH | - |
| 8284 | 9725 | LANGUAGE GROUP SPCF - ROMANI | - |
| 8284 | 9726 | LANG GROUP SPECIFY - CROATIA | - |
| 8284 | 9727 | LANGUAGE GROUP SPCF - SLOVEN | - |
| 8284 | 9728 | LANG GROUP SPECIFY BRAZ - PO | - |
| 8284 | 9729 | LANG GROUP SPECIFY THAI | - |
| 8284 | 9742 | CUSTOMER INSTALL MES | - |
| 8284 | 9743 | NOTIFY CSO AFTER INSTALL | - |
| 8284 | 9993 | PRODUCT RENOVATED BY IBM - I | - |
| 8284 | B0UQ | SP WSU 3Y 24X7 SD | - |
| 8284 | B0VH | SP HDR MR POWER 3Y | - |
| 8284 | EB27 | QSFP+ 40G TRANSCEIVER | 2,899 |

| | | | |
|------|------|----------------------------|-------|
| 8284 | EB2B | 1M PASSIVE QSFP+ TO QSFP | 519 |
| | | + | |
| 8284 | EB2H | 3M PASSIVE QSFP+ TO QSFP | 649 |
| | | + | |
| 8284 | EB2J | 10M QSFP+ MTP OPTICAL | 169 |
| | | CABL | |
| 8284 | EB2K | 30M QSFP+ MTP OPTICAL | 299 |
| | | CABL | |
| 8284 | EB2L | AC POWER SUPPLY 900W | 250 |
| 8284 | EB40 | 0.5M FDR 40GBE CU CABLE | 350 |
| | | QS | |
| 8284 | EB41 | 1M FDR 40GBE CU CABLE | 415 |
| | | QSFP | |
| 8284 | EB42 | 2M FDR 40GBE CU CABLE | 519 |
| | | QSFP | |
| 8284 | EB4A | 3M FDR 40GBE OPTL CABLE | 649 |
| | | QS | |
| 8284 | EB4B | 5M FDR 40GBE OPLT CABLE | 700 |
| | | QS | |
| 8284 | EB4C | 10M FDR 40GBE OPTL | 750 |
| | | CABLEQS | |
| 8284 | EB4D | 15M FDR 40GBE OPTL | 800 |
| | | CABLEQS | |
| 8284 | EB4E | 20M FDR 40GBE OPTL | 850 |
| | | CABLEQS | |
| 8284 | EB4F | 30M FDR 40GBE OPTL | 900 |
| | | CABLEQS | |
| 8284 | EB4G | 50M FDR 40GBE OPLT | 1,200 |
| | | CABLEQS | |
| 8284 | EB72 | I 7.2 INDICATOR | - |
| 8284 | EB73 | IBM I 7.3 INDICATOR | - |
| 8284 | EC01 | RACK FRONT DOOR BLACK | 400 |
| 8284 | EC02 | RACK REAR DOOR | 400 |
| 8284 | EC03 | RACK SIDE COVER | 500 |
| 8284 | EC04 | RACK SUITE ATTACHMENT KIT | 300 |
| 8284 | EC07 | SLIM REAR ACOUSTIC DOOR | 2,233 |
| 8284 | EC08 | SLIM FRONT ACOUSTIC DOOR | 2,233 |
| 8284 | EC15 | REAR DOOR HEAT | 7,499 |
| | | EXCHANGER | |
| 8284 | EC45 | PCIE2 LP 4-PT USB 3.0 ADAP | 500 |
| 8284 | ECBN | 5M PASSIVE QSFP+ TO QSFP | 686 |
| | | + | |
| 8284 | ECBY | SAS AE1 CABLE 4M HD | 185 |
| | | NARROW | |
| 8284 | ECBZ | SAS YE1 CABLE 3M HD | 325 |
| | | NARROW | |
| 8284 | ECCF | PORT CONVERTER CABLE FOR | 150 |
| | | U | |
| 8284 | ECCG | VAR LTH BLUE CAT5E CABLE | 25 |
| 8284 | ECCH | VAR LTH GREEN CAT5E CABLE | 25 |
| 8284 | ECCJ | VAR LTH YELLOW CAT5E | 25 |
| | | CABLE | |
| 8284 | ECCK | VAR LENGTH FIBRE SAN | 25 |
| | | CABLE | |
| 8284 | ECCN | VAR LTH DAC QSFP TO | 519 |
| | | QSFP CBL | |
| 8284 | ECDJ | 3.0M SAS X12 CABLE | 350 |
| 8284 | ECDK | 4.5M SAS X12 Cable | 1,675 |
| 8284 | ECDL | 10M SAS X12 Cable | 1,775 |
| 8284 | ECDT | 1.5M SAS YO12 CABLE | 160 |
| 8284 | ECDU | 3.0M SAS YO12 CABLE | 200 |
| 8284 | ECDV | 4.5M SAS YO12 Cable | 1,225 |
| 8284 | ECDW | 10M SAS YO12 Cable | 1,325 |
| 8284 | ECS0 | Assembled and Tested in | - |
| | | China | |
| 8284 | ECSJ | NeuCloud Indicator/Specify | - |
| 8284 | ECSM | CUSTOM SERV SPECIFY | - |
| | | MEXICO | |
| 8284 | ECSP | CUSTOM SERV SPEC | - |
| | | POUGHKEEP | |
| 8284 | ECW0 | OPTICAL WRAP PLUG | 10 |
| 8284 | EHR1 | BOOTDRIVE IN EXP12SX | - |
| | | SPECI | |

| | | | |
|------|------|------------------------------|-------|
| 8284 | EHR2 | BOOT LOAD IN EXP24SX | - |
| | | SPECI | |
| 8284 | EHS2 | SSD PLACEMENT IND ESLS | - |
| | | ELL | |
| 8284 | EJ0M | PCIE3 LP RAID SAS ADAPTER | 1,000 |
| 8284 | EJ0T | BACKPLANE 12 SFF & DVD | 900 |
| | | BAY | |
| 8284 | EJ0U | BACKPLANE 8 SFF & DUAL | 3,500 |
| | | IOA | |
| 8284 | EJ0V | SPLIT#EJ0T: ADD 2ND | 900 |
| | | CONTRO | |
| 8284 | EJ11 | PCIE3 LP SAS TAPE DVD ADAP | 1,000 |
| 8284 | EJ1N | PCie1 LP SAS Tape/DVD 2P | 749 |
| | | 3Gb | |
| 8284 | EJT6 | FRONT BEZEL 12BAY | 100 |
| | | BACKPLAN | |
| 8284 | EJT7 | FRONT BEZEL 8BAY | 100 |
| | | BACKPLANE | |
| 8284 | EJUD | Front Bezel 12-Bays for EJ0T | 100 |
| 8284 | EJUE | Front Bezel 12-Bays for EJ0U | 100 |
| 8284 | EJV0 | SPECIFY MODE 1 CEC PORTS | - |
| | | 2 | |
| 8284 | EJV1 | SPECIFYMODE1 FOR EXP12SX | - |
| | | 1 | |
| 8284 | EJV2 | SPECIFYMODE1 FOR EXP12SX | - |
| | | 2 | |
| 8284 | EJV3 | SPECIFYMODE2 FOR EXP12SX | - |
| | | 2 | |
| 8284 | EJV4 | SPECIFYMODE2 FOR EXP12SX | - |
| | | 4 | |
| 8284 | EJV5 | SPECIFYMODE4 FOR EXP12SX | - |
| | | 4 | |
| 8284 | EJV6 | SPECIFYMODE2 FOR EXP12SX | - |
| | | 1 | |
| 8284 | EJV7 | SPECIFYMODE2 FOR EXP12SX | - |
| | | 2 | |
| 8284 | EJVA | SPECIFYMODE2 FOR EXP12SX | - |
| | | 1 | |
| 8284 | EJVB | SPECIFYMODE2 FOR EXP12SX | - |
| | | 2 | |
| 8284 | EJVC | SPECIFYMODE4 FOR EXP12SX | - |
| | | 1 | |
| 8284 | EJVD | SPECIFYMODE4 FOR EXP12SX | - |
| | | 2 | |
| 8284 | EJVE | SPECIFYMODE4 FOR EXP12SX | - |
| | | 3 | |
| 8284 | EJW0 | SPECIFY MODE 1 CEC PORTS | - |
| | | 2 | |
| 8284 | EJW1 | SPECIFYMODE1 FOR EXP24SX | - |
| | | 1 | |
| 8284 | EJW2 | SPECIFYMODE1 FOR EXP24SX | - |
| | | 2 | |
| 8284 | EJW3 | SPECIFYMODE2 FOR EXP24SX | - |
| | | 2 | |
| 8284 | EJW4 | SPECIFYMODE2 FOR EXP24SX | - |
| | | 4 | |
| 8284 | EJW5 | SPECIFYMODE4 FOR EXP24SX | - |
| | | 4 | |
| 8284 | EJW6 | SPECIFYMODE2 FOR EXP24SX | - |
| | | 1 | |
| 8284 | EJW7 | SPECIFYMODE2 FOR EXP24SX | - |
| | | 2 | |
| 8284 | EJWA | SPECIFYMODE2 FOR EXP24SX | - |
| | | 1 | |
| 8284 | EJWB | SPECIFYMODE2 FOR EXP24SX | - |
| | | 2 | |
| 8284 | EJWC | SPECIFYMODE4 FOR EXP24SX | - |
| | | 1 | |
| 8284 | EJWD | SPECIFYMODE4 FOR EXP24SX | - |
| | | 2 | |
| 8284 | EJWE | SPECIFYMODE4 FOR EXP24SX | - |
| | | 3 | |
| 8284 | EK51 | FULL WIDTH KEY USB US | 60 |
| | | ENGL | |

| | | | |
|------|------|-----------------------------------|-------|
| 8284 | EK52 | FULL WIDTH KEY USB FRENCH | 60 |
| 8284 | EK53 | FULL WIDTH KEY USB ITALIAN | 60 |
| 8284 | EK54 | FULL WIDTH KEY USB GERMAN | 60 |
| 8284 | EK55 | FULL WIDTH KEY USB UK ENGL | 60 |
| 8284 | EK56 | FULL WIDTH KEY USB SPANISH | 60 |
| 8284 | EK57 | FULL WIDTH KEY USB JAPANES | 60 |
| 8284 | EK58 | FULL WIDTH KEY USB BRAZILI | 60 |
| 8284 | EK59 | FULL WIDTH KEY USB HUNGARI | 60 |
| 8284 | EK60 | FULL WIDTH KEY USB KOREAN | 60 |
| 8284 | EK61 | FULL WIDTH KEY USB CHINESE | 60 |
| 8284 | EK62 | FULL WIDTH KEY USB FRENCH | 60 |
| 8284 | EK64 | FULL WIDTH KEY USB BELGIAN | 60 |
| 8284 | EK65 | FULL WIDTH KEY USB, SWEDIS | 60 |
| 8284 | EK66 | FULL WIDTH KEY USB, DANISH | 60 |
| 8284 | EK67 | FULL WIDTH KEY USB, BULGAR | 60 |
| 8284 | EK68 | FULL WIDTH KEY USB, SWISS/ | 60 |
| 8284 | EK69 | FULL WIDTH KEY USB, NORWEG | 60 |
| 8284 | EK70 | FULL WIDTH KEY USB, DUTCH | 60 |
| 8284 | EK71 | FULL WIDTH KEY USB, PORTUG | 60 |
| 8284 | EK72 | FULL WIDTH KEY USB, GREEK | 60 |
| 8284 | EK73 | FULL WIDTH KEY USB, HEBREW | 60 |
| 8284 | EK74 | FULL WIDTH KEY USB, POLISH | 60 |
| 8284 | EK75 | FULL WIDTH KEY USB, SLOVAK | 60 |
| 8284 | EK76 | FULL WIDTH KEY USB, CZECH | 60 |
| 8284 | EK77 | FULL WIDTH KEY USB, TURKIS | 60 |
| 8284 | EK78 | FULL WIDTH KEY USB, LA SPA | 60 |
| 8284 | EK79 | FULL WIDTH KEY USB, ARABIC | 60 |
| 8284 | EK80 | FULL WIDTH KEY USB, THAI | 60 |
| 8284 | EK81 | FULL WIDTH KEY USB, RUSSIA | 60 |
| 8284 | EK82 | FULL WIDTH KEY USB, SLOVEN | 60 |
| 8284 | EK83 | FULL WIDTH KEY USB, US ENG | 60 |
| 8284 | ELC0 | PDU ACCESS CORD 0.38M | 275 |
| 8284 | ELSV | #ES0V Load Source Specify 387G | - |
| 8284 | ELT4 | #ESF4 Load Source Specify | - |
| 8284 | ELTA | #ESFA Load Source Specify | - |
| 8284 | ELTP | #ES8P Load Source Specify | - |
| 8284 | EM96 | 16 GB DDR4 MEMORY | 1,110 |
| 8284 | EM97 | 32 GB DDR4 MEMORY | 1,700 |
| 8284 | EN01 | 1M 10GBE CABLE SFP+ ACT TW | 100 |
| 8284 | EN02 | 3M 10GBE CABLE SFP+ ACT TW | 120 |
| 8284 | EN03 | 5M 10GBE CABLE SFP+ ACT TW | 150 |
| 8284 | EN0B | PCIE3 LP 16GB 2PORT FIBRE | 4,500 |
| 8284 | EN0F | PCIE2 LP 8GB 2PORT FIBRE C | 3,099 |
| 8284 | EN0T | PCIE2 LP4-PT(10+1 GBE)SR +R | 1,600 |

| | | | |
|------|------|---------------------------------|---------|
| 8284 | EN0V | PCIE2 LP4-PT(10+1GBE)CRSR 1,200 | |
| | | + | |
| 8284 | EN0X | PCIE2 LP2-PT10/1GBE BASET | 950 |
| 8284 | EPth | HORIZONTAL PDU MOUNTING | 37 |
| | | HW | |
| 8284 | EPTJ | HIGH FUNCTION 9XC19 PDU | 916 |
| 8284 | EPTL | HIGH FUNCTION 9XC19 PDU | 1,145 |
| | | 3P | |
| 8284 | EPTN | HIGH FUNCTION 12XC13 PDU | 1,069 |
| 8284 | EPTQ | HIGHFUNCTION 12XC13 PDU | 1,145 |
| | | 3P | |
| 8284 | EPXP | 1-core 3.026 GHz P8 Proc | 1,100 |
| 8284 | EPXQ | 4-core 3.026 GHz P8 Proc | 1,100 |
| 8284 | EPYP | One Proc Activ for #EPXP | 360 |
| 8284 | EPYQ | One Proc Activ for #EPXQ | 360 |
| 8284 | EPZP | One 0 Proc Activ for #EPXP | - |
| 8284 | EPZQ | One 0 Proc Activ for #EPXQ | - |
| 8284 | ER05 | 42U SLIM RACK | 2,499 |
| 8284 | ERB0 | BULK PACK REQUEST | - |
| | | INDICATO | |
| 8284 | ERB1 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERB2 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERB3 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERB4 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERB5 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERB6 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERB7 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERB8 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERB9 | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBA | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBB | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBC | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBD | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBE | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBF | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBG | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBH | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBJ | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBK | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBL | BULK PACKAGING IDENTIFIER- | |
| 8284 | ERBZ | SINGLE PACK REQUEST | - |
| | | INDICA | |
| 8284 | ERF1 | RFID TAGS FOR COMPUTE | 20 |
| | | NODE | |
| 8284 | ERG0 | REAR RACK EXTENSION | 343 |
| 8284 | ES62 | 3.86TB 7200 RPM SAS LFF DI | 715 |
| 8284 | ES64 | 7.72TB 7200 RPM SAS LFF DI | 1,315 |
| 8284 | ES78 | 387GB SFF2 SSD 5XX FOR | 2,649 |
| | | AIX | |
| 8284 | ES7E | 775GB SFF2 SSD 5XX FOR | 4,449 |
| | | AIX | |
| 8284 | ES7K | 387GB SFF3 SSD 5XX FOR | 2,649 |
| | | AIX | |
| 8284 | ES7P | 775GB SFF3 SSD 5XX FOR | 4,449 |
| | | AIX | |
| 8284 | ES80 | 1.9TB RI SAS 4K SFF2 SSD A | 4,399 |
| 8284 | ES85 | 387GB SFF2 SSD 4K FOR AIX | 2,399 |
| 8284 | ES8C | 775GB SFF2 SSD 4K FOR AIX | 4,199 |
| 8284 | ES8J | 1.9TB RI SAS 4K SFF3 SSD A | 4,399 |
| 8284 | ES8N | 387GB SFF3 SSD 4K FOR AIX | 2,399 |
| 8284 | ES8P | 387GB SFF3 SSD 4K FOR IBM | 2,399 |
| 8284 | ES8Q | 775GB SFF3 SSD 4K FOR AIX | 4,199 |
| 8284 | ES8V | 1.55TB SFF3 SSD 4K FOR AIX | 7,999 |
| 8284 | ESC0 | S&H NO CHARGE | - |
| 8284 | ESC5 | S&H A | 308 |
| 8284 | ESD5 | 600GB 10K RPM SAS SFF3 | 649 |
| | | DIS | |
| 8284 | ESD9 | 1.2TB 10K RPM SAS SFF3 DIS | 1,270 |
| 8284 | ESDB | 300GB 15K RPM SAS SFF-3 DI | 790 |
| 8284 | ESDF | 600GB15KRPM SAS | 1,370 |
| | | SFF3DSKDR5 | |
| 8284 | ESEV | 600GB 10K RPM SFF 2 DISK | 4 579 |
| 8284 | ESEZ | 300GB 15K SAS SFF-2 4K BLK | 720 |
| 8284 | ESF3 | 1.2TB 10K RPM SFF 2 DISK | 4 1,200 |

| | | | |
|------|------|----------------------------------|--|
| 8284 | ESF4 | 571GB 10K RPM SFF 3 DISK 4 579 | |
| 8284 | ESF5 | 600GB 10K RPM SFF 3 DISK 4 579 | |
| 8284 | ESF9 | 1.2TB 10K RPM SFF 3 DISK 4 1,200 | |
| 8284 | ESFA | 283GB 15K SAS SFF3 4K BLK 720 | |
| 8284 | ESFB | 300GB 15K SAS SFF-3 4K BLK 720 | |
| 8284 | ESFF | 600GB 15K SAS SFF-3 4K BLK 1,300 | |
| 8284 | ESFG | 283GB 15K SAS SFF 3 DISK 4 595 | |
| 8284 | ESFP | 600GB 15K SAS SFF-2 4K BLK 1,300 | |
| 8284 | ESFT | 1.8TB 10K RPM SFF 2 DISK 4 1,800 | |
| 8284 | ESFV | 1.8TB 10K RPM SFF 3 DISK 4 1,800 | |
| 8284 | ESLA | SPECIFY AC POWER SUPPLY - | |
| 8284 | ESLL | EXP12SX SAS 3,200 | |
| | | STORAGEENCLOSU | |
| 8284 | ESLS | EXP24SX SAS 5,190 | |
| | | STORAGEENCLOSU | |
| 8284 | EU01 | 1TB REMOVABLE DISK 299 | |
| | | CARTRID | |
| 8284 | EU04 | RDX USB EXTERNAL DOCKING275 | |
| | | WD0516 | |
| 8284 | EU08 | RDX 320 GB REMOVABLE 212 | |
| | | DISK WD1115 | |
| 8284 | EU15 | 1.5TB REMOVABLE DISK 450 | |
| | | CARTR WD1115 | |
| 8284 | EU19 | VELCRO TIES CABLE LABELS 25 | |
| 8284 | EU2E | 1-core Exp Edit for IBM i - | |
| 8284 | EU2T | 2TB REMOVABLEDISK 600 | |
| | | CARTRDGR | |
| 8284 | EUA4 | RDX USB External Docking 370 | |
| | | Sta | |
| 8284 | EUC6 | CORE USE HW FEATURE 500 | |
| 8284 | EUC7 | CORE USE HW FEATURE 10 5,000 | |

Trademarks

IBM, AIX and POWER are registered trademarks of IBM Corporation in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.