

z/OS



Font Collection

Version 2 Release 1

Note

Before using this information and the product it supports, read the information in "Notices" on page 101.

This edition applies to Version 2 Release 1 of z/OS (5650-ZOS) and to all subsequent releases and modifications until otherwise indicated in new editions.

© **Copyright IBM Corporation 2002, 2013.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Figures v

Tables vii

About this publication ix

Who needs to read this publication ix

How this publication is organized ix

Related information ix

How to send your comments to IBM . . . xi

If you have a technical problem xi

Summary of changes xiii

z/OS Version 2 Release 1 xiii

Chapter 1. Introduction 1

Highlights 1

Fonts included in the collection 1

Where to find fonts 1

Chapter 2. Font concepts 3

Font terminology 3

Representation of characters 4

Font spacing characteristics 5

Point and pitch sizes 7

Chapter 3. AFP Fonts 9

AFP font structure 9

 Coded font 9

 Character set 10

 Code page 11

AFP font naming conventions 14

Formats of AFP character sets 15

Chapter 4. AFP outline fonts 17

General Library fonts 17

 Naming convention for General Library fonts . . 17

 Summary table for the General Library fonts . . 18

CJK fonts 24

 Naming conventions for CJK fonts 24

 Summary tables for the CJK fonts 27

CJK simulation fonts 30

 Naming conventions for CJK simulation fonts . . 31

 Summary table for the CJK simulation fonts . . 33

Chapter 5. AFP raster fonts 39

SBCS fonts 39

 Naming conventions for SBCS fonts 39

 Summary table for SBCS fonts 47

DBCS fonts 55

 Naming conventions for DBCS fonts 56

 Summary table for DBCS fonts 59

Math, PI, and Sonoran fonts 62

Compatibility fonts 66

 Naming conventions for compatibility fonts . . 66

 Summary table for compatibility fonts 68

Chapter 6. Code pages and extended code pages 75

Naming conventions for code pages 75

Summary tables for code pages 77

Chapter 7. WorldType fonts 87

Naming conventions for WorldType fonts 88

Highlights for WorldType fonts 88

Summary tables for WorldType fonts 90

Appendix. Accessibility 97

Using assistive technologies 97

Keyboard navigation of the user interface 97

z/OS information 97

 Dotted decimal syntax diagrams 97

Notices 101

Policy for unsupported hardware 102

Minimum supported hardware 103

Trademarks 103

Index 105

Figures

1. Helvetica type family	4	11. Translation of a keyboard character into a printed character with a code page and FOCA character set	11
2. Print resolution examples	4	12. Translation of a keyboard character into a printed character by using a code page and a TrueType and OpenType font	12
3. Print direction and character rotation combinations for print orientations	5	13. Translation of a keyboard character into a printed character by using an extended code page and a TrueType and OpenType font . . .	13
4. Type size in pitch	6	14. Code page T1V10037	13
5. Type size in points	6		
6. Point size examples	7		
7. Pitch size examples	8		
8. Box size examples.	8		
9. Font components	9		
10. Composition of a character set	10		

Tables

1.	Code point representations	11	19.	Downloadable extended code page files	75
2.	Format and operating systems for General Library fonts	17	20.	Naming convention for General Library and SBCS fonts	76
3.	Summary of General Library fonts	19	21.	Naming convention for code pages that use full-width characters	77
4.	Summary of CJK fonts for Chinese (Simplified)	28	22.	Naming convention for code pages that use half-width characters	77
5.	Summary of CJK fonts for Chinese (Traditional)	29	23.	Summary of code pages for General Library and SBCS font library	78
6.	Summary of CJK fonts for Japanese	29	24.	Summary of code pages for Japanese font library	85
7.	Summary of CJK fonts for Korean	30	25.	Summary of code pages for Korean font library	85
8.	Box size (bx) values for CJK simulation outline coded fonts	32	26.	Summary of code pages for Simplified Chinese font library.	85
9.	Summary of CJK simulation fonts	34	27.	Summary of code pages for Traditional Chinese font library.	86
10.	Format and operating systems for SBCS fonts	39	28.	ttt WorldType font naming convention	88
11.	Codes pages for SBCS fonts	42	29.	llsb WorldType font naming convention	88
12.	Size in point or pitch for SBCS fonts	46	30.	Summary of base WorldType fonts.	90
13.	Summary of SBCS fonts	48	31.	Summary of link WorldType fonts	92
14.	Size groups for DBCS font point sizes and box sizes	58	32.	Summary of symbolic links for the latest version of WorldType fonts	92
15.	Summary of DBCS fonts	60			
16.	Summary of Math, PI, and Sonoran 240-pel fonts	63			
17.	ttnn naming convention format for compatibility fonts	67			
18.	Summary of compatibility fonts.	69			

About this publication

This publication is an overview of the z/OS® Font Collection, which is a base element of z/OS Version 2 Release 1. The z/OS Font Collection contains a comprehensive set of fonts that replaces the fonts from these IBM® products:

- Advanced Function Presentation (AFP) outline fonts from IBM Infoprint Fonts for z/OS, Version 1 Release 1 (5648-E76)
- AFP raster fonts from IBM AFP Font Collection, Version 2 Release 1 (5648-B33)
- WorldType fonts (TrueType and OpenType fonts) from IBM Infoprint Fonts for Multiplatforms, Version 1 Release 1 (5648-E77)

Who needs to read this publication

This publication is intended for users of z/OS who need to understand font concepts and the different types of fonts in the z/OS Font Collection.

How this publication is organized

These chapters help you obtain the information that you need about the z/OS Font Collection:

- Chapter 1 summarizes the contents of the collection and lists highlights about it.
- Chapter 2 introduces and illustrates the basic concepts used with fonts.
- Chapter 3 describes AFP font structure, naming conventions, and character set format.
- Chapter 4 describes the outline fonts: General Library fonts and Chinese, Japanese, and Korean (CJK) fonts.
- Chapter 5 describes the raster fonts: single-byte character set (SBCS) fonts; double-byte character set (DBCS) fonts; Math, PI, and Sonoran fonts; and Compatibility fonts.
- Chapter 6 describes the code pages and extended code pages.
- Chapter 7 describes the WorldType fonts.

This publication also includes an accessibility appendix, notices, and index.

Related information

For more information about character sets, code pages, coded fonts, and TrueType and OpenType fonts, see these publications:

- *IBM AFP Fonts: Technical Reference for Code Pages*, S544-3802, which provides in-depth expanded core font information that includes character set attributes, tables that show all AFP characters, and the language complements that contain them.
- *Font Object Content Architecture Reference*, S544-3285, which contains the architecture definition and describes the functions and elements that make up the Font Object Content Architecture (FOCA).
- *IBM Infoprint Fonts: Japanese Font Library Technical Reference*, S544-5849, which provides technical details for the Japanese character sets and code pages.
- *IBM Infoprint Fonts: Korean Font Library Technical Reference*, S544-5850, which provides technical details for the Korean character sets and code pages.

- *IBM Infoprint Fonts: Simplified Chinese Font Library Technical Reference, S544-5851*, which provides technical details for the Simplified Chinese character sets and code pages.
- *IBM Infoprint Fonts: Traditional Chinese Font Library Technical Reference, S544-5852*, which provides technical details for the Traditional Chinese character sets and code pages.
- *Using OpenType Fonts in an AFP System, G544-5876*, which explains how to install and reference TrueType and OpenType fonts in Microsoft Unicode format on systems that use AFP architecture to print or display data.

For information about all z/OS product publications, see *z/OS Information Roadmap, SA23-2299*. For more information about z/OS, see the z/OS website at:

<http://www.ibm.com/systems/z/os/zos/>

How to send your comments to IBM

We appreciate your input on this publication. Feel free to comment on the clarity, accuracy, and completeness of the information or give us any other feedback that you might have.

Use one of the following methods to send us your comments:

1. Send an email to mhvrcfs@us.ibm.com
2. Visit the Contact z/OS web page at <http://www.ibm.com/systems/z/os/zos/webqs.html>
3. Mail the comments to the following address:
IBM Corporation
Attention: MHVRCFS Reader Comments
Department H6MA, Building 707
2455 South Road
Poughkeepsie, NY 12601-5400
U.S.A
4. Fax the comments to us, as follows:
From the United States and Canada: 1+845+432-9405
From all other countries: Your international access code +1+845+432-9405

Include the following information:

- Your name and address
- Your email address
- Your telephone or fax number
- The publication title and order number:
z/OS Font Collection
GA32-1048-00
- The topic and page number related to your comment
- The text of your comment.

When you send comments to IBM, you grant IBM a nonexclusive right to use or distribute your comments in any way it believes appropriate without incurring any obligation to you.

IBM or any other organizations will only use the personal information that you supply to contact you about the issues that you submit.

If you have a technical problem

Do not use the feedback methods listed above. Instead, do one of the following:

- Contact your IBM service representative
- Call IBM technical support
- Visit the IBM zSeries support web page at <http://www.ibm.com/systems/z/support/>

Summary of changes

z/OS Version 2 Release 1

Refer to the following publications for specific enhancements for z/OS Version 2 Release 1:

- *z/OS Summary of Message and Interface Changes, SA23-2300*
- *z/OS Introduction and Release Guide, GA32-0887*
- *z/OS Planning for Installation, GA32-0890*
- *z/OS Migration, GA32-0889*

Chapter 1. Introduction

The z/OS Font Collection is a base element of z/OS that consists of character sets, coded fonts, and Advanced Function Presentation (AFP) code pages. You can use the z/OS Font Collection to print standard documents using familiar typefaces such as Helvetica, Times New Roman, and Courier. You can use the code pages to print in more than 50 languages.

To support certain applications or the low-resolution Intelligent Print Data Stream (IPDS), the z/OS Font Collection includes AFP raster fonts. AFP outline fonts, which are also delivered as part of the z/OS Font Collection, can be substituted for raster fonts in certain situations to enable higher resolution output. In addition, the z/OS Font Collection provides WorldType fonts, which are TrueType and OpenType fonts that deliver the greatest flexibility for designing documents with exactly the appearance you want.

Highlights

The z/OS Font Collection includes fonts that:

- Control the appearance of business communications.
- Enhance the readability of business documents to increase impact and accessibility.
- Draw attention to specific items, create emphasis, and improve readers' responsiveness to business communications.
- Apply industry-standard TrueType and OpenType font technology to support Unicode data for globalization of applications with a single font.
- Improve print quality on high-resolution printers by using AFP outline fonts or TrueType and OpenType fonts instead of raster fonts.

Fonts included in the collection

The z/OS Font Collection includes:

- AFP outline fonts (see Chapter 4, "AFP outline fonts," on page 17)
- AFP raster fonts, including a complete set of IBM expanded core fonts, a set of Math, PL, and Sonoran 240-pel raster fonts, and compatibility fonts (see Chapter 5, "AFP raster fonts," on page 39)
- TrueType and OpenType fonts (see Chapter 7, "WorldType fonts," on page 87), including a prebuilt resource access table (RAT) that can be used for AFP printing

Where to find fonts

The AFP outline and raster fonts are found in these locations:

AFP outline fonts

SYS1.SFNLIB

240-pel bounded box AFP raster fonts

SYS1.FONTLIBB

240-pel unbounded box AFP raster fonts

SYS1.FONTLIB

240-pel Chinese, Japanese, and Korean (CJK) raster fonts

SYS1.SFONDLIB

300-pel AFP raster fonts

SYS1.FONT300

The latest version of WorldType fonts and symbolic links are found as UNIX files (Hierarchical File System (HFS) or z/OS File System (zFS) files) in this location:
/usr/lpp/fonts/worldtype

IBM provides extended code pages as downloadable .zip files. To download the files, go to the IBM Extended Code Pages web page at:
<http://www-01.ibm.com/support/docview.wss?uid=psd1P4000878>.

Chapter 2. Font concepts

A font is a collection of graphic characters that share the same type family, style, and weight. You can use a font for an entire data set or file, for an entire page, or for selected lines or fields of data on a page. Page printers can print fonts with various point sizes, styles, weights, and widths on a single line or on various lines on a page. Multiple fonts can be printed on a page. Before each page is printed, the fonts that are required for the page are downloaded to the printer if the printer does not already have them in its storage. The printer storage that is required for a font depends on the point size (for raster fonts), number of characters in the font, and whether the font is double-byte or single-byte.

To understand fonts, you need to be familiar with basic font concepts, including font terminology, how font characters are represented, the characteristics of font spacing, and point and pitch sizes.

Font terminology

Fonts are defined with this font terminology:

Type family

A *type family* is a group of typefaces that share basic design characteristics and encompass many size and style variations. Examples of type families include:

- Courier
- Helvetica
- Times New Roman

Typeface

A *typeface* is a collection of characters that have the same style, weight, and width. Examples of these attributes are shown in Figure 1 on page 4.

- *Style* is the inclination of a letter around a vertical axis; for example, roman (upright) or *italic* (slanted).
- *Weight* is the degree of boldness of a typeface; for example, medium or **bold**.
- *Width* is the horizontal variation in a character design; for example, normal or condensed.

Type font, type size, and complement

A *type font*, or font, is a collection of characters that share the same type family, typeface, and type size. Collections of characters for expanded core fonts are referred to as *complements*.

Note: In Type Transformer, complements are called *character lists*.

Figure 1 on page 4 shows the basic components of the Helvetica type family, including typeface (style, weight, width), complement, type font, and type size.




Figure 1. Helvetica type family

Representation of characters

An important concept to understand is how fonts are represented. For the fonts printed by page printers that use AFP licensed programs, characters are represented by data that describes each dot to be printed (raster fonts) or by mathematical formulas (outline fonts).

Raster fonts

A raster font is created by a sequence of dots, called *picture elements* (pels), that form a character that is called a *raster pattern*. The number of dots per inch that a printer generates is called the *print resolution*, or density. A resolution of 240 pels means that a printer prints 240 pels per inch both vertically and horizontally, or 57,600 pels per square inch (240 × 240).

Figure 2 shows two images of different print resolutions. The image with many small dots has more pels per inch and greater print resolution than the image with fewer large dots.



Figure 2. Print resolution examples

The ability to print at a specific pel density is determined by the type of printer. Because raster fonts can have 240-pel or 300-pel formats, different fonts are available for printers with different resolutions (for example, 240-pel and 300-pel printers).

Outline fonts

Characters in outline fonts are described by mathematical formulas rather

than by pels. These formulas are used by rasterizing software to create bitmap characters that are based on two variables: resolution and point size. This means that a single outline font can offer many print resolutions and point sizes. “Hints” are also contained in the outline fonts to make sure that typographic characteristics of the typeface are maintained in a consistent manner throughout all printed characters. Some of these characteristics include horizontal and vertical stroke widths, serifs, and curve radii.

TrueType and OpenType fonts are outline fonts that consist of tables for identifying the formatting information that is used to support Unicode encoding.

Rotation of characters

The ability to print in different directions and with different character rotations is also determined by the type of printer. *Print direction* shows the direction in which characters are added to a line of text. *Character rotation* is the clockwise rotation of a character with respect to the character baseline. The *character baseline* is a reference on which characters are aligned as they are added to the page in the print direction. The character baseline is always parallel to the print direction.

Figure 3 shows a table of how print direction and character rotation can be combined to print in many orientations.

Print Direction	Character Rotation (in degrees)			
	0	90	180	270
Across (0)	ABCD	∟ B C D	∟ C B A	∟ B C D
Down (90)	A B C D	∟ B C D	∟ C B A	A B C D
Back (180)	∟ B C D	∟ B C D	∟ C B A	∟ B C D
Up (270)	A B C D	∟ B C D	∟ C B A	∟ B C D

Figure 3. Print direction and character rotation combinations for print orientations

Font spacing characteristics

Fonts can be classified according to their spacing characteristics and by their format.

Uniformly spaced fonts

Uniformly spaced fonts, or monospaced fonts, are similar to typewriter fonts, for which each character increment ¹ is the same width. Thus, the lowercase *i* and the *.* occupy as much space as the uppercase *M*. Examples of uniformly spaced fonts include Courier and Letter Gothic:

1. A character increment is the distance that the current print position is increased for the particular character printed.

i.M.i.M.i.M.i.M.i.M.i.M.i.M.

Duospace fonts

Duospace fonts are similar to uniformly spaced fonts. Duospace fonts can be two character widths instead of a single character width. Ideographic characters are designed on full-width increments while other characters can be designed for half-width increments. This concept allows the half-width and full-width characters in the box size examples in Figure 8 on page 8 to be implemented in a single font.

Note: As more language support is implemented in duospace fonts, more character widths can be used. However, the characters widths are always a multiple of the half-width character increment. This function allows a monospaced appearance of the data by using this font spacing.

Typographic fonts

Typographic fonts are proportionally spaced fonts. The character increment is part of the design and varies on a character-by-character basis. Thus, the lowercase *i* and the *.* occupy narrow spaces. The uppercase *M* occupies a wide space. Examples of typographic fonts include Helvetica and Times New Roman:

i.M.i.M.i.M.i.M.i.M.i.M.i.M.

Pitch Uniformly spaced fonts are often described or referred to in *pitch*, or the number of characters that are printed in one horizontal inch (Figure 4). Pitch is also referred to as characters per inch (cpi).




Figure 4. Type size in pitch

Points

All fonts are measured in *points*, the vertical size of the font. One inch is equal to approximately 72 points. Point size is a baseline-to-baseline measurement, which includes minimal white space. The *baseline* is the line upon which the characters rest. Thus, the actual height of the characters in an 18-point font is less than 18 points (Figure 5). The line spacing usually includes one or more points of white space between lines of type.



Figure 5. Type size in points

Box size

Double byte character set (DBCS) raster fonts were formerly measured in *box size*, the number of pels in the character box. Box size can be either a horizontal or a vertical measurement. Usually both dimensions are given, with the box width first. If only one dimension is given, it is the box height. In full-width fonts, the box width is usually equal to the box height. In half-width fonts, the box width is one-half the box height.

Point and pitch sizes

Uniformly spaced single-byte character set (SBCS) fonts are measured horizontally in pitch and specified as points in the coded font or character set name. Proportionally spaced and mixed-pitch fonts are measured vertically in points. Although the DBCS fonts are uniformly spaced, they are measured vertically in points.

This section shows examples of various point and pitch sizes.

Point examples

Point size is a vertical measurement.

This is 6 points.
This is 7 points.
This is 8 points.
This is 9 points.
This is 10 points.
This is 11 points.
This is 12 points.
This is 14 points.
This is 16 points.
This is 18 points.
This is 20 points.
This is 24 points.
This is 30 points.
This is 36 points.

6 7 8 9 10 11 12 14 16 18 20 24 30 36

Figure 6. Point size examples

Pitch examples

Pitch size is a horizontal measurement.

1234567890
This is 10 pitch or 10 characters per inch.

123456789012
This is 12 pitch or 12 characters per inch.

1234567890123
This is 13.3 pitch or 13.3 characters per inch.

123456789012345
This is 15 pitch or 15 characters per inch.

123456789012345678
This is 18 pitch or 18 characters per inch.

12345678901234567890
This is 20 pitch or 20 characters per inch.

123456789012345678901234567
This is 27 pitch or 27 characters per inch.

Figure 7. Pitch size examples

Box size examples

Box size is a 240-pel measurement.

Full-Width	a b c d e アイウオツ 1 2 3 4 5 A B C D E Z アイウオツ
Half-Width	abcde アイウオツ 12345 A B C D E Z アイウオツ
	Box height of 48 or Point size of 14.4
Full-Width	a b c d e アイウオツ 1 2 3 4 5 A B C D E Z アイウオツ
Half-Width	abcde アイウオツ 12345 A B C D E Z アイウオツ
	Box height of 40 or Point size of 12.0
Full-Width	a b c d e アイウオツ 1 2 3 4 5 A B C D E Z アイウオツ
Half-Width	abcde アイウオツ 12345 A B C D E Z アイウオツ
	Box height of 32 or Point size of 9.6
Full-Width	a b c d e アイウオツ 1 2 3 4 5 A B C D E Z アイウオツ
Half-Width	abcde アイウオツ 12345 A B C D E Z アイウオツ
	Box height of 24 or Point size of 7.2

Figure 8. Box size examples

Chapter 3. AFP Fonts

To understand fonts in the z/OS Font Collection, you must be familiar with AFP fonts. AFP fonts are Font Object Content Architecture (FOCA) raster and outline fonts, which are single-byte or double-byte, or WorldType fonts, which are TrueType and OpenType outline fonts. For more information about FOCA structures, see *Font Object Content Architecture Reference*, S544-3285. For more information about TrueType and OpenType fonts, see *Using OpenType Fonts in an AFP System*, G544-5876.

This section describes AFP font structures, AFP font naming conventions, and formats of AFP character sets.

AFP font structure

The font structure of FOCA outline and raster fonts is made up of these font components (see Figure 9):

Coded font

A coded font consists of a character set and a code page.

Character set

A character set specifies characters, character properties, and printing attributes.

Code page

A code page defines character IDs and code points.




Figure 9. Font components

WorldType outline fonts are organized by subsets and grouped by character blocks as defined by Microsoft Unicode format. Instead of using a character set, WorldType fonts map a code page to a Unicode point or use an extended code page that contains the Unicode point.

Coded font

In FOCA font structure, a *coded font* pairs a specific code page with a specific character set and translates your request for type (for example, text you previously entered at a computer terminal) into characters for printing. A character must be included in the specified character set and listed on the specified code page before it can be printed.

Character set

In FOCA font structure, a *character set* corresponds to the definition of a font; it contains the characters of a single type family, typeface, and type size. In addition, a character set specifies character properties and printing attributes (see Figure 10).

Note: WorldType outline fonts are not defined with character sets.




Figure 10. Composition of a character set

The character set components are:

Characters

Characters are letters, numerals, punctuation marks, or other symbols of a font.

Character properties

Character properties detail how a character is positioned relative to the characters around it. Some character properties include:

- The baseline of a character that shows its general alignment
- The dimensions of space in which the character is printed
- The position of the character in that space
- The identifier of the character

Printing attributes

The printing attributes define how the character set is printed. Some printing attributes include rotation of characters, maximum ascender, and point size.

One of the character properties is the *character ID* (or graphic character ID). Each character is assigned a character ID; for example, the character “A” is assigned the character ID LA020000. The purpose of a character ID is to distinguish the character from similar characters. For example, these characters look similar, but are assigned different character IDs:

Minus sign (-)

Character ID SA000000

Hyphen (-)

Character ID SP100000

Em dash (—)

Character ID SM900000

For a list of character IDs, the character the ID represents, and the code pages where the characters are found, see the *IBM AFP Fonts: Technical Reference for Code Pages*, S544-5802.

Code page

A *code page* maps each character of text to the characters in a character set for FOCA fonts or the characters that are associated to a Unicode point for WorldType fonts. Two types of code pages exist:

- A *traditional code page* contains the mapping information between a code point and a character ID; it can be used with FOCA character sets and TrueType and OpenType fonts.
- An *extended code page* contains the mapping information for a code point, a character ID, and a Unicode point; it can be used with TrueType and OpenType fonts.

A *character ID* is an 8-byte character data string. A *code point* is an 8-bit binary number that represents a character. Code points are usually shown as hexadecimal representations of their binary values.

Table 1. Code point representations

Numeral system	Value
Binary	11000001
Decimal	193
Hexadecimal	C1

When a code page is used with a FOCA character set, as you enter your text at a computer terminal, each keyboard character is translated into a code point. When the text is printed, each code point is matched to a character ID on the code page you specified. The character ID is then matched to the image (*raster pattern* or *outline pattern*) of the character in the character set you specified. The image in the character set is the image that is printed in your text. To be a valid code page for a particular character set, all character IDs in the code page must be included in that character set (Figure 11).




Figure 11. Translation of a keyboard character into a printed character with a code page and FOCA character set

When a code page is used with a TrueType and OpenType font, each code point is matched to the character ID on the code page you specified. The character ID is matched to a Unicode point on the graphic character global identifier to Unicode mapping (GUM) table on your printer. The Unicode point is then matched to the image of the TrueType and OpenType font you specified (Figure 12).




Figure 12. Translation of a keyboard character into a printed character by using a code page and a TrueType and OpenType font

When an extended code page is used with a TrueType and Open Type font, each code point is matched to a Unicode point on the extended code page you specified without referring to the GUM on your printer. The Unicode point is then matched to the image of the TrueType and OpenType font you specified (see Figure 13 on page 13).




Figure 13. Translation of a keyboard character into a printed character by using an extended code page and a TrueType and OpenType font

Figure 14 shows an example of a code page. In the example, when the printer receives hexadecimal code point C1 for code page T1V10037, it prints an uppercase A (character ID LA020000).

T1V10037 Country Extended: United States, Canada

CPGID	GCSGID
37	697

Hex Codes 1st→ 2nd↓	4-	5-	6-	7-	8-	9-	A-	B-	C-	D-	E-	F-
-0	SP010000	SM030000 &	SP100000 -	LO610000 ø	LO620000 Ø	SM190000 °	SM170000 μ	SD150000 ^	SM110000 {	SM140000 }	SM070000 \	ND100000 0
-1	SP300000	LE110000 é	SP120000 /	LE120000 É	LA010000 a	LJ010000 j	SD190000 ~	SC020000 §	LA020000 A	LJ020000 J	SA060000 ÷	ND010000 1
-2	LA150000 â	LA150000 ê	LA160000 Â	LE160000 Ê	LB010000 b	LK010000 k	LS010000 s	SC050000 ¥	LB020000 B	LK020000 K	LS020000 S	ND020000 2
-3	LA170000 ä	LE170000 ë	LA180000 Ä	LE180000 Ë	LC010000 c	LL010000 l	LT010000 t	SD630000 ·	LC020000 C	LL020000 L	LT020000 T	ND030000 3
-4	LA130000 à	LE130000 è	LA140000 À	LE140000 È	LD010000 d	LM010000 m	LU010000 u	SM520000 ©	LD020000 D	LM020000 M	LU020000 U	ND040000 4
-5	LA110000 á	LI110000 í	LA120000 Á	LI120000 Í	LE010000 e	LN010000 n	LV010000 v	SM240000 §	LE020000 E	LN020000 N	LV020000 V	ND050000 5
-6	LA190000 ã	LI150000 î	LA200000 Ã	LI160000 Î	LF010000 f	LO010000 o	LW010000 w	SM250000 ¶	LF020000 F	LO020000 O	LW020000 W	ND060000 6

Figure 14. Code page T1V10037

Code pages for different languages

Code pages accommodate various national languages by using characters and special symbols appropriate to the language. Different code pages can have identical character IDs assigned to different code points. For example, the character é (lowercase e accent acute, character ID LE110000) has these code point assignments in two different code pages:

- Hexadecimal code point 51 in code page T1V10037 (Country Extended: United States, Canada)
- Hexadecimal code point 5A in code page T1V10280 (Country Extended: Italy)

Single-byte and double-byte code pages

A *single-byte code page* contains 256 or fewer 1-byte code points. Single-byte code pages are large enough for languages with alphabetic writing systems, such as English, Greek, and Arabic. A single-byte character set (SBCS) is used with a single-byte code page.

A *double-byte code page* can contain as many as 65,536 two-byte code points. Languages with non-alphabetic writing systems, such as Chinese, Japanese, and Korean, require double-byte code pages. A double-byte character set (DBCS) is used with a double-byte code page.

DBCSs contain some single-byte characters, usually romaji (Western characters) and katakana. Single-byte code pages are used with these characters. Because the characters are either half width (see “Font spacing characteristics” on page 5) or proportionally spaced, these code pages are sometimes called *half-width* code pages.

Code page sections

If you think of a double-byte code page as a collection of single-byte code pages, a double-byte character code has two parts: the first byte indicating a section of the code page and the second byte a code point in the section.

Raster coded fonts treat double-byte code pages this way: the coded font is divided into sections, each with its own single-byte code page. Each character in the section has a single-byte code point.

Outline coded fonts treat double-byte code pages as single, large code pages. Each character has a double-byte code point.

AFP font naming conventions

Font naming conventions identify a specific font and its characteristics. Each type of font has its own naming convention:

- WorldType fonts follow the naming convention in “Naming conventions for WorldType fonts” on page 88.
- FOCA outline and raster fonts follow this convention for the names of each font component:

The first character in the name defines the font component:

C	Character set
T	Code page
X	Coded font

After the first character, the remainder of the name depends on the type of component:

- If the component is a code page, see “Naming conventions for code pages” on page 75.
- If the component is a character set or coded font, the remainder of the name is based on the conventions for these font libraries:
 - General Library fonts (see “Naming convention for General Library fonts” on page 17)
 - Chinese, Japanese, and Korean (CJK) fonts (see “Naming conventions for CJK fonts” on page 24.)
 - CJK simulation fonts (see “Naming conventions for CJK simulation fonts” on page 31)
 - AFP raster fonts (see Chapter 5, “AFP raster fonts,” on page 39)

Character set and coded font names are usually distinctive and can be used to determine whether a font is a General Library font, a CJK font, or a raster font. For example, character sets and coded fonts are only six characters for outline fonts rather than eight characters for raster fonts. Code page names are usually not distinctive enough to determine for which font group the code page is supplied.

Formats of AFP character sets

The z/OS Font Collection supplies character sets in these formats:

240-pel raster

240-pel raster fonts are used on 240-pel printers. The resolution of these fonts is 240 dots per inch. All character positioning metrics in these fonts are expressed in whole-pel (fixed-metric) values.

300-pel raster

300-pel raster fonts are used on printers where the resolution is 300 dots per inch. The character positioning values are expressed in *relative metrics* and the exact pel count is determined at print time.

Type 1 outline

Type 1 outline is the format that is used with Type Transformer for General Library fonts. This format includes outlines of the various type families, which can be transformed for use by AFP printers in sizes of 1–999 points (AFP outline fonts) or 1–72 points (raster fonts).

CID-Keyed outline

CID-Keyed outline is the format that is used with Type Transformer for CJK fonts. This format includes outlines of the various type families, which can be transformed for use by AFP printers in sizes of 1–999.9 points (AFP outline fonts) or 1–72 points (raster fonts).

AFP outline

AFP outline is the format by which Print Services Facility™ (PSF) and other AFP applications can identify Type 1 outline fonts. The Type 1 outlines are encapsulated in FOCA wrappers that allow them to be accessed as AFP resources. AFP outline uses *relative metrics* in the same way as 300-pel fonts.

Fixed metrics

Fixed-metric fonts have all character positioning metrics that are expressed in whole-pel values. All 240-pel fonts are fixed-metric fonts. For example, the character increment of the *A* in 240-pel Helvetica Latin1 roman

medium 10-point is 22 pels. When 240-pel fonts are created, any fractional pels that are found are eliminated by rounding up or down to whole-pel values.

Relative metrics

Relative metrics were developed for scalable outline fonts where a single metric value could be used to determine a pel value with a desired resolution and point size. Relative metrics are based on 1000 units per “em space,” which means the fonts are designed for a hypothetical 1000 dpi, 72-point font where each side of the bounding box is 1000 pels. All AFP outlines and 300-pel fonts contain relative metrics. The exact pel values are determined when the font is used, such as during document formatting or printing. For example, the character increment for *A* in 300-pel Helvetica Latin1 roman medium is 667 relative units. In the hypothetical 1000 dpi, 72-point font, the *A* would have a character increment of 667 pels, but at 10 points and 300-dpi resolution, the character increment of the *A* is 27.8 pels. The fractional pel (.8 in this case) is accumulated by the printer and a whole white pel is inserted when the accumulator = 1. Constantly adjusting the character increments in this way makes sure that the output text is as close to the original outline specification as possible.

Chapter 4. AFP outline fonts

The AFP outline fonts that are included with the z/OS Font Collection are:

- General Library fonts
- Chinese, Japanese, and Korean (CJK) fonts
- CJK simulation fonts

General Library fonts

General Library fonts contain various typefaces and font sizes (including typographic and uniformly spaced typeface families) suitable for printing various documents. General Library fonts combine the IBM Core Interchange Fonts, IBM Coordinated Fonts, and IBM BookMaster® Fonts. All General Library fonts are derived from Adobe Type 1 font technology and are provided in the AFP outline format that is supported by AFP software for SBCS fonts.

Table 2 shows the formats for General Library fonts that are provided in the z/OS Font Collection.

Table 2. Format and operating systems for General Library fonts

Format	Operating systems
AFP outline fonts	z/OS, IBM i, Linux, AIX®, Windows
Type 1	AIX, Windows

“Summary table for the General Library fonts” on page 18 lists General Library fonts by font type and language group.

Naming convention for General Library fonts

The naming convention format for General Library fonts is *aZrstc*, where:

- a* Component:
 - C** Character set
 - X** Coded font
- Z** AFP outline
- r* Type family:
 - 4** Courier
 - 5** Letter Gothic
 - 6** Gothic Text
 - 7** Prestige
 - 8** Boldface
 - 9** OCR
 - B** BookMaster
 - H** Helvetica
 - I** IBM Logo
 - N** Times New Roman
- s* Typeface:
 - 2** Roman medium
 - 3** Italic medium
 - 4** Roman bold

	5	Italic bold
	6	Roman medium reverse
	B	IBM Logo
<i>t</i>		Code page category:
	0	Character set
	1	Latin1 country extended code pages
	2	Latin1 and Latin9 publishing code pages
	3	Latin1 and Latin9 ASCII code pages
	4	Latin1 DCF code pages
	5	Latin2345 EBCDIC and ASCII code pages
	6	International non-Latin code pages
	7	Special purpose EBCDIC and ASCII code pages
	8	International non-Latin ASCII code pages
	M	IBM Logo
<i>c</i>		Complement:
	0	Latin1
	1	Symbols
	2	Latin235
	3	Cyrillic Greek
	4	Arabic
	5	Hebrew
	6	Thai
	7	Latin4
	8	Katakana
	9	Lao
	A	OCR A
	B	OCR B
	C	BookMaster Special
	D	Baltic
	L	Latin
	P	APL2

Summary table for the General Library fonts

This section lists General Library fonts by font type and language group. These language groups identify supported languages for General Library fonts:

- The Arabic language group (International Organization for Standardization (ISO) 8859-6) includes Latin and Arabic scripts.
- The Cyrillic language group (ISO 8859-5) includes Bulgarian, Byelorussian, English, Macedonian, Russian, Serbo-Croatian, and Ukrainian.
- The Greek language group (ISO 8859-7) includes Latin and Greek scripts.
- The Hebrew language group (ISO 8859-8) includes Latin and Hebrew scripts.
- Katakana contains phonetic syllabic characters that are used for writing non-Japanese words, such as foreign names, borrowed words, or company names.
- The Lao language group provides support for the Lao language.
- The Latin language group includes Latin1 through Latin5 and Vietnamese.
- The Latin1 language group (ISO 8859-1) includes Danish, Dutch, English, Faroese, Finnish, French, German, Icelandic, Irish, Italian, Norwegian, Portuguese, Spanish, and Swedish. The Latin1 language group also provides the euro currency symbol and all Latin9 (ISO 8859-15) characters.
- The Latin2 language group (ISO 8859-2) includes Albanian, Czech, English, German, Hungarian, Polish, Romanian, Serbo-Croatian, Slovak, and Slovenian.

- The Latin3 language group (ISO 8859-3) includes Afrikaans, Catalan, Dutch, English, Esperanto, French, German, Italian, Maltese, Spanish, and Turkish.
- The Latin4 language group (ISO 8859-4) includes Danish, English, Finnish, French, German, Greenlandic, Lap, Latvian, Lithuanian, Estonian, and Norwegian.
- The Latin5 language group (ISO 8859-9) includes Danish, Dutch, English, Finnish, French, Irish, Italian, Norwegian, Portuguese, Spanish, Swedish, and Turkish.
- The Thai language group provides support for the Thai language.

Table 3 provides this information for General Library fonts:

AFP typeface name

The IBM name for the typeface. Courier, Helvetica, and Times New Roman fonts contain characters for the ISO language groups.

Type 1 typeface name

The Type 1 outline font name for the typeface.

Style and weight

The style and weight of the font. Possible values are:

- IB** Italic Bold
- IM** Italic Medium
- RB** Roman Bold
- RM** Roman Medium

Character set identifier

A six-character name, with "CZ" as the prefix, that identifies an AFP outline character set.

Type 1 file name

The name of a Type 1 font that is used to create the AFP outline font. The file extensions are AFM, INF, and PFB.

GCSGID

The graphic character set global identifier (GCSGID) is a collection of characters that are registered with a unique number and sometimes used for font and code page selection.

FGID The font typeface global identifier (FGID) is a number that is assigned to each typeface and is sometimes used for font selection.

Table 3. Summary of General Library fonts.

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
APL						
Courier APL2®	Courier APL2	RM	CZ420P	APL	1364	307
	Courier APL2 Bold	RB	CZ440P	APLB		322
Arabic						
Boutros Typing Arabic	Typing	RM	CZ4204	COU_A	1506	416
	Typing Bold	RB	CZ4404	COU_AB		420
	Typing Italic	IM	CZ4304	COU_AI		424
	Typing Bold Italic	IB	CZ4504	COU_ABI		428

Table 3. Summary of General Library fonts (continued).

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
ITC Boutros Modern Rokaa Arabic	Rokaa	RM	CZH204	HEL_A	1506	2304
	Rokaa Bold	RB	CZH404	HEL_AB		2305
	Rokaa Italic	IM	CZH304	HEL_AI		2306
	Rokaa Bold Italic	IB	CZH504	HEL_ABI		2307
ITC Boutros Setting Arabic	Setting	RM	CZN204	TNR_A	1506	2308
	Setting Bold	RB	CZN404	TNR_AB		2309
	Setting Italic	IM	CZN304	TNR_AI		2310
	Setting Bold Italic	IB	CZN504	TNR_ABI		2311
BookMaster Specials						
BookMaster Specials	BookMaster Specials	RM	CZB20C	EDFBS	1241	335
	BookMaster Specials Bold	RB	CZB40C	EDFBSB		336
	BookMaster Specials Italic	IM	CZB30C	EDFBSI		337
	BookMaster Specials Bold Italic	IB	CZB50C	EDFBSBI		338
BookMaster Specials Reverse	BookMaster Specials Reverse	RM	CZB60C	EDFBSR	1241	339
Cyrillic						
Courier Cyrillic Greek	Courier Cyr Grk	RM	CZ4203	COU_CG	1504	416
	Courier Cyr Grk Bold	RB	CZ4403	COU_CGB		420
	Courier Cyr Grk Italic	IM	CZ4303	COU_CGI		424
	Courier Cyr Grk Bold Italic	IB	CZ4503	COU_CGBI		428
Helvetica Cyrillic Greek	Helvetica Cyr Grk	RM	CZH203	HEL_CG	1504	2304
	Helvetica Cyr Grk Bold	RB	CZH403	HEL_CGB		2305
	Helvetica Cyr Grk Italic	IM	CZH303	HEL_CGI		2306
	Helvetica Cyr Grk Bold Italic	IB	CZH503	HEL_CGBI		2307
Times New Roman Cyrillic Greek	Times New Roman Cyr Grk	RM	CZN203	TNR_CG	1504	2308
	Times New Roman Cyr Grk Bold	RB	CZN403	TNR_CGB		2309
	Times New Roman Cyr Grk Italic	IM	CZN303	TNR_CGI		2310
	Times New Roman Cyr Grk Bold Italic	IB	CZN503	TNR_CGBI		2311
Greek						
Courier Cyrillic Greek	Courier Cyr Grk	RM	CZ4203	COU_CG	1504	416
	Courier Cyr Grk Bold	RB	CZ4403	COU_CGB		420
	Courier Cyr Grk Italic	IM	CZ4303	COU_CGI		424
	Courier Cyr Grk Bold Italic	IB	CZ4503	COU_CGBI		428

Table 3. Summary of General Library fonts (continued).

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
Helvetica Cyrillic Greek	Helvetica Cyr Grk	RM	CZH203	HEL_CG	1504	2304
	Helvetica Cyr Grk Bold	RB	CZH403	HEL_CGB		2305
	Helvetica Cyr Grk Italic	IM	CZH303	HEL_CGI		2306
	Helvetica Cyr Grk Bold Italic	IB	CZH503	HEL_CGBI		2307
Times New Roman Cyrillic Greek	Times New Roman Cyr Grk	RM	CZN203	TNR_CG	1504	2308
	Times New Roman Cyr Grk Bold	RB	CZN403	TNR_CGB		2309
	Times New Roman Cyr Grk Italic	IM	CZN303	TNR_CGI		2310
	Times New Roman Cyr Grk Bold Italic	IB	CZN503	TNR_CGBI		2311
Hebrew						
Shalom Hebrew	Shalom Hebrew	RM	CZ4205	COU_H	1362	416
	Shalom Hebrew Bold	RB	CZ4405	COU_HB		420
	Shalom Hebrew Italic	IM	CZ4305	COU_HI		424
	Shalom Hebrew Bold Italic	IB	CZ4505	COU_HBI		428
Narkiss Tam Hebrew	Narkiss Tam Hebrew	RM	CZH205	HEL_H	1362	2304
	Narkiss Tam Hebrew Bold	RB	CZH405	HEL_HB		2305
	Narkiss Tam Hebrew Italic	IM	CZH305	HEL_HI		2306
	Narkiss Tam Hebrew Bold Italic	IB	CZH505	HEL_HBI		2307
Narkissim Hebrew	Narkissim Hebrew	RM	CZN205	TNR_H	1362	2308
	Narkissim Hebrew Bold	RB	CZN405	TNR_HB		2309
	Narkissim Hebrew Italic	IM	CZN305	TNR_HI		2310
	Narkissim Hebrew Bold Italic	IB	CZN505	TNR_HBI		2311
IBM Logo						
IBM Logo	IBM Logo	RM	CZIBM0	LOGOIBM	2040	51767
Katakana						
Gothic Katakana	Gothic Katakana	RM	CZ6208	GOT_K	1306	304
Lao						
Courier Lao	Courier Lao	RM	CZ4209	COU_L	1341	416
	Courier Lao Bold	RB	CZ4409	COU_LB		420
	Courier Lao Italic	IM	CZ4309	COU_LI		424
	Courier Lao Bold Italic	IB	CZ4509	COU_LBI		428
Pusuwan	Pusuwan	RM	CZH209	HEL_L	1341	2304
	Pusuwan Bold	RB	CZH409	HEL_LB		2305
	Pusuwan Italic	IM	CZH309	HEL_LI		2306
	Pusuwan Bold Italic	IB	CZH509	HEL_LBI		2307

Table 3. Summary of General Library fonts (continued).

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
Kaewfah	Kaewfah	RM	CZN209	TNR_L	1341	2308
	Kaewfah Bold	RB	CZN409	TNR_LB		2309
	Kaewfah Italic	IM	CZN309	TNR_LI		2310
	Kaewfah Bold Italic	IB	CZN509	TNR_LBI		2311
Latin						
Courier Latin	Courier	RM	CZ420L	COU	1503	416
	Courier Bold	RB	CZ440L	COUB		420
	Courier Italic	IM	CZ430L	COUI		424
	Courier Bold Italic	IB	CZ450L	COUBI		428
Helvetica Latin	Helvetica	RM	CZH20L	HEL	1503	2304
	Helvetica Bold	RB	CZH40L	HELB		2305
	Helvetica Italic	IM	CZH30L	HELI		2306
	Helvetica Bold Italic	IB	CZH50L	HELBI		2307
Times New Roman Latin	Times New Roman	RM	CZN20L	TNR	1503	2308
	Times New Roman Bold	RB	CZN40L	TNRB		2309
	Times New Roman Italic	IM	CZN30L	TNRI		2310
	Times New Roman Bold Italic	IB	CZN50L	TNRBI		2311
Latin1						
Boldface Latin1	Boldface	RB	CZ8400	BFC	2041	20224
BookMaster Latin1	BookMaster	RM	CZB200	EDFBL	2041	335
	BookMaster Bold	RB	CZB400	EDFBLB		336
	BookMaster Italic	IM	CZB300	EDFBLI		337
	BookMaster Bold Italic	IB	CZB500	EDFBLBI		338
BookMaster Latin1 Reverse	BookMaster Reverse	RM	CZB600	EDFBLR	2041	339
Courier Latin1	Courier	RM	CZ4200	COU	2041	416
	Courier Bold	RB	CZ4400	COUB		420
	Courier Italic	IM	CZ4300	COUI		424
	Courier Bold Italic	IB	CZ4500	COUBI		428
Gothic Text Latin1	Gothic Text	RM	CZ6200	GOT	2041	304
Helvetica Latin1	Helvetica	RM	CZH200	HEL	2041	2304
	Helvetica Bold	RB	CZH400	HELB		2305
	Helvetica Italic	IM	CZH300	HELI		2306
	Helvetica Bold Italic	IB	CZH500	HELBI		2307
Letter Gothic Latin1	Letter Gothic	RM	CZ5200	LGO	2041	400
	Letter Gothic Bold	RB	CZ5400	LGOB		404

Table 3. Summary of General Library fonts (continued).

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
Prestige Latin1	Prestige	RM	CZ7200	PRS	2041	432
	Prestige Bold	RB	CZ7400	PRSB		318
	Prestige Italic	IM	CZ7300	PRSI		319
Times New Roman Latin1	Times New Roman	RM	CZN200	TNR	2041	2308
	Times New Roman Bold	RB	CZN400	TNRB		2309
	Times New Roman Italic	IM	CZN300	TNRI		2310
	Times New Roman Bold Italic	IB	CZN500	TNRBI		2311
Latin2, Latin3, Latin5						
Courier Latin235	Courier	RM	CZ4202	COU	1261	416
	Courier Bold	RB	CZ4402	COUB		420
	Courier Italic	IM	CZ4302	COUI		424
	Courier Bold Italic	IB	CZ4502	COUBI		428
Helvetica Latin235	Helvetica	RM	CZH202	HEL	1261	2304
	Helvetica Bold	RB	CZH402	HELB		2305
	Helvetica Italic	IM	CZH302	HELI		2306
	Helvetica Bold Italic	IB	CZH502	HELBI		2307
Times New Roman Latin235	Times New Roman	RM	CZN202	TNR	1261	2308
	Times New Roman Bold	RB	CZN402	TNRB		2309
	Times New Roman Italic	IM	CZN302	TNRI		2310
	Times New Roman Bold Italic	IB	CZN502	TNRBI		2311
Latin4						
Courier Latin4	Courier	RM	CZ4207	COU	1268	416
	Courier Bold	RB	CZ4407	COUB		420
	Courier Italic	IM	CZ4307	COUI		424
	Courier Bold Italic	IB	CZ4507	COUBI		428
Helvetica Latin4	Helvetica	RM	CZH207	HEL	1268	2304
	Helvetica Bold	RB	CZH407	HELB		2305
	Helvetica Italic	IM	CZH307	HELI		2306
	Helvetica Bold Italic	IB	CZH507	HELBI		2307
Times New Roman Latin4	Times New Roman	RM	CZN207	TNR	1268	2308
	Times New Roman Bold	RB	CZN407	TNRB		2309
	Times New Roman Italic	IM	CZN307	TNRI		2310
	Times New Roman Bold Italic	IB	CZN507	TNRBI		2311
Optical Character Recognition (OCR)						
OCRA	OCR A	RM	CZ920A	OCR_A	968	305
OCRB	OCRBMT	RM	CZ920B	OCR_B	1502	306

Table 3. Summary of General Library fonts (continued).

AFP typeface name	Type 1 typeface name	Style and weight	Character set identifier	Type 1 file name	GCSGID	FGID
Symbols —scientific, mathematical, and special-purpose characters						
Courier Symbols	Courier Symbols	RM	CZ4201	COU_S	1275	416
	Courier Symbols Bold	RB	CZ4401	COU_SB		420
Helvetica Symbols	Helvetica Symbols	RM	CZH201	HEL_S	1275	2304
	Helvetica Symbols Bold	RB	CZH401	HEL_SB		2305
Times New Roman Symbols	Times New Roman Symbols	RM	CZN201	TNR_S	1275	2308
	Times New Roman Symbols Bold	RB	CZN401	TNR_SB		2309
Thai						
Courier Thai	Courier Thai	RM	CZ4206	COU_T	1505	416
	Courier Thai Bold	RB	CZ4406	COU_TB		420
	Courier Thai Italic	IM	CZ4306	COU_TI		424
	Courier Thai Bold Italic	IB	CZ4506	COU_TBI		428
Thonburi	Thonburi	RM	CZH206	HEL_T	1505	2304
	Thonburi Bold	RB	CZH406	HEL_TB		2305
	Thonburi Italic	IM	CZH306	HEL_TI		2306
	Thonburi Bold Italic	IB	CZH506	HEL_TBI		2307
Burirum	Burirum	RM	CZN206	TNR_T	1505	2308
	Burirum Bold	RB	CZN406	TNR_TB		2309
	Burirum Italic	IM	CZN306	TNR_TI		2310
	Burirum Bold Italic	IB	CZN506	TNR_TBI		2311

CJK fonts

Chinese, Japanese, and Korean (CJK) fonts are derived from the Adobe CID-Keyed font technology and are available in AFP outline format. CJK fonts contain different typefaces that are suitable for printing various Chinese, Japanese, and Korean documents.

Naming conventions for CJK fonts

This section shows the naming conventions for CJK outline font character sets, CJK full-width fonts, and CJK half-width fonts.

CJK outline font character sets

The naming convention format for CJK outline font character sets is *CZxxxx*, where:

- CZ** AFP outline character set prefix
- xxxx* Language and typeface:
 - JHKG** Japanese Heisei Kaku Gothic
 - JHMG** Japanese Heisei Maru Gothic

JHMN	Japanese Heisei Mincho
HKG2	Korean Gothic
HSM2	Korean Myengjo
SFSG	Simplified Chinese Fang Song (GB)
SHEI	Simplified Chinese Hei (GB18030)
SKAI	Simplified Chinese Kai (GB)
SSNG	Simplified Chinese Song (GB18030)
TKAI	Traditional Chinese Kai
TSNG	Traditional Chinese Sung

CJK full-width fonts

The naming convention format for CJK full-width fonts is *aZtcpb*, where:

<i>a</i>	Component:
	C Character set
	X Coded font
Z	AFP outline
<i>tc</i>	Typestyle, country:
	EF Heisei Kaku Gothic, Japanese
	KF Heisei Mincho, Japanese
	PF Heisei Maru Gothic, Japanese
	IF Heisei Kaku Gothic, JIS X 0213:2004, Japanese
	OF Heisei Mincho, JIS X 0213:2004, Japanese
	WF Heisei Maru Gothic, JIS X 0213:2004, Japanese
	GH Gothic, Korean (Full Hangul: Korean Industrial Standard Code for information interchange (Hangul and Hanja) KSC 5700-199)
	GK Gothic, Korean (KS: Korean Industrial Standard Code for information interchange (Hangul and Hanja) KSC 5601-1989)
	MH Myengjo, Korean (Full Hangul)
	MK Myengjo, Korean (KS)
	FP Fang Song, Simplified Chinese (GB: Code of Chinese Graphic Character Set for Information Interchange GB 2312-80)
	HP Hei, Simplified Chinese (GB)
	HS Hei, Simplified Chinese (GB18030: Code of Chinese Graphic Character Set for Information Interchange GB 18030-2000)
	JP Kai, Simplified Chinese (GB)
	SP Song, Simplified Chinese (GB)
	SS Song, Simplified Chinese (GB18030)
	LT Kai, Traditional Chinese
	TT Sung, Traditional Chinese
<i>pb</i>	Point size or box height:
	48 4.8 point size or 16 box height
	60 6.0 point size or 20 box height
	72 7.2 point size or 24 box height
	84 8.4 point size or 28 box height
	96 9.6 point size or 32 box height
	08 10.8 point size or 36 box height
	B0 12.0 point size or 40 box height
	C8 13.8 point size or 46 box height
	E6 15.6 point size or 52 box height
	H0 18.0 point size or 60 box height
	J4 20.4 point size or 68 box height
	N0 24.0 point size or 80 box height

T0	30.0 point size or 100 box height
Z0	36.0 point size or 120 box height

CJK half-width fonts

The naming convention format for CJK half-width fonts is *aZH0tepb*, where:

a Component:

C	Character set
X	Coded font

Z AFP outline

H0 Half-width character sets; not used for coded fonts

te Typestyle, encoding:

Japanese

ED	Heisei Kaku Gothic, DCF
KD	Heisei Mincho, DCF
PD	Heisei Maru Gothic, DCF
EJ	Heisei Kaku Gothic, PC extended
KJ	Heisei Mincho, PC extended
PJ	Heisei Maru Gothic, PC extended
EO	Heisei Kaku Gothic, Katakana extended
KO	Heisei Mincho, Katakana extended
PO	Heisei Maru Gothic, Katakana extended
EV	Heisei Kaku Gothic, Latin extended
KV	Heisei Mincho, Latin extended
PV	Heisei Maru Gothic, Latin extended
EW	Heisei Kaku Gothic, Latin extended with box
KW	Heisei Mincho, Latin extended with box
PW	Heisei Maru Gothic, Latin extended with box
EY	Heisei Kaku Gothic, Katakana extended with box
KY	Heisei Mincho, Katakana extended with box
PY	Heisei Maru Gothic, Katakana extended with box

Korean

GE	Gothic, EBCDIC
ME	Myengjo, EBCDIC
GJ	Gothic, PC
MJ	Myengjo, PC
GW	Gothic, EBCDIC extended with box
MW	Myengjo, EBCDIC extended with box

Simplified Chinese

FE	Fang Song, EBCDIC
HE	Hei, EBCDIC
HQ	Hei, PC (GB18030)
JE	Kai, EBCDIC
SE	Song, EBCDIC
FJ	Fang Song, PC
HJ	Hei, PC
JJ	Kai, PC
SJ	Song, PC
SQ	Song, PC (GB18030)
FW	Fang Song, EBCDIC extended with box
HW	Hei, EBCDIC extended with box
JW	Kai, EBCDIC extended with box

SW Song, EBCDIC extended with box

Traditional Chinese

LE Kai, EBCDIC
TE Sung, EBCDIC
LJ Kai, PC
TJ Sung, PC
LQ Kai, PC IBM Big 5
TQ Sung, PC IBM Big 5
LW Kai, EBCDIC extended with box
TW Sung, EBCDIC extended with box

pb Point size or box height:

48	4.8 point size or 16 box height
60	6.0 point size or 20 box height
72	7.2 point size or 24 box height
84	8.4 point size or 28 box height
96	9.6 point size or 32 box height
08	10.8 point size or 36 box height
B0	12.0 point size or 40 box height
C8	13.8 point size or 46 box height
E6	15.6 point size or 52 box height
H0	18.0 point size or 60 box height
J4	20.4 point size or 68 box height
N0	24.0 point size or 80 box height
T0	30.0 point size or 100 box height
Z0	36.0 point size or 120 box height

Summary tables for the CJK fonts

This section lists CJK fonts for these typefaces:

- Chinese:
 - Simplified Chinese (see Table 4 on page 28):
 - Fang Song (GB)
 - Hei (GB18030)
 - Kai (GB)
 - Song (GB18030)
 - Traditional Chinese (see Table 5 on page 29):
 - Kai
 - Sung
- Japanese (see Table 6 on page 29):
 - Japanese Heisei Kaku Gothic
 - Japanese Heisei Maru Gothic
 - Japanese Heisei Mincho
- Korean (see Table 7 on page 30):
 - Korean Gothic
 - Korean Myengjo

The summary tables for CJK fonts provide this information:

AFP/CID typeface name

The IBM name for the typeface.

CID file name

The name of the CID-Keyed font file that is used to create the AFP outline font. The file extensions are CID and CMP.

Weight

Possible values are: Light, Medium, Semi-Bold, and Semi-Light.

Width The width of the font. Possible values are:

Full Full-width
Half Half-width

Coded font

A six-character name of the outline coded font, with "XZ" as the prefix, that identifies the combination of code page and character set.

Character set

A six-character name, with "CZ" as the prefix, that identifies an AFP outline character set.

Code page

A six-character name, with "T1" as the prefix, that identifies the code page.

GCSGID

The graphic character set global identifier (GCSGID) is a collection of characters that are registered with a unique number and sometimes used for font and code page selection.

FGID The font typeface global identifier (FGID) is a number that is assigned to each typeface and is sometimes used for font selection.

Table 4. Summary of CJK fonts for Chinese (Simplified).

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSGID	FGID
Simplified Chinese - GB Fang Song								
Fang Song	IBSFSGW4	Semi- Light	Full	XZFPpd	CZSFSG	T10837	1020	54566
			Half	XZFEpd	CZSFSG	T1H00836	1174	
			Half	XZFJpd	CZSFSG	T1H01115	1240	
			Half	XZFWpd	CZSFSG	T1H01151	1366	
Simplified Chinese - GB18030 Hei								
Hei	ILSHEIW6	Semi- Bold	Full	XZHPpd	CZSHEI	T10837	1020	54565
			Full	XZHSpd	CZSHEI	T1K837	2103	
			Half	XZHEpd	CZSHEI	T1H00836	1174	
			Half	XZHJpd	CZSHEI	T1H01115	1240	
			Half	XZHQpd	CZSHEI	T1H01252	0103	
			Half	XZHWpd	CZSHEI	T1H01151	1366	
Simplified Chinese - GB Kai								
Kai	IBSKAIW5	Medium	Full	XZJPpd	CZSKAI	T10837	1020	54568
			Half	XZJEpd	CZSKAI	T1H00836	1174	
			Half	XZJJpd	CZSKAI	T1H01115	1240	
			Half	XZJWpd	CZSKAI	T1H01151	1366	
Simplified Chinese - GB18030 Song								

Table 4. Summary of CJK fonts for Chinese (Simplified) (continued).

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSCID	FGID
Song	ILSSNGW5	Medium	Full	XZSPpd	CZSSNG	T10837	1020	54567
			Full	XZSSpd	CZSSNG	T1K837	2103	
			Half	XZSEpd	CZSSNG	T1H00836	1174	
			Half	XZSJpd	CZSSNG	T1H01115	1240	
			Half	XZSQpd	CZSSNG	T1H01252	0103	
			Half	XZSWpd	CZSSNG	T1H01151	1366	

Table 5. Summary of CJK fonts for Chinese (Traditional).

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSCID	FGID
Traditional Chinese Kai								
Kai	IBTKAIW5	Medium	Full	XZLTpd	CZTKAI	T10835	2074	54568
			Half	XZLEpd	CZTKAI	T1H00037	1175	
			Half	XZLJpd	CZTKAI	T1H01043	1189	
			Half	XZLQpd	CZTKAI	T1H01114	1500	
			Half	XZLVpd	CZTKAI	T1H01159	1399	
			Half	XZLWpd	CZTKAI	T1H01152	1367	
Traditional Chinese Sung								
Sung	IBTSNGW3	Light	Full	XZTTpd	CZTSNG	T10835	2074	54563
			Half	XZTEpd	CZTSNG	T1H00037	1175	
			Half	XZTJpd	CZTSNG	T1H01043	1189	
			Half	XZTQpd	CZTSNG	T1H01114	1500	
			Half	XZTVpd	CZTSNG	T1H01159	1399	
			Half	XZTWpd	CZTSNG	T1H01152	1367	

Table 6. Summary of CJK fonts for Japanese.

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSCID	FGID
Japanese Heisei Kaku Gothic								
Heisei Kaku Gothic	IBJHKGW5	Medium	Full	XZEFpd	CZJHKG	T10300	2093	53249
			Half	XZEDpd	CZJHKG	T1H01002	1132	
			Half	XZEJpd	CZJHKG	T1H01041	1187	
			Half	XZEOpd	CZJHKG	T1H00290	1398	
			Half	XZEVpd	CZJHKG	T1H01027	1398	
			Half	XZEWpd	CZJHKG	T1H01031	1363	
			Half	XZEYpd	CZJHKG	T1H01030	1363	
Japanese Heisei Kaku Gothic JIS X 0213:2004								
Heisei Kaku Gothic	IBJHKGW5	Medium	Full	XZIFpd	CZJHKG	T1K300	2093	53249
Japanese Heisei Maru Gothic								

Table 6. Summary of CJK fonts for Japanese (continued).

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSCID	FGID
Heisei Maru Gothic	IBJHMGW4	Semi- Light	Full	XZPFpd	CZJHMG	T10300	2093	53250
			Half	XZPDpd	CZJHMG	T1H01002	1132	
			Half	XZPJpd	CZJHMG	T1H01041	1187	
			Half	XZPOpd	CZJHMG	T1H00290	1398	
			Half	XZPVpd	CZJHMG	T1H01027	1398	
			Half	XZPWpd	CZJHMG	T1H01031	1363	
			Half	XZPYpd	CZJHMG	T1H01030	1363	
Japanese Heisei Maru Gothic JIS X 0213:2004								
Heisei Maru Gothic	IBJHMGW4	Semi- Light	Full	XZWFpd	CZJHMG	T1K300	2093	53250
Japanese Heisei Mincho								
Heisei Mincho	IBJHMNW3	Light	Full	XZKFpd	CZJHMN	T10300	2093	53248
			Half	XZKDpd	CZJHMN	T1H01002	1132	
			Half	XZKJpd	CZJHMN	T1H01041	1187	
			Half	XZKOpd	CZJHMN	T1H00290	1398	
			Half	XZKVpd	CZJHMN	T1H01027	1398	
			Half	XZKWpd	CZJHMN	T1H01031	1363	
			Half	XZKYpd	CZJHMN	T1H01030	1363	
Japanese Heisei Mincho JIS X 0213:2004								
Heisei Mincho	IBJHMNW3	Light	Full	XZOFpd	CZJHMN	T1K300	2093	53248

Table 7. Summary of CJK fonts for Korean.

AFP/CID typeface name	CID file name	Weight	Width	Coded font	Character set	Code page	GCSCID	FGID
Korean Gothic								
Gothic	IBHKG2W5	Medium	Full	XZGKpd	CZHKG2	T10834	1010	53816
			Full	XZGHpd	CZHKG2	T1K834	1098	
			Half	XZGEpd	CZHKG2	T1H00833	1173	
			Half	XZGJpd	CZHKG2	T1H01126	1267	
			Half	XZGWpd	CZHKG2	T1H01150	1365	
Korean Myengjo								
Myengjo	IBHSM2W5	Medium	Full	XZMKpd	CZHSM2	T10834	1010	53560
			Full	XZMHpd	CZHSM2	T1K834	1098	
			Half	XZMEpd	CZHSM2	T1H00833	1173	
			Half	XZMJpd	CZHSM2	T1H01126	1267	
			Half	XZMWpd	CZHSM2	T1H01150	1365	

CJK simulation fonts

Chinese, Japanese, and Korean (CJK) simulation fonts are available in AFP outline format that simulates raster font products.

Naming conventions for CJK simulation fonts

This section shows the naming conventions for CJK simulated outline font character sets and coded fonts.

CJK simulation outline font character sets

The naming convention format for CJK simulation outline font character sets is *CZxxxx*, where:

CZ	AFP outline character set prefix
<i>xxxx</i>	Language and typeface:
JHKG	Japanese Heisei Kaku Gothic
JHMG	Japanese Heisei Maru Gothic
JHMN	Japanese Heisei Mincho
HKG2	Korean Gothic
HSM2	Korean Myengjo
SHEI	Simplified Chinese Hei
SSNG	Simplified Chinese Song
TSNG	Traditional Chinese Sung

CJK simulation outline coded fonts

The naming convention format for CJK simulation outline coded fonts is *XZtbxe*, where:

XZ	AFP outline coded font
<i>t</i>	Typestyle:
Japanese	
E	Heisei Kaku Gothic
F	Heisei Kaku Gothic Half-Width
G	Gothic
H	Gothic Half-Width
K	Heisei Mincho
L	Heisei Mincho Half-Width
M	Mincho
N	Mincho Half-Width
R	Round Gothic
S	Round Gothic Half-Width
Y	Mincho Half-Width
Z	Mincho
Korean	
G	Gothic
H	Gothic Half-Width
M	Mincho
N	Mincho Half-Width
Simplified Chinese	
G	Gothic
S	Song
Traditional Chinese	
G	Gothic
M	Ming

- bx* Box size (see Table 8)
- e* Encoding:
- Japanese**
- B** Base Set (Section 41-55)
 - D** DCF Set (Half-Width) / JIS90 (Full-Width)
 - F** Full Set
 - J** PC Set
 - N** Katakana Set
 - O** Extended Katakana Set
 - U** US English Set
 - V** Extended Latin Set
 - X** Extension Set (Section 56-68)
- Korean**
- K** Full Set
 - K** EBCDIC Set (Half-Width)
 - L** Special and Hangul Set (Section 41-4B, 84-D3)
- Simplified Chinese**
- P** PRC Host (GB)
- Traditional Chinese**
- T** Taiwan Host

Table 8 shows the box sizes (HxV) for the Chinese, Japanese, and Korean (CJK) simulation font typfaces.

Table 8. Box size (*bx*) values for CJK simulation outline coded fonts

Language	<i>bx</i>	Typefaces						
		Gothic	Heisei Kaku Gothic	Round Gothic	Mincho	Heisei Mincho	Song	Ming
Japanese Full-Width	16	16x16			16x16	16x16		
	20	20x24						
	24	24x30	24x24		24x24	24x24		
	26		26x26		26x26	26x26		
	32	32x32	32x32		32x32	32x32		
	36	36x36	36x36	36x36	36x36	36x36		
	40	40x40	40x40	40x40	40x40	40x40		
	44		44x44		44x44	44x44		
	48	48x48	48x48	48x48	48x48	48x48		
	52		52x52		52x52	52x52		
64	64x64	64x64	64x64	64x64	64x64			

Table 8. Box size (bx) values for CJK simulation outline coded fonts (continued)

Language	bx	Typefaces						
		Gothic	Heisei Kaku Gothic	Round Gothic	Mincho	Heisei Mincho	Song	Ming
Japanese Half-Width	12	12x30	12x24		12x24	12x24		
	13		13x26		13x26	13x26		
	16	16x32	16x32		16x32	16x32		
	18	18x36	18x36	18x36	18x36	18x36		
	20	20x40	20x40	20x40	20x40	20x40		
	22		22x44			22x44		
	24	24x48	24x48	24x48	24x48	24x48		
	26		26x52		26x52	26x52		
	32	32x64	32x64	32x64	32x64	32x64		
Korean Full-Width	16	16x16						
	24	24x30			24x24			
	36				36x36			
	40				40x40			
	48				48x48			
	64				64x64			
Korean Half-Width	08	8x16						
	12	12x30			12x24			
	18				18x36			
	20				20x40			
	24				24x48			
	32				32x64			
Simplified Chinese Full-Width	16	16x16						
	26						26x26	
	32						32x32	
	40						40x40	
Traditional Chinese Full-Width	16	16x16						
	24							24x24
	32							32x32
	40							40x40

Summary table for the CJK simulation fonts

This section lists CJK simulation fonts for these typefaces:

- Chinese:
 - Simplified Chinese:
 - Gothic simulated by Hei
 - Song simulated by Song
 - Traditional Chinese:
 - Gothic simulated by Sung
 - Ming simulated by Sung

- Japanese:
 - Gothic and Heisei Kaku Gothic simulated by Heisei Kaku Gothic
 - Round Gothic simulated by Heisei Maru Gothic
 - Mincho and Heisei Mincho simulated by Heisei Mincho
- Korean:
 - Gothic simulated by Gothic
 - Mincho simulated by Myengjo

The summary of the CJK simulation fonts in Table 9 provides this information:

CID file name

The name of the CID-Keyed font file that is used to create the AFP outline font. The file extensions are CID and CMP.

Wt The font weight. Possible values are:

- L** Light
- M** Medium
- SB** Semi-bold
- SL** Semi-light

Width The font width. Possible values are:

- Full** Full-Width
- Half** Half-Width

Coded font

A six-character name of the outline coded font, with "XZ" as the prefix, that identifies the combination of code page and character set.

Character set

A six-character name, with "CZ" as the prefix, that identifies an AFP outline character set.

Code page

A six-character name, with "T1" as the prefix, that identifies the code page.

GCSGID

The graphic character set global identifier (GCSGID) is a collection of characters that are registered with a unique number and sometimes used for font and code page selection.

FGID The font typeface global identifier (FGID) is a number that is assigned to each typeface and is sometimes used for font selection.

Box size

The box size of the 240-pel fonts that are shown numerically as height by vertical (HxV) size.

Table 9. Summary of CJK simulation fonts.

CID file name	Wt	Width	Coded font	Character set	Code page	GCSGID	FGID	Box size
Simplified Chinese Gothic simulated by Hei								
ILSHEIW6	SB	Full	XZGbxP	CZSHEI	T10837	1020	54565	16x16
Simplified Chinese Song simulated by Song								
ILSSNGW5	M	Full	XZSbxP	CZSSNG	T10837	1020	54567	26x26 32x32 40x40
Traditional Chinese Gothic simulated by Sung								
IBTSNGW3	L	Full	XZGbxT	CZTSNG	T10835	2074	54563	16x16
Traditional Chinese Ming simulated by Sung								
IBTSNGW3	L	Full	XZMbxT	CZTSNG	T10835	2074	54563	24x24 32x32 40x40
Japanese Gothic simulated by Heisei Kaku Gothic								

Table 9. Summary of CJK simulation fonts (continued).

CID file name	Wt	Width	Coded font	Character set	Code page	GCSGID	FGID	Box size
IBJHKGW5	M	Full	XZGbxB	CZJHKG	T1I300	2093	53249	16x16 20x24 24x30 32x32 36x36 40x40 48x48 64x64
		Full	XZGbxF		T1I300	2093		16x16 20x24 24x30 32x32 36x36 40x40 48x48 64x64
		Full	XZGbxX		T1I300	2093		48x48 64x64
		Half	XZHbxD		T1H01002	1132		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxJ		T1H01041	1187		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxN		T1HK0290	332		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxO		T1H00290	1398		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxU		T1HK0037	101		12x30 16x32 18x36 20x40 24x48 32x64
		Half	XZHbxV		T1H10027	1398		12x30 16x32 18x36 20x40 24x48 32x64
Japanese Gothic (JIS90) simulated by Heisei Kaku Gothic								
IBJHKGW5	M	Full	XZGbxD	CZJHKG	T1J300	2093	53249	16x16 20x24 24x30 32x32 36x36 40x40 48x48 64x64
Japanese Heisei Kaku Gothic simulated by Heisei Kaku Gothic								
IBJHKGW5	M	Full	XZEbxB	CZJHKG	T10300	2093	53249	24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Full	XZEbxF		T10300	2093		24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Half	XZFbxD		T1H01002	1132		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxJ		T1H01041	1187		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxN		T1HK0290	332		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxO		T1H00290	1398		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxU		T1HK0037	101		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZFbxV		T1H01027	1398		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
Japanese Round Gothic simulated by Heisei Maru Gothic								
IBJHMGW4	SL	Full	XZRbxB	CZJHMG	T1I300	2093	53250	36x36 40x40 48x48 64x64
		Full	XZRbxF		T1I300	2093		36x36 40x40 48x48 64x64
		Full	XZRbxX		T1I300	2093		48x48 64x64
		Half	XZSbxD		T1H01002	1132		18x36 20x40 24x48 32x64
		Half	XZSbxJ		T1H01041	1187		18x36 20x40 24x48 32x64
		Half	XZSbxN		T1HK0290	332		18x36 20x40 24x48 32x64
		Half	XZSbxO		T1H00290	1398		18x36 20x40 24x48 32x64
		Half	XZSbxU		T1HK0037	101		18x36 20x40 24x48 32x64
		Half	XZSbxV		T1H01027	1398		18x36 20x40 24x48 32x64
Japanese Round Gothic (JIS90) simulated by Heisei Maru Gothic								
IBJHMGW4	SL	Full	XZRbxD	CZJHMG	T1J300	2093	53250	36x36 40x40 48x48 64x64
Japanese Mincho simulated by Heisei Mincho								

Table 9. Summary of CJK simulation fonts (continued).

CID file name	Wt	Width	Coded font	Character set	Code page	GCSGID	FGID	Box size
IBJHMINW3	L	Full	XZMbxB	CZJHMN	T1I300	2093	53248	16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Full	XZMbxF		T1I300	2093		16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Full	XZMbxX		T1I300	2093		48x48 64x64
		Full	XZZbxB		T1I300	2093		24x24
		Full	XZZbxF		T1I300	2093		24x24
		Half	XZNbxD		T1H01002	1132		12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64
		Half	XZNbxJ		T1H01041	1187		12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64
		Half	XZNbxN		T1HK0290	332		12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64
		Half	XZNbxO		T1H00290	1398		12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64
		Half	XZNbxU		T1HK0037	101		12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64
		Half	XZNbxV		T1H01027	1398		12x24 13x26 16x32 18x36 20x40 24x48 26x52 32x64
		Half	XZYbxD		T1H01002	1132		12x24
		Half	XZYbxJ		T1H01041	1187		12x24
		Half	XZYbxN		T1HK0290	332		12x24
		Half	XZYbxO		T1H00290	1398		12x24
Half	XZYbxU	T1HK0037	101	12x24				
Half	XZYbxV	T1H01027	1398	12x24				
Japanese Mincho (JIS90) simulated by Heisei Mincho								
IBJHMINW3	L	Full	XZMbxD	CZJHMN	T1J300	2093	53248	16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Full	XZZbxD		T1J300	2093		24x24
Japanese Heisei Mincho simulated by Heisei Mincho								
IBJHMINW3	L	Full	XZKbxB	CZJHMN	T10300	2093	53248	16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Full	XZKbxF		T10300	2093		16x16 24x24 26x26 32x32 36x36 40x40 44x44 48x48 52x52 64x64
		Half	XZLbxD		T1H01002	1132		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZLbxJ		T1H01041	1187		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZLbxN		T1HK0290	332		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZLbxO		T1H00290	1398		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZLbxU		T1HK0037	101		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
		Half	XZLbxV		T1H01027	1398		12x24 13x26 16x32 18x36 20x40 22x44 24x48 26x52 32x64
Korean Gothic simulated by Gothic								

Table 9. Summary of CJK simulation fonts (continued).

CID file name	Wt	Width	Coded font	Character set	Code page	GCSGID	FGID	Box size
IBHKG2W5	M	Full	XZGbxK	CZHKG2	T10834	1010	53816	16x16 24x30
		Full	XZGbxL		T10834	1010		16x16 24x30
		Half	XZHbxK		T1H00833	1173		8x16 12x30
Korean Mincho simulated by Myengjo								
IBHSM2W5	M	Full	XZMbxK	CZHSM2	T10834	1010	53560	24x24 32x32 36x36 40x40 48x48 64x64
		Full	XZMbxL		T10834	1010		24x24 32x32 36x36 40x40 48x48 64x64
		Half	XZNbxK		T1H00833	1173		12x30 16x32 18x36 20x40 24x48 32x64

Chapter 5. AFP raster fonts

AFP raster fonts are distinguished from AFP outline fonts because they have character set and coded font names that are eight characters rather than six characters. The AFP raster fonts that are included with the z/OS Font Collection are:

- Single-byte character set (SBCS) expanded core fonts
- Double byte character set (DBCS) core fonts
- Math, PI, and Sonoran fonts
- Compatibility fonts, which are also a feature of Print Services Facility (PSF) for z/OS (5655-M32)

SBCS fonts

SBCS expanded core fonts are part of the AFP raster fonts that are shipped with the z/OS Font Collection. The fonts contain various typefaces and font sizes (including typographic and uniformly spaced typeface families) and combine IBM Core Interchange Fonts, IBM Coordinated Fonts, and IBM BookMaster Fonts.

Table 10 shows the formats for SBCS fonts that are provided in the z/OS Font Collection.

Table 10. Format and operating systems for SBCS fonts

Format	Operating systems
240-pel bounded-box fonts	z/OS, IBM i, Linux, AIX, Windows
300-pel fonts	z/OS, IBM i, Linux, AIX, Windows

“Summary table for SBCS fonts” on page 47 lists SBCS fonts by font type and language group.

Naming conventions for SBCS fonts

The naming convention format for SBCS expanded core fonts is *afrstcpx*, where:

- a* Component:
 - C** Character set
 - X** Coded font
- f* Format or orientation:
 - 0** 240 bounded-box and 300-pel
 - 1, 2, 4** 240 unbounded-box
- r* Type family:
 - 4** Courier
 - 5** Letter Gothic
 - 6** Gothic Text
 - 7** Prestige
 - 8** Boldface
 - 9** OCR
 - B** BookMaster
 - H** Helvetica
 - I** IBM Logo

	N	Times New Roman
<i>s</i>		Typeface:
	2	Roman medium
	3	Italic medium
	4	Roman bold
	5	Italic bold
	6	Roman medium reverse
	B	IBM Logo
<i>t</i>		Code page category (see also Table 11 on page 42):
	0	Character set
	1	Latin1 country extended code pages
	2	Latin1 and Latin9 publishing code pages
	3	Latin1 and Latin9 ASCII code pages
	4	Latin1 DCF code pages
	5	Latin2345 EBCDIC and ASCII code pages
	6	International non-Latin code pages
	7	Special purpose EBCDIC and ASCII code pages
	8	International non-Latin ASCII code pages
	M	IBM Logo
<i>c</i>		Complement (see also Table 11 on page 42):
	0	Latin1
	1	Symbols
	2	Latin235
	3	Cyrillic Greek
	4	Arabic
	5	Hebrew
	6	Thai
	7	Latin4
	8	Katakana
	9	Lao
	A	OCR A
	B	OCR B
	C	BookMaster Special
	D	Baltic
	E	Euro
	L	Latin
	P	APL2
<i>p</i>		Point or pitch size:
		Typographic fonts
	6	6 points
	7	7 points
	8	8 points
	9	9 points
	0	10 points
	A	11 points
	B	12 points
	C	13 points
	D	14 points
	E	15 points
	F	16 points
	G	17 points
	H	18 points
	I	19 points

J	20 points
K	21 points
L	22 points
M	23 points
N	24 points
O	25 points
P	26 points
Q	27 points
R	28 points
S	29 points
T	30 points
U	31 points
V	32 points
W	33 points
X	34 points
Y	35 points
Z	36 points

Uniformly spaced fonts

5	5 points, 24 pitch
6	6 points, 20 pitch
7	7 points, 17.1 pitch
8	8 points, 15 pitch
9	9 points, 13.3 pitch
0	10 points, 12 pitch
B	12 points, 10 pitch
D	14 points, 8.5 pitch
J	20 points, 6 pitch

x Coded font (see Table 11 on page 42)

Table 11 on page 42 shows code pages based on the code page category (*t*), coded font (*x*), and complement (*c*) naming convention format for SBCS fonts.

Table 11. Codes pages for SBCS fonts. x does not apply to BookMaster fonts.

<i>t</i>	<i>x</i>	<i>c</i>	Code page	Description
1 - Latin1 country extended code pages	1	0	T1V10037	United States, Canada
	2	0	T1V10273	Austria, Germany
	3	0	T1V10274	Belgium
	4	0	T1V10275	Brazil
	5	0	T1V10277	Denmark, Norway
	6	0	T1V10278	Finland, Sweden
	7	0	T1V10280	Italy
	8	0	T1V10281	Japan (Latin)
	9	0	T1V10282	Portugal
	0	0	T1V10284	Spain, Latin America
	A	0	T1V10285	United Kingdom
	B	0	T1V10297	France
	C	0	T1V10500	International #5
	D	0	T1V10871	Iceland
	1	E	T1001140	USA, Canada Euro Country Extended Code Pages (ECECP)
	2	E	T1001141	Austria, Germany ECECP
	5	E	T1001142	Denmark, Norway ECECP
	6	E	T1001143	Finland, Sweden ECECP
	7	E	T1001144	Italy ECECP
	0	E	T1001145	Spain, Latin America ECECP
	A	E	T1001146	United Kingdom ECECP
	B	E	T1001147	France ECECP
	C	E	T1001148	International ECECP
	D	E	T1001149	Iceland ECECP

Table 11. Codes pages for SBCS fonts (continued). *x* does not apply to BookMaster fonts.

<i>t</i>	<i>x</i>	<i>c</i>	Code page	Description
2 - Latin1 and Latin9 publishing code pages	1	0	T1000361	International Set #5
	2	0	T1000382	Austria, Germany, Switzerland
	3	0	T1000383	Belgium
	4	0	T1000384	Brazil
	5	0	T1000385	Canada (French)
	6	0	T1000386	Denmark, Norway
	7	0	T1000387	Sweden, Finland
	8	0	T1000388	France, Switzerland
	9	0	T1000389	Italy, Switzerland (Italian)
	0	0	T1000390	Japan (Latin)
	A	0	T1000391	Portugal
	B	0	T1000392	Spain, Philippines
	C	0	T1000393	Latin America (Spanish)
	D	0	T1000394	United Kingdom, Australia, Ireland, Hong Kong, New Zealand
	E	0	T1000395	United States, Canada (English)
F	0	T1000924	Latin9	
3 - Latin1 and Latin9 ASCII code pages	1	0	T1000437	Personal Computer
	2	0	T1000850	Personal Computer: Multilingual
	3	0	T1000860	Personal Computer: Portugal
	4	0	T1000861	Personal Computer: Iceland
	5	0	T1000863	Personal Computer: Canadian French
	6	0	T1000865	Personal Computer: Nordic
	7	0	T10001004	IBM PC Desktop Publishing
	8	0	T1000819	ISO/ANSI 8-Bit: Latin1
	9	0	T1000858	PC Multilingual with Euro
	A	0	T1000923	Latin9
	B	0	T1001252	Windows Latin1
4 - Latin1 DCF code pages	1	0	T1001002	DCF Release 2 Compatibility
	2	0	T1001003	U.S. Text Subset
	3	0	T1001068	Text with Numeric Spacing
	4	0-7	T1001039	GML List Symbols

Table 11. Codes pages for SBCS fonts (continued). *x* does not apply to BookMaster fonts.

<i>t</i>	<i>x</i>	<i>c</i>	Code page	Description
5 - Latin2345 EBCDIC and ASCII code pages	1	2	T1000870	Latin2 EBCDIC
	2	2	T1000905	Latin3 EBCDIC
	3	2	T1001026	Latin5 EBCDIC
	4	2	T1000852	Personal Computer: Latin2
	5	2	T1000853	Personal Computer: Latin3
	6	2	T1000857	Personal Computer: Latin5
	7	2	T1000912	ISO/ANSI 8-Bit: Latin2
	8	2	T1000920	ISO/ANSI 8-Bit: Latin5
	9	7	T1001069	Latin4 EBCDIC
	0	7	T1000914	ISO/ASCII: Latin4
	A	2	T1001110	Latin2 Multilingual
	B	2	T1001111	Latin2 ISO/ANSI 8-Bit
	C	2	T1000913	Latin3 ISO/ASCII
	D	2	T1001122	Estonia EBCDIC
6 - International non-Latin code pages	1	4	T1000420	Arabic Bilingual
	2	3	T1000423	Greece 183
	3	5	T1000424	Hebrew
	4	5	T1000803	Hebrew
	5	3	T1000875	Greece
	6	8	T1V10290	Japan (Katakana)
	7	3	T1000880	Cyrillic Multilingual
	8	6	T1000838	Thailand
	9	3	T1001025	Cyrillic Multilingual
	0	5	T1001028	Hebrew Publishing
	A	8	T1001027	Japanese (Latin) Extended
	B	6	T1000889	Thailand
	C	3	T1001123	Cyrillic, Ukraine EBCDIC
	D	3	T1001124	Cyrillic, Ukraine ASCII
	E	9	T1001132	Lao EBCDIC
	F	8	T1001139	Japan Katakana Numeric

Table 11. Codes pages for SBCS fonts (continued). *x* does not apply to BookMaster fonts.

<i>t</i>	<i>x</i>	<i>c</i>	Code page	Description
7 - Special purpose EBCDIC and ASCII code pages	1	1	T1000259	Symbols, Set 7
	2	P	T1000293	APL (USA)
	3	P	T1000310	Graphic Escape APL
	4	A	T1000892	OCR A
	5	B	T1000393	OCR B
	6	1	T1000899	ASCII: Symbols, Set 7
	7	1	T1001087	Symbols, Adobe
	8	1	T1001038	ASCII: Symbols, Adobe
	9	1	T1001091	Symbols, Set 7 Modified
	0	1	T1001092	ASCII: Symbols, Set 7 Modified
	A	1	T1000363	Symbols, Set 8
	B	1	T1000829	Symbols, Math Symbols
	C	P	T1000910	APL ASCII
	D	A	T1000876	OCR-A ASCII
	E	B	T1000877	OCR-B ASCII
8 - International non-Latin ASCII code pages	1	3	T1000813	ISO/ASCII 8-Bit: Greece
	2	3	T1000851	Personal Computer: Greek
	3	3	T1000855	Personal Computer: Cyrillic
	4	5	T1000856	Personal Computer: Hebrew
	5	5	T1000862	Personal Computer: Hebrew
	6	4	T1000864	Personal Computer: Arabic
	7	3	T1000869	Personal Computer: Greece
	8	6	T1000874	Personal Computer: Thailand
	9	3	T1000915	ISO/ASCII 8-Bit: Cyrillic
	0	5	T1000916	ISO/ASCII 8-Bit: Hebrew
	A	4	T1001008	ISO/ASCII 8-Bit: Arabic
	B	4	T1001029	ISO/ASCII 8-Bit: Arabic
	C	4	T1001046	ISO/ASCII 8-Bit: Arabic Extended
	D	3	T1000866	Personal Computer: Cyrillic #2
	E	8	T1000897	Japan PC #1
	F	8	T1001041	Japanese Extended-PC
	G	9	T1001133	Lao ISO-8
J	5	T1000867	Israel-Personal Computer	

The seventh character in the naming convention format, *p*, represents the point size or pitch size of the font. The sizes of typographic and mixed-pitch fonts are expressed in points, which is a vertical measurement that indicates the general size of the font. One point is 1/72 inch. The sizes of uniformly spaced fonts are expressed in pitch, which is the number of characters that can be printed in 1 inch of text. Table 12 on page 46 shows the point and pitch sizes available for the SBCS

font AFP typeface names. See Table 13 on page 48 for a list of SBCS fonts by font type, language group, and AFP typeface name.

Table 12. Size in point or pitch for SBCS fonts

AFP typeface name	Size in point or pitch
Courier APL2	10 pitch
Boutros Typing Arabic	6, 8.5, 10, 12, 15, and 17.1 pitch
ITC Boutros Modern Rokaa Arabic	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
ITC Bourtros Setting Arabic	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
BookMaster Specials	5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 24, 30, and 36 points
BookMaster Specials Reverse	5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 24, 30, and 36 points
Courier Cyrillic Greek	6, 8.5, 10, 12, 15, and 17.1 pitch
Helvetica Cyrillic Greek	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Times New Roman Cyrillic Greek	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Shalom Hebrew	6, 8.5, 10, 12, 15, and 17.1 pitch
Narkiss Tam Hebrew	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Narkissim Hebrew	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
IBM Logo	10, 12, 14, 16, 18, 20, 24, 28, 32, 36, 40, and 48 points
Gothic Katakana	6, 8.5, 10, 12, 15, 17.1 and 20 pitch
Boldface Latin1	12 points
BookMaster Latin1	5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 24, 30, and 36 points
BookMaster Latin1 Reverse	5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 24, 30, and 36 points
Courier Latin1	6, 8.5, 10, 12, 15, and 17.1 pitch
Gothic Text Latin1	6, 8.5, 10, 12, 13.3, 15, 17.1, 20, and 24 pitch
Helvetica Latin1	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Letter Gothic Latin1	6, 8.5, 10, 12, 15, 17.1 and 20 pitch
Prestige Latin1	6, 8.5, 10, 12, 15, and 17.1 pitch
Times New Roman Latin1	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Courier Latin235	6, 8.5, 10, 12, 15, and 17.1 pitch
Helvetica Latin235	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Times New Roman Latin235	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Courier Latin4	6, 8.5, 10, 12, 15, and 17.1 pitch

Table 12. Size in point or pitch for SBCS fonts (continued)

AFP typeface name	Size in point or pitch
Helvetica Latin4	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Times new Roman Latin4	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
OCRA	10 pitch
OCRB	10 pitch
Courier Lao	6, 8.5, 10, 12, 15, and 17.1 pitch
Pusuwan	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Kaewfah	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Courier Symbols	6, 8.5, 10, 12, 15, and 17.1 pitch
Helvetica Symbols	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points
Times New Roman Symbols	6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 24, 30, and 36 points

Summary table for SBCS fonts

This section lists SBCS expanded core fonts by font type, language group, and AFP typeface name.

Table 13 on page 48 provides this information:

AFP typeface name

The IBM name for the typeface.

Type 1 typeface name

The Type 1 font name for the typeface.

Style and wt

The style and weight of the font. Possible values are:

IB Italic Bold
IM Italic Medium
RB Roman Bold
RM Roman Medium

Code page

An eight-character name, with "T1" as the prefix, that identifies the code page. Alphabetic script and symbol fonts use only single-byte code pages.

Character set identifier

An eight-character name that identifies an AFP raster character set.

Type 1 file name

The name of a Type 1 font that is used to create the AFP raster font. The file extensions are AFM, INF, and PFB.

Coded font identifier

An eight-character name of the raster coded font that identifies the combination of code page and character set. IBM BookMaster fonts do not have a coded font identifier because BookMaster does not use coded fonts.

Alternate coded font identifier

A six-character coded font name for certain operating environments, such as JES, that limit coded font identifiers to six characters; for example, X0GT10. All SBCS fonts with a coded font identifier also have an alternate coded font identifier.

GCSGID

The graphic character set global identifier (GCSGID) is a collection of characters that are registered with a unique number and sometimes used for font and code page selection.

FGID The font typeface global identifier (FGID) is a number that is assigned to each typeface and is sometimes used for font selection.

Table 13. Summary of SBCS fonts.

Type 1 typeface name	Style and wt	Code Page	Character set identifier	Type 1 file name	Coded font identifier	Alternate coded font identifier	GCSGID	FGID
Language Group: APL; AFP Typeface Name: Courier APL2								
Courier APL2	RM	T1000293	C0420PB0	APL	X0427PB2	X0480B	1364	307
Courier APL2 Bold	RB	T1000293	C0440PB0	APLB	X0447PB2	X0481B		322
Language Group: Arabic; AFP Typeface Name: Boutros Typing Arabic								
Typing	RM	T1000420	C04204p0	COU_A	X04264p1	X0427p	1264	416
Typing Bold	RB	T1000420	C04404p0	COU_AB	X04464p1	X0449p		420
Typing Italic	IM	T1000420	C04304p0	COU_AI	X04364p1	X0438p		424
Typing Bold Italic	IB	T1000420	C04504p0	COU_ABI	X04564p1	X045Ap		428
Language Group: Arabic; AFP Typeface Name: Boutros Modern Rokaa Arabic								
Rokaa	RM	T1000420	C0H204p0	HEL_A	X0H264p1	X0H27p	1264	2304
Rokaa Bold	RB	T1000420	C0H404p0	HEL_AB	X0H464p1	X0H49p		2305
Rokaa Italic	IM	T1000420	C0H304p0	HEL_AI	X0H364p1	X0H38p		2306
Rokaa Bold Italic	IB	T1000420	C0H504p0	HEL_ABI	X0H564p1	X0H5Ap		2307
Language Group: Arabic; AFP Typeface Name: ITC Boutros Setting Arabic								
Setting	RM	T1000420	C0N204p0	TNR_A	X0H264p1	X0N27p	1264	2308
Setting Bold	RB	T1000420	C0N404p0	TNR_AB	X0H464p1	X0N49p		2309
Setting Italic	IM	T1000420	C0N304p0	TNR_AI	X0H364p1	X0N38p		2310
Setting Bold Italic	IB	T1000420	C0N504p0	TNR_ABI	X0H564p1	X0N5Ap		2311
Language Group: BookMaster Specials; AFP Typeface Name: BookMaster Specials								
BookMaster Specials	RM	T1B00BGS	C0B20Cp0	EDFBS	N/A	N/A	1241	335
BookMaster Specials Bold	RB	T1B00BGS	C0B40Cp0	EDFBSB	N/A	N/A		336
BookMaster Specials Italic	IM	T1B00BGS	C0B30Cp0	EDFBSI	N/A	N/A		337
BookMaster Specials Bold Italic	IB	T1B00BGS	C0B50Cp0	EDFBSBI	N/A	N/A		338
Language Group: BookMaster Specials; AFP Typeface Name: BookMaster Specials Reverse								
BookMaster Specials Reverse	RM	T1B00Bgs	C0B60Cp0	EDFBSR	N/A	N/A	1241	339
Language Group: Cyrillic; AFP Typeface Name: Courier Cyrillic Greek								

Table 13. Summary of SBCS fonts (continued).

Type 1 typeface name	Style and wt	Code Page	Character set identifier	Type 1 file name	Coded font identifier	Alternate coded font identifier	GCSGID	FGID
Courier Cyr Grk	RM	T1001025	C04203p0	COU_CG	X04263p9	X045Cp	1300	416
Courier Cyr Grk Bold	RB	T1001025	C04403p0	COU_CGB	X04463p9	X045Ep		420
Courier Cyr Grk Italic	IM	T1001025	C04303p0	COU_CGI	X04363p9	X045Dp		424
Courier Cyr Grk Bold Italic	AB	T1001025	C04503p0	COU_CGBI	X04563p9	X045Fp		428
Language Group: Cyrillic; AFP Typeface Name: Helvetica Cyrillic Greek								
Helvetica Cyr Grk	RM	T1001025	C0H203p0	HEL_CG	X0H263p9	X0H5Cp	1300	2304
Helvetica Cyr Grk Bold	RB	T1001025	C0H403p0	HEL_CGB	X0H463p9	X0H5Ep		2305
Helvetica Cyr Grk Italic	IM	T1001025	C0H303p0	HEL_CGI	X0H363p9	X0H5Dp		2306
Helvetica Cyr Grk Bold Italic	IB	T1001025	C0H503p0	HEL_CGBI	X0H563p9	X0H5Fp		2307
Language Group: Cyrillic; AFP Typeface Name: Times New Roman Cyrillic Greek								
Times New Roman Cry Grk	RM	T1001025	C0N203p0	TNR_CG	X0N263p9	X0N5Cp	1300	2308
Times New Roman Cry Grk Bold	RB	T1001025	C0N403p0	TNR_CGB	X0N463p9	X0N5Ep		2309
Times New Roman Cry Grk Italic	IM	T1001025	C0N303p0	TNR_CGI	X0N363p9	X0N5Dp		2310
Times New Roman Cry Grk Bold Italic	IB	T1001025	C0N503p0	TNR_CGBI	X0N563p9	X0N5Fp		2311
Language Group: Greek; AFP Typeface Name: Courier Cyrillic Greek								
Courier Cyl Crk	RM	T1000875	C04203p0	COU_CG	X04263p5	X0448p	1300	416
Courier Cyl Crk Bold	RB	T1000875	C04403p0	COU_CGB	X04463p5	X044Ap		420
Courier Cyl Crk Italic	IM	T1000875	C04303p0	COU_CGI	X04363p5	X0449p		424
Courier Cyl Crk Bold Italic	IB	T1000875	C04503p0	COU_CGBI	X04563p5	X044Bp		428
Language Group: Greek; AFP Typeface Name: Helvetica Cyrillic Greek								
Helvetica Cyr Grk	RM	T1000875	C0H203p0	HEL_CG	X0H263p5	X0H48p	1300	2304
Helvetica Cyr Grk Bold	RB	T1000875	C0H403p0	HEL_CGB	X0H463p5	X0H4Ap		2305
Helvetica Cyr Grk Italic	IM	T1000875	C0H303p0	HEL_CGI	X0H363p5	X0H49p		2306
Helvetica Cyr Grk Bold Italic	IB	T1000875	C0H503p0	HEL_CGBI	X0H563p5	X0H4Bp		2307
Language Group: Greek; AFP Typeface Name: Times New Roman Cyrillic Greek								

Table 13. Summary of SBCS fonts (continued).

Type 1 typeface name	Style and wt	Code Page	Character set identifier	Type 1 file name	Coded font identifier	Alternate coded font identifier	GCSGID	FGID
Times New Roman Cyr Grk	RM	T1000875	C0N203p0	TNR_CG	X0N263p5	X0N48p	1300	2308
Times New Roman Cyr Grk Bold	RB	T1000875	C0N403p0	TNR_CGB	X0N463p5	X0N4Ap		2309
Times New Roman Cyr Grk Italic	IM	T1000875	C0N303p0	TNR_CGI	X0N363p5	X0N49p		2310
Times New Roman Cyr Grk Bold Italic	IB	T1000875	C0N503p0	TNR_CGBI	X0N563p5	X0N4Bp		2311
Language Group: Hebrew; AFP Typeface Name: Shalom Hebrew								
Shalom Hebrew	RM	T1000424	C04205p0	COU_H	X04265p3	X042Cp	1362	416
Shalom Hebrew Bold	RB	T1000424	C04205p0	COU_HB	X044265p3	X042Ep		420
Shalom Hebrew Italic	IM	T1000424	C04205p0	COU_HI	X04365p3	X042Dp		424
Shalom Hebrew Bold Italic	IB	T1000424	C04205p0	COU_HBI	X04565p3	X042Fp		428
Language Group: Hebrew; AFP Typeface Name: Narkiss Tam Hebrew								
Narkiss Tam Hebrew	RM	T1000424	C0H205p0	HEL_H	X0H265p3	X0H2Cp	1362	2304
Narkiss Tam Hebrew Bold	RB	T1000424	C0H405p0	HEL_HB	X0H465p3	X0H2Ep		2305
Narkiss Tam Hebrew Italic	IM	T1000424	C0H305p0	HEL_HI	X0H365p3	X0H2Dp		2306
Narkiss Tam Hebrew Bold Italic	IB	T1000424	C0H505p0	HEL_HBI	X0H565p3	X0H2Fp		2307
Language Group: Hebrew; AFP Typeface Name: Narkissim Hebrew								
Narkissim Hebrew	RM	T1000424	C0N205p0	TNR_H	X0N265p3	X0N2Cp	1362	2308
Narkissim Hebrew Bold	RB	T1000424	C0N405p0	TNR_HB	X0N465p3	X0N2Ep		2309
Narkissim Hebrew Italic	IM	T1000424	C0N305p0	TNR_HI	X0N365p3	X0N2Dp		2310
Narkissim Hebrew Bold Italic	IB	T1000424	C0N505p0	TNR_HBI	X0N565p3	X0N2Fp		2311
Language Group: IBM Logo; AFP Typeface Name: IBM Logo								
IBM Logo	RM	C0IBM0p0	LOGOIBM	N/A	N/A	N/A	2040	51767
Language Group: Katakana; AFP Typeface Name: Gothic Katakana								
Gothic Katakana	RM	T1000897	C06208p0	GOT_K	X06288pE	X0699p	1306	304
Gothic Katakana Bold	RM	T1001027	C06208p0	GOT_K	X06268pA	X069Ap		
Gothic Katakana Italic	RM	T1001041	C06208p0	GOT_K	X06288pF	X069Bp		
Gothic Katakana Bold Italic	RM	T1V10290	C06208p0	GOT_K	X06268p6	X0696p		
Language Group: Latin1; AFP Typeface Name: Boldface Latin1								
Boldface	RB	T1V15000	C08400p0	BFC	X08410pc	X0805p	2039	20224
Language Group: Latin1; AFP Typeface Name: BookMaster Latin1								

Table 13. Summary of SBCS fonts (continued).

Type 1 typeface name	Style and wt	Code Page	Character set identifier	Type 1 file name	Coded font identifier	Alternate coded font identifier	GCSGID	FGID
BookMaster	RM	T1B00500	C0B200p0	EDFBL	N/A	N/A	2039	335
BookMaster Bold	RB	T1B00500	C0B400p0	EDFBLB	N/A	N/A		336
BookMaster Italic	IM	T1B00500	C0B300p0	EDFBLI	N/A	N/A		337
BookMaster Bold Italic	IB	T1B00500	C0B500p0	EDFBLBI	N/A	N/A		338
Language Group: Latin1; AFP Typeface Name: BookMaster Latin1 Reverse								
BookMaster Reverse	RM	T1B00500	C0B600p0	EDFBLR	N/A	N/A	2039	339
Language Group: Latin1; AFP Typeface Name: Courier Latin1								
Courier	RM	T1V10500	C04200p0	COU	X04210pC	X040Dp	2039	416
Courier Bold	RB	T1V10500	C04400p0	COUB	X04410pC	X040Fp		420
Courier Italic	IM	T1V10500	C04300p0	COUI	X04310pC	X040Ep		424
Courier Bold Italic	IB	T1V10500	C04500p0	COUBI	X04510pC	X0410p		428
Language Group: Latin1; AFP Typeface Name: Gothic Text Latin1								
Gothic Text	RM	T1V15000	C06200p0	GOT	X06210pC	X060Dp	2039	304
Language Group: Latin1; AFP Typeface Name: Helvetica Latin1								
Helvetica	RM	T1V10500	C0H200p0	HEL	X0H210pC	X0H0Dp	2039	2304
Helvetica Bold	RB	T1V10500	C0H400p0	HEL B	X0H410pC	X0H0Fp		2305
Helvetica Italic	IM	T1V10500	C0H300p0	HELI	X0H310pC	X0H0Ep		2306
Helvetica Bold Italic	IB	T1V10500	C0H500p0	HELBI	X0H510pC	X0H10p		2307
Language Group: Latin1; AFP Typeface Name: Letter Gothic Latin1								
Letter Gothic	RM	T1V15000	C05200p0	LGO	X05210pC	X050Dp	2039	400
Letter Gothic Bold	RB	T1V15000	C05400p0	LGOB	X05410pc	X050Fp		404
Language Group: Latin1; AFP Typeface Name: Prestige Latin1								
Prestige Latin1	RM	T1V15000	C07200p0	PRS	X07210pC	X070Dp	2039	432
Prestige Latin1 Bold	RB	T1V15000	C07400p0	PRSB	X07410pC	X070Fp		318
Prestige Latin1 Italic	IM	T1V15000	C07300p0	PRSI	X07310pC	X070Ep		319
Language Group: Latin1; AFP Typeface Name: Times New Roman Latin1								
Times New Roman	RM	T1V10500	C0N200p0	TNR	X0N210pc	X0N0Dp	2039	2308
Times New Roman Bold	RB	T1V10500	C0N400p0	TNRB	X0N410pc	X0N0Fp		2309
Times New Roman Italic	IM	T1V10500	C0N300p0	TNRI	X0N310pc	X0N0Ep		2310
Times New Roman Bold Italic	IB	T1V10500	C0N500p0	TNRBI	X0N510pc	X0N10p		2311
Language Group: Latin1 euro; AFP Typeface Name: Boldface Latin1								
Boldface	RB	T1001148	C08400p0	BFC	X0841Epc	X080Vp	2041	20224
Language Group: Latin1 euro; AFP Typeface Name: BookMaster Latin1								

Table 13. Summary of SBCS fonts (continued).

Type 1 typeface name	Style and wt	Code Page	Character set identifier	Type 1 file name	Coded font identifier	Alternate coded font identifier	GCSGID	FGID
BookMaster	RM	T1B00500	C0B200p0	EDFBL	N/A	N/A	2041	335
BookMaster Bold	RB	T1B00500	C0B400p0	EDFBLB	N/A	N/A		336
BookMaster Italic	IM	T1B00500	C0B300p0	EDFBLI	N/A	N/A		337
BookMaster Bold Italic	IB	T1B00500	C0B500p0	EDFBLBI	N/A	N/A		338
Language Group: Latin1 euro; AFP Typeface Name: BookMaster Latin1 Reverse								
BookMaster Reverse	RM	T1B00500	C0B600p0	EDFBLR	N/A	N/A	2041	339
Language Group: Latin1 euro; AFP Typeface Name: Courier Latin1								
Courier	RM	T1001148	C04200p0	COU	X0421EpC	X040Sp	2041	416
Courier Bold	RB	T1001148	C04400p0	COUB	X0441EpC	X040Vp		420
Courier Italic	IM	T1001148	C04300p0	COUI	X0431EpC	X040Up		424
Courier Bold Italic	IB	T1001148	C04500p0	COUBI	X0451EpC	X040Wp		428
Language Group: Latin1 euro; AFP Typeface Name: Gothic Text Latin1								
Gothic Text	RM	T1001148	C06200p0	GOT	X0621EpC	X060Sp	2041	304
Language Group: Latin1 euro; AFP Typeface Name: Helvetica Latin1								
Helvetica	RM	T1001148	C0H200p0	HEL	X0H21EpC	X0H0Sp	2041	2304
Helvetica Bold	RB	T1001148	C0H400p0	HELB	X0H41EpC	X0H0Vp		2305
Helvetica Italic	IM	T1001148	C0H300p0	HELI	X0H31EpC	X0H0Up		2306
Helvetica Bold Italic	IB	T1001148	C0H500p0	HELBI	X0H51EpC	X0H0Wp		2307
Language Group: Latin1 euro; AFP Typeface Name: Letter Gothic Latin1								
Letter Gothic	RM	T1001148	C05200p0	LGO	X0521EpC	X050Sp	2041	400
Letter Gothic Bold	RB	T1001148	C05400p0	LGOB	X0541EpC	X050Vp		404
Language Group: Latin1 euor; AFP Typeface Name: Prestige Latin1								
Prestige	RM	T1001148	C07200p0	PRS	X0721EpC	X070Sp	2041	432
Prestige Bold	RB	T1001148	C07400p0	PRSB	X0741EpC	X070Vp		318
Prestige Italic	IM	T1001148	C07300p0	PRSI	X0731EpC	X070Up		319
Language Group: Latin1 euro; AFP Typeface Name: Times New Roman Latin1								
Times New Roman	RM	T1001148	C0N200p0	TNR	X0N21EpC	X0N0Sp	2041	2308
Times New Roman Bold	RB	T1001148	C0N400p0	TNRB	X0N41EpC	X0N0Vp		2309
Times New Roman Italic	IM	T1001148	C0N300p0	TNRI	X0N31EpC	X0N0Up		2310
Times New Roman Bold Italic	IB	T1001148	C0N500p0	TNRBI	X0N51EpC	X0N0Wp		2311
Language Group: Latin2; AFP Typeface Name: Courier Latin235								
Courier	RM	T1000870	C04202p0	COU	X04252p1	X0444p	1261	416
Courier Bold	RB	T1000870	C04402p0	COUB	X04452p1	X0446p		420
Courier Italic	IM	T1000870	C042302p0	COUI	X04352p1	X0445p		424
Courier Bold Italic	IB	T1000870	C04502p0	COUBI	X04552p1	X0447p		428
Language Group: Latin2; AFP Typeface Name: Helvetica Latin235								

Table 13. Summary of SBCS fonts (continued).

Type 1 typeface name	Style and wt	Code Page	Character set identifier	Type 1 file name	Coded font identifier	Alternate coded font identifier	GCSGID	FGID
Helvetica	RM	T1000870	C0H202p0	HEL	X0H252p1	X0H44p	1261	2304
Helvetica Bold	RB	T1000870	C0H402p0	HELB	X0H452p1	X0H46p		2305
Helvetica Italic	IM	T1000870	C0H302p0	HELI	X0H352p1	X0H45p		2306
Helvetica Bold Italic	IB	T1000870	C0H502p0	HELBI	X0H552p1	X0H47p		2307
Language Group: Latin2; AFP Typeface Name: Times New Roman Latin235								
Times New Roman	RM	T1000870	C0N202p0	TNR	X0N252p1	X0N44p	1261	2308
Times New Roman Bold	RB	T1000870	C0N402p0	TNRB	X0N452p1	X0N46p		2309
Times New Roman Italic	IM	T1000870	C0N302p0	TNRI	X0N352p1	X0N45p		2310
Times New Roman Bold Italic	IB	T1000870	C0N502p0	TNRBI	X0N552p1	X0N47p		2311
Language Group: Latin3; AFP Typeface Name: Courier Latin235								
Courier	RM	T1000905	C04202p0	COU	X0425202	X044E0	1261	416
Courier Bold	RB	T1000905	C04402p0	COUB	N/A	N/A		420
Courier Italic	IM	T1000905	C04302p0	COUI	N/A	N/A		424
Courier Bold Italic	IB	T1000905	C04502p0	COUBI	N/A	N/A		428
Language Group: Latin3; AFP Typeface Name: Helvetica Latin235								
Helvetica	RM	T1000905	C0H202p0	HEL	X0H25202	X0H4E0	1261	2304
Helvetica Bold	RB	T1000905	C0H402p0	HELB	N/A	N/A		2305
Helvetica Italic	IM	T1000905	C0H302p0	HELI	N/A	N/A		2306
Helvetica Bold Italic	IMB	T1000905	C0H502p0	HELBI	N/A	N/A		2307
Language Group: Latin3; AFP Typeface Name: Times New Roman Latin235								
Times New Roman	RM	T1000905	C0N202p0	TNR	X0N25202	X0N4E0	1261	2308
Times New Roman Bold	RB	T1000905	C0N402p0	TNRB	N/A	N/A		2309
Times New Roman Italic	IM	T1000905	C0N302p0	TNRI	N/A	N/A		2310
Times New Roman Bold Italic	IB	T1000905	C0N502p0	TNRBI	N/A	N/A		2311
Language Group: Latin4; AFP Typeface Name: Courier Latin4								
Courier	RM	T1001069	C04207p0	COU	X04257p9	X0473p	1261	416
Courier Bold	RB	T1001069	C04407p0	COUB	X04457p9	X0475p		420
Courier Italic	IM	T1001069	C04307p0	COUI	X04357p9	X0474p		424
Courier Bold Italic	IB	T1001069	C04507p0	COUBI	X04557p9	X0476p		428
Language Group: Latin4; AFP Typeface Name: Helvetica Latin4								
Helvetica	RM	T1001069	C0H207p0	HEL	X0H257p9	X0H73p	1261	2304
Helvetica Bold	RB	T1001069	C0H407p0	HELB	X0H457p9	X0H75p		2305
Helvetica Italic	IM	T1001069	C0H307p0	HELI	X0H357p9	X0H74p		2306
Helvetica Bold Italic	IB	T1001069	C0H507p0	HELBI	X0H557p9	X0H76p		2307

Table 13. Summary of SBCS fonts (continued).

Type 1 typeface name	Style and wt	Code Page	Character set identifier	Type 1 file name	Coded font identifier	Alternate coded font identifier	GCSGID	FGID
Language Group: Latin4; AFP Typeface Name: Times New Roman Latin4								
Times New Roman	RM	T1001069	C0N207p0	TNR	X0N257p9	X0N73p	1261	2308
Times New Roman Bold	RB	T1001069	C0N407p0	TNRB	X0N457p9	X0N75p		2309
Times New Roman Italic	IM	T1001069	C0N307p0	TNRI	X0N357p9	X0N74p		2310
Times New Roman Bold Italic	IB	T1001069	C0N507p0	TNRBI	X0N557p9	X0N76p		2311
Language Group: Latin5; AFP Typeface Name: Courier Latin235								
Courier	RM	T1001026	C04202p0	COU		X0460p	1261	416
Courier Bold	RB	T1001026	C04402p0	COUB	X04452p3	X0462p		420
Courier Italic	IM	T1001026	C04302p0	COUI	X04352p3	X0461p		424
Courier Bold Italic	IB	T1001026	C04502p0	COUBI	X04552p3	X0463p		428
Language Group: Latin5; AFP Typeface Name: Helvetica Latin235								
Helvetica	RM	T1001026	C0H202p0	HEL	X0H252p3	X0H60p	1261	2304
Helvetica Bold	RB	T1001026	C0H402p0	HELB	X0H452p3	X0H62p		2305
Helvetica Italic	IM	T1001026	C0H302p0	HELI	X0H352p3	X0H61p		2306
Helvetica Bold Italic	IB	T1001026	C0H502p0	HELBI	X0H552p3	X0H63p		2307
Language Group: Latin5; AFP Typeface Name: Times New Roman Latin235								
Times New Roman	RM	T1001026	C0N202p0	TRN	X0N252p3	X0N60p	1261	2308
Times New Roman Bold	RB	T1001026	C0N42p0	TRNB	X0N452p3	X0N60p		2309
Times New Roman Italic	IM	T1001026	C0N232p0	TRNI	X0N352p3	X0N60p		2310
Times New Roman Bold Italic	IB	T1001026	C0N52p0	TRNBI	X0N552p3	X0N60p		2311
Language Group: Optical Character Recognition (OCR); AFP Typeface Name: OCRA								
OCRA	RM	T1000892	C0920AB0	OCR_A	X0927AB4	X09B0B	968	305
Language Group: Optical Character Recognition (OCR); AFP Typeface Name: OCRB								
OCRB	RM	T1000893	C0920BB0	OCR_B	X0927BB5	X09B1B	969	306
Language Group: Lao; AFP Typeface Name: Courier Lao								
Courier Lao	RM	T1001132	C04209p0	COU_L	X04269pE	X041Op	1341	416
Courier Lao Bold	RB	T1001132	C04409p0	COU_LB	X04469pE	X041Qp		420
Courier Lao Italic	IM	T1001132	C04309p0	COU_LI	X04369pE	X041Pp		424
Courier Lao Bold Italic	IB	T1001132	C04509p0	COU_LBI	X04569pE	X041Rp		428
Language Group: Lao; AFP Typeface Name: Pusuwan								
Pusuwan	RM	T1001132	C0H209p0	HEL_L	X0H269pE	X0H1Op	1341	2304
Pusuwan Bold	RB	T1001132	C0H409p0	HEL_LB	X0H469pE	X0H1Qp		2305
Pusuwan Italic	IM	T1001132	C0H309p0	HEL_LI	X0H369pE	X0H1Pp		2306
Pusuwan Bold Italic	IB	T1001132	C0H509p0	HEL_LBI	X0H569pE	X0H1Rp		2307

Table 13. Summary of SBCS fonts (continued).

Type 1 typeface name	Style and wt	Code Page	Character set identifier	Type 1 file name	Coded font identifier	Alternate coded font identifier	GCSGID	FGID
Language Group: Lao; AFP Typeface Name: Kaewfah								
Kaewfah	RM	T1001132	C0N209p0	TNR_L	X0N269pE	X0N10p	1341	2308
Kaewfah Bold	RB	T1001132	C0N409p0	TNR_LB	X0N469pE	X0N1Qp		2309
Kaewfah Italic	IM	T1001132	C0N309p0	TNR_LI	X0N369pE	X0N1Pp		2310
Kaewfah Bold Italic	IB	T1001132	C0N509p0	TNR_LBI	X0N569pE	X0N1Rp		2311
Language Group: Symbols; AFP Typeface Name: Courier Symbols								
Courier Symbols	RM	T1000259	C04201p0	COU_S	X04271p1	X0412p	1275	416
Courier Symbols Bold	RB	T1000259	C04401p0	COU_SB	X04471p1	X0413p		420
Language Group: Symbols; AFP Typeface Name: Helvetica Symbols								
Helvetica Symbols	RM	T1000259	C0H201p0	HEL_S	X0H271p1	X0H12p	1275	2304
Helvetica Symbols Bold	RB	T1000259	C0H401p0	HEL_SB	X0H471p1	X0H13p		2305
Language Group: Symbols; AFP Typeface Name: Times New Roman Symbols								
Times New Roman Symbols	RM	T1000259	C0N201p0	TNR_S	X0N271p1	X0N12p	1275	2308
Times New Roman Symbols Bold	RB	T1000259	C0N401p0	TNR_SB	X0N471p1	X0N13p		2309
Language Group: Thai; AFP Typeface Name: Courier Thai								
Courier Thai	RM	T1000838	C04206p0	COU_T	X04266p8	X047Bp	1279	416
Courier Thai Bold	RB	T1000838	C04406p0	COU_TB	X04466p8	X047Dp		420
Courier Thai Italic	IM	T1000838	C04306p0	COU_TI	X04366p8	X047Cp		424
Courier Thai Bold Italic	IB	T1000838	C04506p0	COU_TBI	X04566p8	X047Vp		428
Language Group: Thai; AFP Typeface Name: Thonburi								
Thonburi	RM	T1000838	C0H206p0	HEL_T	X0H266p8	X0H7Bp	1279	2304
Thonburi Bold	RB	T1000838	C0H406p0	HEL_TB	X0H466p8	X0H7Dp		2305
Thonburi Italic	IM	T1000838	C0H306p0	HEL_TI	X0H366p8	X0H7Pp		2306
Thonburi Bold Italic	IB	T1000838	C0H506p0	HEL_TBI	X0H566p8	X0H7Vp		2307
Language Group: Thai; AFP Typeface Name: Burirum								
Burirum	RM	T1000838	C0N206p0	TNR_T	X0N266p8	X0N7Bp	1279	2308
Burirum Bold	RB	T1000838	C0N406p0	TNR_TB	X0N466p8	X0N7Dp		2309
Burirum Italic	IM	T1000838	C0N306p0	TNR_TI	X0N366p8	X0N7Cp		2310
Burirum Bold Italic	IB	T1000838	C0N506p0	TNR_TBI	X0N566p8	X0N7Vp		2311

DBCS fonts

DBCS core fonts are part of the AFP raster fonts that are shipped with the z/OS Font Collection. The fonts contain different typefaces that are suitable for printing various Chinese, Japanese, and Korean (CJK) documents. CJK fonts are derived from the Adobe CID-Keyed font technology.

DBCS fonts are provided in 240-pel bounded-box font formats for the z/OS, IBM i, AIX, Linux, and Windows operating systems.

“Summary table for DBCS fonts” on page 59 lists DBCS fonts by CJK typeface.

Naming conventions for DBCS fonts

This section shows the naming conventions for DBCS full-width and half-width raster coded fonts and character sets. It also shows the size groups that include the point and box sizes of fonts.

DBCS full-width fonts

The naming convention format for DBCS full-width fonts is *a0tcpbss*, where:

<i>a</i>	Component:
	C Character set
	X Coded font
0	240-pel format
<i>tc</i>	Typestyle, country:
	EF Heisei Kaku Gothic, Japanese
	KF Heisei Mincho, Japanese
	PF Heisei Maru Gothic, Japanese
	IF Heisei Kaku Gothic, JIS X 0213:2004, Japanese
	OF Heisei Mincho, JIS X 0213:2004, Japanese
	WF Heisei Maru Gothic, JIS X 0213:2004, Japanese
	GH Gothic, Korean (Full Hangul: Korean Industrial Standard Code for information interchange (Hangul and Hanja) KSC 5700-199)
	GK Gothic, Korean (KS: Korean Industrial Standard Code for information interchange (Hangul and Hanja) KSC 5601-1989)
	MH Myengjo, Korean (Full Hangul)
	MK Myengjo, Korean (KS)
	FP Fang Song, Simplified Chinese (GB: Code of Chinese Graphic Character Set for Information Interchange GB 2312-80)
	HP Hei, Simplified Chinese (GB)
	HS Hei, Simplified Chinese (GB18030: Code of Chinese Graphic Character Set for Information Interchange GB 18030-2000)
	JP Kai, Simplified Chinese (GB)
	SP Song, Simplified Chinese (GB)
	SS Song, Simplified Chinese (GB18030)
	LT Kai, Traditional Chinese
	TT Sung, Traditional Chinese
<i>pb</i>	Point size or box height:
	48 4.8 point size or 16 box height
	60 6.0 point size or 20 box height
	72 7.2 point size or 24 box height
	84 8.4 point size or 28 box height
	96 9.6 point size or 32 box height
	08 10.8 point size or 36 box height
	B0 12.0 point size or 40 box height
	C8 13.8 point size or 46 box height
	E6 15.6 point size or 52 box height
	H0 18.0 point size or 60 box height
	J4 20.4 point size or 68 box height
	N0 24.0 point size or 80 box height

T0 30.0 point size or 100 box height
Z0 36.0 point size or 120 box height

ss Hexadecimal sector number (character sets only)

DBCS half-width fonts

The naming convention format for DBCS half-width fonts is *a0H0tepb*, where:

a Component:

C Character set
X Coded font

0 240-pel format

H0 Half-width character sets; not used for coded fonts

te Typestyle, encoding:

Japanese

ED Heisei Kaku Gothic, DCF
KD Heisei Mincho, DCF
PD Heisei Maru Gothic, DCF
EJ Heisei Kaku Gothic, PC extended
KJ Heisei Mincho, PC extended
PJ Heisei Maru Gothic, PC extended
EO Heisei Kaku Gothic, Katakana extended
KO Heisei Mincho, Katakana extended
PO Heisei Maru Gothic, Katakana extended
EV Heisei Kaku Gothic, Latin extended
KV Heisei Mincho, Latin extended
PV Heisei Maru Gothic, Latin extended
EW Heisei Kaku Gothic, Latin extended with box
KW Heisei Mincho, Latin extended with box
PW Heisei Maru Gothic, Latin extended with box
EY Heisei Kaku Gothic, Katakana extended with box
KY Heisei Mincho, Katakana extended with box
PY Heisei Maru Gothic, Katakana extended with box

Korean

GE Gothic, EBCDIC
ME Myengjo, EBCDIC
GJ Gothic, PC
MJ Myengjo, PC
GW Gothic, EBCDIC extended with box
MW Myengjo, EBCDIC extended with box

Simplified Chinese

FE Fang Song, EBCDIC
HE Hei, EBCDIC
HQ Hei, PC (GB18030)
JE Kai, EBCDIC
SE Song, EBCDIC
FJ Fang Song, PC
HJ Hei, PC
JJ Kai, PC
SJ Song, PC
SQ Song, PC (GB18030)
FW Fang Song, EBCDIC extended with box
HW Hei, EBCDIC extended with box

JW Kai, EBCDIC extended with box
 SW Song, EBCDIC extended with box

Traditional Chinese

LE Kai, EBCDIC
 TE Sung, EBCDIC
 LJ Kai, PC
 TJ Sung, PC
 LQ Kai, PC IBM Big 5
 TQ Sung, PC IBM Big 5
 LW Kai, EBCDIC extended with box
 TW Sung, EBCDIC extended with box

pb Point size or box height:
48 4.8 point size or 16 box height
60 6.0 point size or 20 box height
72 7.2 point size or 24 box height
84 8.4 point size or 28 box height
96 9.6 point size or 32 box height
08 10.8 point size or 36 box height
B0 12.0 point size or 40 box height
C8 13.8 point size or 46 box height
E6 15.6 point size or 52 box height
H0 18.0 point size or 60 box height
J4 20.4 point size or 68 box height
N0 24.0 point size or 80 box height
T0 30.0 point size or 100 box height
Z0 36.0 point size or 120 box height

Point and box sizes for DBCS fonts

The *pb* characters in the naming convention format represent the point size and box size of the font. The point size and box size that can be used with a font are determined by the size group that is assigned to the font. Table 14 shows whether a *pb* point size and box size is in size group 1, size group 2, or both. “Summary table for DBCS fonts” on page 59 shows the size groups that are assigned to the DBCS fonts.

Table 14. Size groups for DBCS font point sizes and box sizes

<i>pb</i>	Point size	Box size	Size group 1	Size group 2
60	6.0	20	X	
72	7.2	24	X	X
84	8.4	28	X	
96	9.6	32	X	X
08	10.8	36	X	
B0	12.0	40	X	
C8	13.8	46	X	
E6	15.6	52	X	
H0	18.0	60	X	
J4	20.4	68	X	
N0	30.0	80	X	

Summary table for DBCS fonts

This section lists DBCS core fonts for these typefaces:

- Chinese:
 - Simplified Chinese:
 - GB Fang Song
 - GB Hei
 - GB Kai
 - GBK Song
 - Traditional Chinese:
 - Kai
 - Sung
- Japanese:
 - Japanese Heisei Kaku Gothic
 - Japanese Heisei Maru Gothic
 - Japanese Heisei Mincho
- Korean:
 - Gothic
 - Myengjo

Table 15 on page 60 provides this information:

AFP/CID typeface name

The IBM name for the typeface.

CID file name

The name of the CID-Keyed font file that is used to create the font. The file extensions are CID and CMP.

Wt The weight of the font. Possible values are:

L Light
M Medium
SB Semi-bold
SL Semi-light

Width The width of the font. Possible values are:

Full Full-width
Half Half-width

Coded font

A six-character name of the font, with "X0" as the prefix, that identifies the combination of code page and character set.

Character set

An eight-character name, with "C0" as the prefix, that identifies an AFP raster character set.

Code page

An eight-character name, with "T1" as the prefix, that identifies the code page.

GCSGID

The graphic character set global identifier (GCSGID) is a collection of characters that are registered with a unique number and sometimes used for font and code page selection.

FGID The font typeface global identifier (FGID) is a number that is assigned to each typeface and is sometimes used for font selection.

Size group

The group that defines what point size and box size the font can use (see Table 14 on page 58).

Table 15. Summary of DBCS fonts.

AFP/CID typeface name	CID file name	Wt	Width	Coded font	Character set	Code page	GCSGID	FGID	Size group
Simplified Chinese - GB									
Fang Song	IBSFSGW4	SL	Full	X0FPpd	C0FPpdss	T10837ss	1020	54566	1
			Half	X0FEpd	C0H0FEpd	T1H00836	1174		1
			Half	X0FJpd	C0H0FJpd	T1H01115	1240		1
			Half	X0FWpd	C0H0FWpd	T1H01151	1366		2
Hei	IBSHEIW6	SB	Full	X0HPpd	C0HPpdss	T10837ss	1020	54565	1
			Half	X0HEpd	C0H0HEpd	T1H00836	1174		1
			Half	X0HJpd	C0H0HJpd	T1H01115	1240		1
			Half	X0HWpd	C0H0HWpd	T1H01151	1366		2
Kai	IBSKAIW5	M	Full	X0JPpd	C0JPpdss	T10837ss	1020	54568	1
			Half	X0JEpd	C0H0JEpd	T1H00836	1174		1
			Half	X0JJpd	C0H0JJpd	T1H01115	1240		1
			Half	X0JWpd	C0H0JWpd	T1H01151	1366		2
Song	IKSSNGW5	M	Full	X0SPpd	C0SPpdss	T10837ss	1020	54567	1
			Full	X0SPpd	C0SSpdss	T1K837ss	1085		1
			Half	X0SEpd	C0H0SEpd	T1H00836	1174		1
			Half	X0SJpd	C0H0SJpd	T1H01115	1240		1
			Half	X0SUPd	C0H0SUPd	T1H00836	1174		1
			Half	X0SNpd	C0H0SNpd	T1H01115	1240		1
			Half	X0SQpd	C0H0SQpd	T1H01114	1238		1
			Half	X0SWpd	C0H0SWpd	T1H01151	1366		2
Traditional Chinese									
Kai	IBTKAIW5	M	Full	X0LTpd	C0LTpdss	T10835ss	2074	54568	1
			Half	X0LEpd	C0H0LEpd	T1H00037	1175		1
			Half	X0LJpd	C0H0LJpd	T1H01043	1189		1
			Half	X0LQpd	C0H0LQpd	T1H01114	1500		1
			Half	X0LVpd	C0H0LVpd	T1H01159	1399		1
			Half	X0LWpd	C0H0LWpd	T1H01152	1367		2
Sung	IBTSNGW3	L	Full	X0TTPd	C0TTPdss	T10835ss	2074	54563	1
			Half	X0TEpd	C0H0TEpd	T1H00037	1175		1
			Half	X0TJpd	C0H0TJpd	T1H01043	1189		1
			Half	X0TQpd	C0H0TQpd	T1H01114	1500		1
			Half	X0TVpd	C0H0TVpd	T1H01159	1399		1
			Half	X0TWpd	C0H0TWpd	T1H01152	1367		2
Japanese									

Table 15. Summary of DBCS fonts (continued).

AFP/CID typeface name	CID file name	Wt	Width	Coded font	Character set	Code page	GCSGID	FGID	Size group
Heisei Kaku Gothic	IBJHKGW5	M	Full	X0EFpd	C0EFpdss	T10300ss	2057	53249	1
			Half	X0EDpd	C0H0EDpd	T1H01002	1132		1
			Half	X0EJpd	C0H0EJpd	T1H01041	1187		1
			Half	X0EOpd	C0H0EOpd	T1H00290	1398		1
			Half	X0EVpd	C0H0EVpd	T1H01027	1398		1
			Half	X0EWpd	C0H0EWpd	T1H01031	1363		2
			Half	X0EYpd	C0H0EYpd	T1H01030	1363		2
Heisei Maru Gothic	IBJHMGW4	SL	Full	X0PFpd	C0PFpdss	T10300ss	2057	53250	1
			Half	X0PDpd	C0H0PDpd	T1H01002	1132		1
			Half	X0PJpd	C0H0PJpd	T1H01041	1187		1
			Half	X0POpd	C0H0POpd	T1H00290	1398		1
			Half	X0PVpd	C0H0PVpd	T1H01027	1398		1
			Half	X0PWpd	C0H0PWpd	T1H01031	1363		2
			Half	X0PYpd	C0H0PYpd	T1H01030	1363		2
Heisei Mincho	IBJHMNW3	L	Full	X0KFpd	C0KFpdss	T10300ss	2057	53248	1
			Half	X0KDpd	C0H0KDpd	T1H01002	1132		1
			Half	X0KJpd	C0H0KJpd	T1H01041	1187		1
			Half	X0KOpd	C0H0KOpd	T1H00290	1398		1
			Half	X0KVpd	C0H0KVpd	T1H01027	1398		1
			Half	X0KWpd	C0H0KWpd	T1H01031	1363		2
			Half	X0KYpd	C0H0KYpd	T1H01030	1363		2
Korean									
Gothic	IBHKG2W5	M	Full	X0GKpd	C0GKpdss	T10834ss	1010	53816	1
			Full	X0GHpd	C0GHpdss	T1K834ss	1094		1
			Half	X0GEpd	C0H0GEpd	T1H00833	1173		1
			Half	X0GJpd	C0H0GJpd	T1H01088	1267		1
			Half	X0GUpd	C0H0GUpd	T1H00833	1173		1
			Half	X0GNpd	C0H0GNpd	T1H01088	1267		1
			Half	X0GWpd	C0H0GWpd	T1H01150	1365		2
Myengjo	IBHSM2W5	M	Full	X0MKpd	C0MKpdss	T10834ss	1010	53560	1
			Full	X0MHpd	C0MHpdss	T1K834ss	1094		1
			Half	X0MEpd	C0H0MEpd	T1H00833	1173		1
			Half	X0MJpd	C0H0MJpd	T1H01088	1267		1
			Half	X0MUpd	C0H0MUpd	T1H00833	1173		1
			Half	X0MNpd	C0H0MNpd	T1H01088	1267		1
			Half	X0MWpd	C0H0MWpd	T1H01150	1365		2

Math, PI, and Sonoran fonts

This section lists the Math, PI, and Sonoran 240-pel raster fonts that are included in the z/OS Font Collection.

Table 16 on page 63 provides this information:

Font name

The name of the font.

Code page

An eight-character name, with "T1" as the prefix, that identifies the code page.

GCSGID

The graphic character set global identifier (GCSGID), which is a collection of characters that are registered with a unique number and sometimes used for font and code page selection.

CPGID

The code page global identifier (CPGID), which is a number that is registered by IBM to uniquely identify each code page.

Width The width of the font. Values are:

M Medium
SB Semi-bold

Wt The weight of the font. Values are:

B Bold
M Medium

Coded font

An eight-character name of the font, with "X0" as the prefix, that identifies the combination of code page and character set.

Character set

An eight-character name, with "C0" as the prefix, that identifies an AFP raster character set.

Vertical size

The maximum vertical size of the font in points.

Table 16. Summary of Math, PI, and Sonoran 240-pel fonts.

Font name	Code page	GCSGID	CPGID	Width	Wt	Coded font	Character set	Vertical size
Math Format	T1M00830	0	2080	M	M	X0MO5500	C0MO5500	10.0
						X0MO5541	C0MO5541	40.0
						X0MO5560	C0MO5560	6.0
						X0MO5570	C0MO5570	7.0
						X0MO5580	C0MO5580	8.0
						X0MO5581	C0MO5581	44.0
						X0MO5590	C0MO5590	9.0
						X0MO55A0	C0MO55A0	11.0
						X0MO55B0	C0MO55B0	12.0
						X0MO55B1	C0MO55B1	48.0
						X0MO55D0	C0MO55D0	14.0
						X0MO55F0	C0MO55F0	16.0
						X0MO55H0	C0MO55H0	18.0
						X0MO55H1	C0MO55H1	54.0
						X0MO55J0	C0MO55J0	20.0
						X0MO55L0	C0MO55L0	22.0
						X0MO55N0	C0MO55N0	24.0
						X0MO55N1	C0MO55N1	60.0
						X0MO55R0	C0MO55R0	28.0
						X0MO55T0	C0MO55T0	30.0
X0MO55V0	C0MO55V0	32.0						
X0MO55Z0	C0MO55Z0	36.0						
X0MO55Z	C0MO55Z1	72.0						

Table 16. Summary of Math, PI, and Sonoran 240-pel fonts (continued).

Font name	Code page	GCSGID	CPGID	Width	Wt	Coded font	Character set	Vertical size
Math Symbols Serif	T1M00829	909	829	M	M	X0MP5500	C0MP5500	10.0
						X0MP5560	C0MP5560	6.0
						X0MP5570	C0MP5570	7.0
						X0MP5580	C0MP5580	8.0
						X0MP5590	C0MP5590	9.0
						X0MP55A0	C0MP55A0	11.0
						X0MP55B0	C0MP55B0	12.0
						X0MP55D0	C0MP55D0	14.0
						X0MP55F0	C0MP55F0	16.0
						X0MP55H0	C0MP55H0	18.0
						X0MP55N0	C0MP55N0	24.0
						X0MP55Z0	C0MP55Z0	36.0
					B	X0MP7500	C0MP7500	10.0
						X0MP7560	C0MP7560	6.0
						X0MP7570	C0MP7570	7.0
						X0MP7580	C0MP7580	8.0
						X0MP7590	C0MP7590	9.0
						X0MP75A0	C0MP75A0	11.0
						X0MP75B0	C0MP75B0	12.0
						X0MP75D0	C0MP75D0	14.0
						X0MP75F0	C0MP75F0	16.0
						X0MP75H0	C0MP75H0	18.0
						X0MP75N0	C0MP75N0	24.0
						X0MP75Z0	C0MP75Z0	36.0

Table 16. Summary of Math, PI, and Sonoran 240-pel fonts (continued).

Font name	Code page	GCSGID	CPGID	Width	Wt	Coded font	Character set	Vertical size
Math Symbols San Serif	T1M00829	909	829	M	M	X0MQ5500	C0MQ5500	10.0
						X0MQ5560	C0MQ5560	6.0
						X0MQ5570	C0MQ5570	7.0
						X0MQ5580	C0MQ5580	8.0
						X0MQ5590	C0MQ5590	9.0
						X0MQ55A0	C0MQ55A0	11.0
						X0MQ55B0	C0MQ55B0	12.0
						X0MQ55D0	C0MQ55D0	14.0
						X0MQ55F0	C0MQ55F0	16.0
						X0MQ55H0	C0MQ55H0	18.0
						X0MQ55N0	C0MQ55N0	24.0
						X0MQ55Z0	C0MQ55Z0	36.0
					B	X0MQ7500	C0MQ7500	10.0
						X0MQ7560	C0MQ7560	6.0
						X0MQ7570	C0MQ7570	7.0
						X0MQ7580	C0MQ7580	8.0
						X0MQ7590	C0MQ7590	9.0
						X0MQ75A0	C0MQ75A0	11.0
						X0MQ75B0	C0MQ75B0	12.0
						X0MQ75D0	C0MQ75D0	14.0
						X0MQ75F0	C0MQ75F0	16.0
						X0MQ75H0	C0MQ75H0	18.0
						X0MQ75N0	C0MQ75N0	24.0
						X0MQ75Z0	C0MQ75Z0	36.0
PI Serif	T1GPI363	0	2066	M	M	X0Q0550P	C0Q05500	10.0
						X0Q0556P	C0Q05560	6.0
						X0Q0558P	C0Q05580	8.0
						X0Q055BP	C0Q055B0	12.0
					B	X0Q0750P	C0Q07500	10.0
						X0Q0756P	C0Q07560	6.0
						X0Q0758P	C0Q07580	8.0
						X0Q075BP	C0Q075B0	12.0

Table 16. Summary of Math, PI, and Sonoran 240-pel fonts (continued).

Font name	Code page	GCSGID	CPGID	Width	Wt	Coded font	Character set	Vertical size
PI Sans Serif	T1GPI363	0	2066	M	M	X0P0550P	C0P05500	10.0
						X0P0556P	C0P05560	6.0
						X0P0558P	C0P05580	8.0
						X0P055BP	C0P055B0	12.0
					B	X0P0750P	C0P07500	10.0
						X0P0756P	C0P07560	6.0
						X0P0758P	C0P07580	8.0
						X0P075BP	C0P075B0	12.0
Sonoran Display	T1GE0200	0	2081	M	M	X0J055JE	C0J055J0	20.0
						X0J055ZE	C0J055Z0	36.0
Sonoran Petite	T1GE0300	0	2082	SB	M	X0Z0564E	C0Z05640	4.0

Compatibility fonts

Compatibility fonts are part of the AFP raster fonts that are shipped with the z/OS Font Collection. Compatibility fonts include uniformly spaced, mixed-pitch, and Proprinter Emulation fonts. Uniformly spaced fonts are measured horizontally in pitch. Proportionally spaced and mixed-pitch fonts are measured vertically in points. Compatibility fonts are provided in these formats:

- 240-pel bounded-box
- 240-pel unbounded-box
- 300-pel

“Summary table for compatibility fonts” on page 68 lists compatibility fonts by font type.

Naming conventions for compatibility fonts

The naming convention format for compatibility fonts is *afo0ttnn* or *afo0py*, where:

a Component:

C Character set

X Coded font

f Format:

0 Bounded-box and 300-pel

1, 2 Unbounded-box

o Font origin for original fonts and original printer:

D DCF Release 2 fonts; 3800 Model 1 printer

L Library character sets; 3800 Model 1 printer

S 6670 fonts; 6670 information printer

0 Uniformly spaced or mixed-pitch font components

ttnn Type family, typeface, and pitch of font (see Table 17 on page 67)

p Pitch exception for coded fonts:

Migration code pages

0 10 pitch

2 12 pitch
 5 15 pitch
 8 18 pitch

Country extended code pages

0 10 pitch
 E 12 pitch
 5 15 pitch
 8 18 pitch

y Code page exception for coded fonts:

Compatibility font NLS code pages

A T1DABASE Austria, Germany
 B T1DBBASE Belgium, Switzerland, Luxembourg
 D T1DDBASE Denmark, Norway, Iceland
 E T1DEBASE Finland, Sweden
 F T1DFBASE France
 I T1DIBASE Italy
 N T1DNBASE Netherlands, Portugal
 S T1DSBASE Spain, Latin America
 U T1DUBASE United Kingdom

Country Extended code pages

1 T1V10037 United States, Canada
 2 T1V10273 Austria, Germany
 3 T1V10277 Denmark, Norway
 4 T1V10278 Finland, Sweden
 5 T1V10280 Italy
 6 T1V10284 Spain, Latin America
 7 T1V10285 United Kingdom
 8 T1V10297 France
 9 T1V10500 International #5
 0 T1V10871 Iceland
 J T1V10274 Belgium
 K T1V10275 Brazil
 L T1V10281 Japan (Latin)
 M T1V10282 Portugal

Table 17 defines the *ttnn* naming convention format for compatibility fonts.

Table 17. ttnn naming convention format for compatibility fonts

<i>ttnn</i>	Font type name
AE10, AE20	APL
BITR, BRTR	Boldface
CB10, CB12, CB15, CD15, CE10, CE12, CH10, CI10, CI12, CI15, CO10, CR10, CR12, CR15, CW15	Courier
DOTR	Document
EBTR, EITR, ELTR, ESTR	Essay
FM10, FM12, FM15	Format
GB10, GB12, GC15, GI12, GL10, GL12, GL15, GR10, GT10, GT12, GT13, GT15, GT18, GT20, GT24, A11, AN, DUMP, G11, GF10, GF12, GF15, GFC, GN, GS10, GS12, GS15, GSC, GU10, GU12, GU15, GUC, H11, HN, P11, PCAN, PCHN, PN, QN, QNC, RN, XN, YN	Gothic

Table 17. *ttnn* naming convention format for compatibility fonts (continued)

<i>ttnn</i>	Font type name
2773, 2774, K290, KATA, KL10, KL12, KL15, KN1, KN10, KN12, KN15, KN20	Gothic and Katakana
1AOA, 1AOD, 1AON, AOA, AOD, AON, BOA, BON, OAA, OAB, ODA, ONA, ONB	Gothic and OCR
GP12, GTRI	Gothic Tri-Pitch
LB12, LR12	Letter Gothic
OB10, OR10	Orator
PB12, PI12, PR10, PR12	Prestige
RT10	Roman
SR12	Script
SB12, SI10, SI12, S012, ST10, ST12, ST15	Serif
S192, S193, S198, SYMO, SYM2	Symbols
SN, T11, TN, TU10	Text

Summary table for compatibility fonts

Table 18 on page 69 provides this information:

AFP typeface name

The IBM name for the typeface.

Style and weight

The style and weight of the font. Possible values are:

IB	Italic Bold
IM	Italic Medium
RB	Roman Bold
RC	Roman Condensed
RL	Roman Light
RM	Roman Medium
RSL	Roman Semi-Light

Code page

An eight-character name, with "T1" as the prefix, that identifies the code page. Alphabetic script and symbol fonts use only single-byte code pages.

Character set identifier

An eight-character name that identifies an AFP raster character set.

Coded font identifier

A 5-8 character name of the raster coded font that identifies the combination of code page and character set.

GCSGID

The graphic character set global identifier (GCSGID) is a collection of characters that are registered with a unique number and sometimes used for font and code page selection.

FGID The font typeface global identifier (FGID) is a number that is assigned to each typeface and is sometimes used for font selection.

Size The size of the font in pitch or points. **MP** stands for mixed pitch.

Table 18. Summary of compatibility fonts.

AFP typeface name	Style and weight	Code page	Character set identifier	Coded font identifier	GCSGID	FGID	Size
APL							
APL	RM	T1S0AE10	C0S0AE10	X0AE10	2029	45	10 pitch
	RM	T1S0AE10	C0S0AE20	X0AE20		280	20 pitch
Boldface							
Book (Bold)	RB	T1D0BASE	C0S0BRTR	X0BRTR	2023	159	MP
Book (Italic)	IB	T1D0BASE	C0S0BITR	X0BITR		155	
Courier							
Courier	RM	T1D0BASE	C0S0CR10	X0CR10	2023	11	10 pitch
	RM	T1D0BASE	C0S0CR12	X0CR12		85	12 pitch
	RM	T1D0BASE	C0S0CR15	X0CR15		223	15 pitch
	RM	T1D0BASE	C0S0CE10	X0CE12		85	12 pitch
Courier (Bold)	RB	T1D0BASE	C0S0CB10	X0CB10	2023	46	10 pitch
	RB	T1D0BASE	C0S0CB12	X0CB12		108	12 pitch
	RB	T1D0BASE	C0S0CB15	X0CB15		214	15 pitch
Courier (Italic)	IM	T1D0BASE	C0S0CI10	X0CI10	2023	18	10 pitch
	IM	T1D0BASE	C0S0CI12	X0CI12		92	12 pitch
	IM	T1D0BASE	C0S0CI15	X0CI15		215	15 pitch
Courier (Double Wide)	RM	T1D0BASE	C0S0CD15	X0CD15	2023	417	15 pitch
Courier (Double Wide Italic)	IM	T1D0BASE	C0S0CW15	X0CW15	2023	425	15 pitch
Courier (Overstruck)	RM	T1D0BASE	C0S0CO10	X0CO10	2025	302	10 pitch
Courier elongaged (Overstruck)	RM	T1D0BASE	C0S0CH10	X0CH10	2025	37	10 pitch
Courier extended	RM	T1D0BASE	C0S0CE10	X0CE10	2036	85	10 Pitch
Document							
Book	RM	T1D0BASE	C0S0DOTR	X0DOTR	2023	175	MP 10 points
Essay							
Essay (Bold)	RB	T1D0BASE	C0S0EBTR	X0EBTR	2023	163	MP
							10 points
Essay (Italic)	IM	T1D0BASE	C0S0EITR	X0EITR	2023	162	MP
							10 points
Essay (Light)	RL	T1D0BASE	C0S0ELTR	X0ELTR	2023	173	MP
							10 points
Essay (Overstruck)	RM	T1D0BASE	C0S0EOTR	X0EOTR	2028	196	MP
							10 points
Essay	RM	T1D0BASE	C0S0ESTR	X0ESTR	2023	160	MP
							10 points

Table 18. Summary of compatibility fonts (continued).

AFP typeface name	Style and weight	Code page	Character set identifier	Coded font identifier	GCSGID	FGID	Size
Format							
Format	RM	T1L00FMT	C0L0FM10	X0FM10	2027	30	10 pitch
	RM	T1L00FMT	C0L0FM12	X0FM12		80	12 pitch
	RM	T1L00FMT	C0L0FM15	X0FM15		225	15 pitch
Gothic							
Gothic (Bold)	RB	T1D0BASE	C0D0GB10	X0GB10	2023	39	10 pitch
	RB	T1D0BASE	C0D0GB12	X0GB12		69	12 pitch
Gothic Uppercase	RC	T1L038BA	C0L00GSC	X0GSC	2038	398	15 pitch
Gothic (Italic)	IM	T1D0BASE	C0D0GI12	X0GI12	2023	68	12 pitch
Gothic Reverse	RM	T1D0BASE	C0D0GR10	X0GR10	2023	310	10 pitch
Gothic13	RM	T1D0BASE	C0D0GT13	X0GT13	2037	203	13.3 pitch
Gothic	RM	T1D0BASE	C0D0GT10	X0GT10	2023	40	10 pitch
	RM	T1D0BASE	C0D0GT12	X0GT12		66	12 pitch
	RM	T1D0BASE	C0D0GT15	X0GT15		230	15 pitch
	RM	T1D0BASE	C0D0GT18	X0GT18		275	18 pitch
	RM	T1D0BASE	C0D0GT20	X0GT20		230	20 pitch
	RM	T1D0BASE	C0D0GT24	X0GT24		275	24 pitch
	RSL	T1D0BASE	C0D0GL10	X0GL10		303	10 pitch
	RSL	T1D0BASE	C0D0GL12	X0GL12		303	12 pitch
	RSL	T1D0BASE	C0D0GL15	X0GL15		303	15 pitch
	RM	T1D0BASE	C0D0GC15	X0GC15	2037	231	15 pitch
	RM	T1D0BASE	C0L0GU10	X0GU10	2038	312	10 pitch
	RM	T1D0BASE	C0L0GU12	X0GU12		312	12 pitch
	RM	T1D0BASE	C0L0GU15	X0GU15		312	15 pitch
	RM	T1D0BASE	C0L0GUC	X0GUC		311	15 pitch
DUMP	RM	T1L0DUMP	C0L0DUMP	X0DUMP	2022	230	15 pitch
Gothic and Katakana							
Katakana	RM	T1000290	C0L0KN12	X0KN12	2031	433	12 pitch
	RM	T1000290	C0L0KN15	X0KN15		433	15 pitch
	RM	T1000290	C0L0KN20	X0KN20		433	20 pitch
	RM	T1000290	C0L0KATA	X0KATA		433	10 pitch
	RSL	T1000290	C0K0KL10	X0KL10		521	10 pitch
	RSL	T1000290	C0K0KL12	X0KL12		521	12 pitch
	RSL	T1000290	C0K0KL15	X0KL15		521	15 pitch
Gothic and Optical Character Recognition-A (OCR-A)							
OCR AOA1	RM	T1L0OCR1	C0L01AOA	X01AOA	2034	19	10 pitch
OCRA AOA	RM	T1L0OCR1	C0L00AOA	X0AOA	2034	19	10 pitch
OCR A AON1	RM	T1L0OCR1	C0L01AON	X01AOD	2035	19	10 pitch

Table 18. Summary of compatibility fonts (continued).

AFP typeface name	Style and weight	Code page	Character set identifier	Coded font identifier	GCSGID	FGID	Size
OCRA AON	RM	T1L0OCR1	C0L0OAOB	X0A0d	2035	19	10 pitch
Gothic and Optical Character Recognition-B (OCR-B)							
OCRB BOA	RM	T1L0OCRB	C0L00BOA	X0BOA	2032	3	10 pitch
OCRB BON	RM	T1L0OCR1	C0L00BOB	X0BON	2032	3	10 pitch
OCRB OAB	RM	T1L0OCR1	C0L00OAB	X0OAB	2032	3	10 pitch
Gothic Tri-Pitch							
Gothic Proportional	RM	T1D0GP12	C0D0GP12	X0GP12	2023	174	MP 9 points
Letter Gothic							
Letter Gothic	RM	T1D0BASE	C0S0LR12	X0LR12	2023	87	12 pitch
Letter Gothic (Bold)	RB	T1D0BASE	C0S0LB12	X0LB12	2023	110	12 pitch
Orator							
Orator	RM	T1D0BASE	C0S0OR10	X0OR10	2025	5	10 pitch
Orator (Bold)	RB	T1D0BASE	C0S0OB10	X0OB10	2025	5	10 pitch
Prestige							
Prestige	RM	T1D0BASE	C0S0PR10	X0PR10	2023	12	10 pitch
	RM	T1D0BASE	C0S0PR12	X0PR12		86	12 pitch
Prestige (Bold)	RB	T1D0BASE	C0S0PB12	X0PB12	2023	111	12 pitch
Proprinter Emulation							
Proptr Emul 5 CPI Small	RM	T1000437	C02059L0	X02059LF	1262	443	5 pitch
Proptr Emul 6 CPI Small	RM	T1000437	C02058MO	X02059MF	1262	444	6 pitch
Proptr Emul 8.55 CPI	RM	T1000437	C02056N0	X02056NF	1262	445	8.55 pitch
Proptr Emul 10 CPI Small	RM	T1000437	C02055P0	X02055PF	1262	440	10 pitch
Proptr Emul 12 CPI Small	RM	T1000437	C02054Q0	X02054QF	1262	441	12 pitch
Proptr Emul 17.1 CPI Small	RM	T1000437	C02051R0	X02051RF	1262	442	17.1 pitch
Proptr Emul 5 CPI Small (Bold)	RM	T1000437	C02079L0	X02079LF	1262	448	5 pitch
Proptr Emul 6 CPI Small (Bold)	RM	T1000437	C02078M0	X02079MF	1262	449	6 pitch
Proptr Emul 10 CPI Small (Bold)	RM	T1000437	C02075P0	X02075PF	1262	446	10 pitch
Proptr Emul 12 CPI Small (Bold)	RM	T1000437	C02074Q0	X02074QF	1262	447	12 pitch
Proptr Emul 5 CPI	RM	T1000437	C02059A0	X02059AF	1262	453	5 pitch
Proptr Emul 6 CPI	RM	T1000437	C02059B0	X02059bF	1262	453	6 pitch

Table 18. Summary of compatibility fonts (continued).

AFP typeface name	Style and weight	Code page	Character set identifier	Coded font identifier	GCSGID	FGID	Size
Proptr Emul 8.55 CPI	RM	T1000437	C02059C0	X02059CF	1262	453	8.55 pitch
Proptr Emul 10 CPI	RM	T1000437	C02055D0	X02055DF	1262	452	10 pitch
Proptr Emul 12 CPI	RM	T1000437	C02055E0	X02055EF	1262	452	12 pitch
Proptr Emul 17.1 CPI	RM	T1000437	C02055f0	X02055FF	1262	452	17.1 pitch
Proptr Emul 5 CPI (Bold)	RM	T1000437	C02079A0	X02079AF	1262	456	5 pitch
Proptr Emul 65 CPI (Bold)	RM	T1000437	C02079B0	X02079BF	1262	456	6 pitch
Proptr Emul 10 CPI (Bold)	RM	T1000437	C02075D0	X02075DF	1262	455	10 pitch
Proptr Emul 12 CPI (Bold)	RM	T1000437	C02075E0	X02075EF	1262	455	12 pitch
Proptr Emul 5 CPI Dbl High	RM	T1000437	C02055J0	X02055JF	1262	452	5 pitch
Proptr Emul 10 CPI Dbl High	RM	T1000437	C02051K0	X02051KF	1262	451	10 pitch
Proptr Emul 5 CPI Dbl High (Bold)	RM	T1000437	C02075J0	X02075JF	1262	455	5 pitch 18 points
Proptr Emul 10 CPI Dbl High (Bold)	RM	T1000437	C02071J0	X02071JF	1262	454	10 pitch
Proptr Emul 9 PT	RM	T1000437	C02059G0	X02059GF	1262	24328	9 points
Proptr Emul 18 PT	RM	T1000437	C02055H0	X02055HF	1262	24320	18 points
Proptr Emul 9 PT (Bold)	RM	T1000437	C02079G0	X02079GF	1262	24329	9 points
Proptr Emul 18 PT (Bold)	RM	T1000437	C02075H0	X02075HF	1262	24322	18 points
Proptr Emul 9 PT Small	RM	T1000437	C02055S0	X02055SF	1262	24324	4 points
Proptr Emul 9 PT Small (Bold)	RM	T1000437	C02075S0	X02075SF	1262	24326	4 points
Proptr Emul 9 PT Expanded Small	RM	T1000437	C02057S0	X02057S0	1262	24325	4 points
Proptr Emul 9 PT Expanded Small (Bold)	RM	T1000437	C020757S0	X02077SF	1262	24327	4 points
Roman							
Roman	RM	T1D0BASE	C0D0RT10	X0RT10	2023	41	10 pitch
Script							
Script	RM	T1D0BASE	C0D0SR12	X0SR12	2025	84	12 pitch
Serif							
Serif (Bold)	RB	T1D0BASE	C0D0SB12	X0SB12	2023	72	12 pitch

Table 18. Summary of compatibility fonts (continued).

AFP typeface name	Style and weight	Code page	Character set identifier	Coded font identifier	GCSGID	FGID	Size
Serif (Italic)	IM	T1D0BASE	C0D0SI10	X0SI10	2023	43	10 pitch
	IM	T1D0BASE	C0D0SI12	X0SI12		71	12 pitch
Serif (Overstruck)	RM	T1D0BASE	C0D0SO12	X0SO12	2023	332	12 pitch
Serif	RM	T1D0BASE	C0D0ST10	X0ST10	2023	42	10 pitch
	RM	T1D0BASE	C0D0ST12	X0ST12		70	12 pitch
	RM	T1D0BASE	C0D0ST15	X0ST15		229	15 pitch
Symbols							
Symbols	RM	T1S0S198	C0S0S198	X0S198	2024	30	10 pitch
	RM	T1S0S193	C0S0S193	X0S193	2030	80	12 pitch
Symbols OS6	RM	T1S0S192	C0S0S1982	X0S192	2026	80	12 pitch
Symbols7	RM	T1000259	C0S0SYM0	X0SYM0	340	49975	10 pitch
	RM	T1000259	C0S0SYM02	X0SYM2		49975	12 pitch
Text							
Text	RM	T1L038TE	C0L00T11	X0T11	2033	339	10 pitch
Text (Underscored)	RM	T1L038TE	C0L0TU10	X0TU10	2033	334	10 pitch

Chapter 6. Code pages and extended code pages

A code page maps each character of text to the characters in a character set or to the characters associated to a Unicode point. Two types of code pages exist:

- A *traditional code page* includes EBCDIC or ASCII encodings only; it can be used with FOCA character sets and TrueType and OpenType fonts.
- An *extended code page* includes multiple encodings within a single code page and can contain EBCDIC or ASCII encodings along with the Unicode equivalent value; it can be used with TrueType and OpenType fonts.

AFP outline fonts and AFP raster fonts use traditional code pages to map each character of text to the characters in a character set. TrueType and OpenType fonts use traditional and extended code pages to map each character of text to the characters associated with a Unicode point.

Each code point in an extended code page can be mapped to one or more Unicode values. Extended code pages allow code pages that contain user-defined characters (that is, those characters that are not registered with IBM and assigned a GCGID value) to be used with TrueType and OpenType fonts.

Table 19 shows the extended code page files that you can download from the IBM Extended Code Pages web page at:
<http://www-01.ibm.com/support/docview.wss?uid=psd1P4000878>.

Table 19. Downloadable extended code page files

Font library	Extended code page file
General	<code>eCP_gl.zip</code>
Japanese	<code>eCP_japan.zip</code>
Korean	<code>eCP_korea.zip</code>
Simplified Chinese	<code>eCP_chs.zip</code>
Traditional Chinese	<code>eCP_cht.zip</code>

“Summary tables for code pages” on page 77 lists code pages and extended code pages in the z/OS Font Collection.

Naming conventions for code pages

All AFP code page names begin with T1, which makes them recognizable as code pages. This section shows the naming conventions for code sets and extended code pages that are used with these font library character sets:

- General Library (outline fonts) and SBCS (expanded core raster fonts)
- CJK (outline fonts) and DBCS (core raster fonts) with full-width characters
- CJK (outline fonts) and DBCS (core raster fonts) with half-width characters

Code pages for General Library and SBCS fonts

The last six characters of the code page name are used to identify the code page for General Library and SBCS fonts. The preferred naming convention is where the

first two characters are 00, V1, or B0, and the final four characters are the code page global identifier (CPGID), which is a number that is registered by IBM to uniquely identify each code page.

Table 20 shows the naming convention for code pages that are used with General Library outline font character sets and SBCS raster font character sets. The naming convention format is T1yyyyyy.

Table 20. Naming convention for General Library and SBCS fonts

T1	yyyyyy
AFP code page prefix	Code page identifier: 00nnnn Expanded core code pages; <i>nnnn</i> is the CPGID. V1nnnn Expanded core code pages; <i>nnnn</i> is the CPGID. B00nnn BookMaster code pages; <i>0nnn</i> is the CPGID. Dxnnnn DCF-related code pages DxBASE Migration code pages GDPnnn Data processing code pages GE0nnn Sonoran Display and Sonoran Petite code pages GI0nnn General code pages GP0nnn General-purpose code pages L0nnnn LCS-related code pages M00nnn Mathematics code pages S0nnnn 6670-related code pages SKBnnn Standard keyboard code pages

Code pages with full-width characters for CJK and DBCS fonts

The names of code pages that use full-width characters are typically six characters for CJK outline fonts and eight characters for DBCS raster fonts.

Table 21 on page 77 shows the naming convention for code pages that are used with CJK and DBCS full-width character sets. The naming convention format is T1xxxxss.

Table 21. Naming convention for code pages that use full-width characters

T1	xxxx	ss
AFP code page prefix	Code page global identifier (CPGID), with these exceptions 0300 Japanese JIS X 0213:2000 code page for CPGID:65280 K300 Japanese JIS X 0213:2004 code page for CPGID:0300 I300 Japanese IBM JIKEI code page for CPGID:65281 J300 Japanese IBM JIKEI with JIS90 code page is for CPGID:65282 0834 Korean KS code page for CPGID:65283 K834 Korean Full Hangul code page for CPGID:0834 0835 Traditional Chinese code page for CPGID:0835 0837 Simplified Chinese GB code page for CPGID:65284 K837 Simplified Chinese GB18030 code page is for CPGID:0837	Section number for a code page that is used with a raster font.

Code pages with half-width characters for CJK and DBCS fonts

The names of code pages that use half-width characters typically have H0 as the third and fourth characters.

Table 22 shows the naming convention for code pages that are used with CJK and DBCS half-width character sets. The naming convention format is T1Hnxxxx.

Table 22. Naming convention for code pages that use half-width characters

T1	Hn	xxxx
AFP code page prefix	H0 Typically used to represent half-width font. HK Used for Japanese CPGID:0037,00290 and Simplified Chinese CPGID:1114.	Code page global identifier (CPGID)

Summary tables for code pages

This section lists code pages and extended code pages that are supported in these font libraries:

- General, includes General Library and SBCS (see Table 23 on page 78)
- Japanese (see Table 24 on page 85)
- Korean (see Table 25 on page 85)
- Simplified Chinese (see Table 26 on page 85)
- Traditional Chinese (see Table 27 on page 86)

The summary tables for code pages provide this information:

Code page ID

A six- or eight-character name, with "T1" as the prefix, that identifies the code page.

CDP An "X" indicates that the code page is supplied as a traditional code page.

ECP An "X" indicates that the code page is supplied as an extended code page.

Description

The description of the code page.

General library

Table 23. Summary of code pages for General Library and SBCS font library

Code page ID	CDP	ECP	Description
T100038	X	X	US-ASCII Character Set
T1000259	X		Symbols, Set 7
T1000260	X	X	Canadian French - 116
T1000276	X	X	Canada (French) - 94
T1000286	X	X	Austria/Germany F.R., Alt (3270)
T1000287	X	X	Denmark/Norway, Alternate (3270)
T1000288	X	X	Finland/Sweden, Alternate (3270)
T1000289	X	X	Spain, Alternate (3270)
T1000290	X	X	Gothic Katakana, Katakana 10, Katakana 12
T1000293	X		APL (USA)
T1000310	X		APL Graphic Escape
T1000361	X	X	Publishing: International #5
T1000363	X		Symbols, Set 8
T1000367	X	X	ASCII
T1000382	X	X	Publishing: Austria, Germany, Switzerland
T1000383	X	X	Publishing: Belgium
T1000384	X	X	Publishing: Brazil
T1000385	X	X	Publishing: Canada (French)
T1000386	X	X	Publishing: Denmark, Norway
T1000387	X	X	Publishing: Finland, Sweden
T1000388	X	X	Publishing: France, Switzerland
T1000389	X	X	Publishing: Italy, Switzerland
T1000390	X	X	Publishing: Japan (Latin)
T1000391	X	X	Publishing: Portugal
T1000392	X	X	Publishing: Spain, Philippines
T1000393	X	X	Publishing: Latin America (Spanish)
T1000394	X	X	Publishing: United Kingdom, Australia, Hong Kong, Ireland, New Zealand
T1000395	X	X	Publishing: United States, Canada (English)
T1000420	X	X	Arabic Bilingual
T1000423	X	X	Greece 183
T1000424	X	X	Hebrew
T1000437	X	X	Personal Computer: ASCII
T1000803	X		Hebrew Character Set A
T1000808	X	X	Hebrew Character Set A
T1000813	X	X	ISO/ANSI 8-Bit Greek

Table 23. Summary of code pages for General Library and SBCS font library (continued)

Code page ID	CDP	ECP	Description
T1000819	X	X	ISO/ANSI 8-Bit Latin1
T1000829	X		Math Symbols
T1000836	X		People's Republic of China
T1000838	X		Thailand
T1000848	X	X	Personal Computer: Cyrillic, Ukraine with euro
T1000849	X	X	Personal Computer: Cyrillic, Belo Russian with euro
T1000850	X	X	Personal Computer Multilingual
T1000851	X	X	Personal Computer: Greece
T1000852	X	X	Personal Computer: Latin2
T1000853	X	X	Personal Computer: Latin3
T1000855	X	X	Personal Computer: Cyrillic
T1000856	X	X	Personal Computer: Hebrew
T1000857	X	X	Personal Computer: Latin5
T1000858	X	X	Personal Computer: Multilingual with euro
T1000860	X	X	Personal Computer: Portugal
T1000861	X	X	Personal Computer: Iceland
T1000862	X	X	Personal Computer: Hebrew (ASCII)
T1000863	X	X	Personal Computer: France, Canada (French)
T1000864	X	X	Personal Computer: Arabic
T1000865	X	X	Personal Computer: Nordic (Denmark, Norway)
T1000866	X	X	Personal Computer: Cyrillic #2
T1000867	X	X	Personal Computer: Israel
T1000869	X	X	Personal Computer: Greece
T1000870	X	X	Personal Computer: Latin2 Multilingual
T1000872	X	X	Cyrillic Personal Computer with euro
T1000874	X		Personal Computer: Thailand
T1000875	X	X	Greece
T1000876	X		OCR-A ASCII
T1000877	X		OCR-B ASCII
T1000880	X	X	Cyrillic Multilingual
T1000889	X	X	Thailand
T1000892	X		OCR-A
T1000893	X		OCR-B
T1000897	X	X	Katakana Personal Computer
T1000899	X		ASCII Symbol Set 7
T1000901	X	X	Personal Computer Baltic Multilingual with euro
T1000902	X	X	Multilingual with euro
T1000903	X		People's Republic of China (Latin)
T1000904	X	X	Taiwan (Latin)
T1000905	X	X	Latin3 Multilingual

Table 23. Summary of code pages for General Library and SBCS font library (continued)

Code page ID	CDP	ECP	Description
T1000910	X		APL ASCII
T1000912	X	X	Latin2 ISO/ANSI 8-Bit
T1000913	X	X	Latin3 ISO/ASCII
T1000914	X	X	Latin4 ISO/ANSI
T1000915	X	X	Cyrillic ISO/ANSI 8-Bit
T1000916	X	X	Hebrew ISO/ANSI 8-Bit
T1000920	X	X	Latin5 ISO/ANSI 8-Bit
T1000921	X	X	Personal Computer Baltic Multilingual
T1000922	X	X	Estonia Personal Computer
T1000923	X	X	Latin9
T1000924	X	X	Latin9 EBCDIC
T1001002	X	X	DCF
T1001003	X	X	United States Text Subset
T1001004	X	X	Personal Computer: Desktop Publishing
T1001008	X	X	Arabic ISO/ASCII 8-Bit
T1001025	X	X	Cyrillic Multilingual
T1001026	X	X	Cyrillic Multilingual
T1001027	X	X	Katakana
T1001028	X	X	Hebrew Publishing
T1001029	X		Arabic ISO/ASCII 8-Bit
T1001038	X		ASCII Symbols Abode
T1001039	X	X	GML List Symbols
T1001041	X	X	Katakana Personal Computer
T1001042	X		Simplified Chinese Extended
T1001043	X	X	Traditional Chinese Extended
T1001046	X	X	Arabic Extended ISO/ASCII 8-Bit
T1001068	X	X	Text with numeric spacing
T1001069	X	X	Latin4
T1001087	X		Symbols Abode
T1001091	X		Symbols, Set 7 Modified
T1001092	X		ASCII Symbols, Set 7 Modified
T1001093	X	X	IBM Logo
T1001110	X	X	Latin2 Multilingual
T1001111	X	X	Latin3 Multilingual
T1001112	X	X	Baltic Multilingual EBCDIC
T1001122	X	X	Estonia EBCDIC
T1001123	X	X	Cyrillic, Ukraine EBCDIC
T1001124	X	X	Cyrillic, Ukraine ISO-8
T1001125	X	X	Personal Computer: Cyrillic, Ukraine
T1001129	X	X	Vietnamese ISO-8

Table 23. Summary of code pages for General Library and SBCS font library (continued)

Code page ID	CDP	ECP	Description
T1001130	X	X	Vietnamese EBCDIC
T1001131	X	X	Personal Computer: Cyrillic, Belo Russian
T1001132	X	X	Lao EBCDIC
T1001133	X	X	Lao ISO-8
T1001139	X	X	Japan Alphanumeric Katakana
T1001140	X	X	USA, Canada ECECP
T1001141	X	X	Austria, Germany ECECP
T1001142	X	X	Denmark, Norway ECECP
T1001143	X	X	Finland, Sweden ECECP
T1001144	X	X	Italy ECECP
T1001145	X	X	Spain, Latin America ECECP
T1001146	X	X	UK ECECP
T1001147	X	X	France ECECP
T1001148	X	X	International ECECP
T1001149	X	X	Iceland ECECP
T1001153	X	X	Latin2 Multilingual with euro
T1001154	X	X	EBCDIC Cyrillic, Multilingual with euro
T1001155	X	X	EBCDIC Turkey with euro
T1001156	X	X	EBCDIC Baltic Multilingual with euro
T1001157	X	X	EBCDIC Estonia with euro
T1001158	X	X	EBCDIC Cyrillic, Ukraine with euro
T1001160	X		Thailand EBCDIC with euro
T1001161	X		Thailand Personal Computer with euro
T1001162	X	X	Windows Thailand
T1001163	X	X	Vietnamese ISO-8 with euro
T1001164	X	X	Vietnamese, EBCDIC with euro
T1001166	X	X	EBCDIC Cyrillic, Multilingual with euro
T1001250	X	X	Windows Latin2
T1001251	X	X	Windows Cyrillic
T1001252	X	X	Windows Latin1
T1001253	X	X	Windows Greek
T1001254	X	X	Windows Turkish
T1001257	X	X	Windows Baltic Rim
T1001258	X	X	Windows Vietnamese
T1001300	X		Generic Bar Code/OCR-B
T1B00037	X	X	BookMaster: United States, Canada
T1B00273	X	X	BookMaster: Austria, Germany, Switzerland
T1B00274	X	X	BookMaster: Belgium
T1B00275	X	X	BookMaster: Brazil
T1B00277	X	X	BookMaster: Denmark, Norway

Table 23. Summary of code pages for General Library and SBCS font library (continued)

Code page ID	CDP	ECP	Description
T1B00278	X	X	BookMaster: Finland, Sweden
T1B00280	X	X	BookMaster: Italy, Switzerland
T1B00281	X	X	BookMaster: Japan (Latin)
T1B00282	X	X	BookMaster: Portugal
T1B00284	X	X	BookMaster: Spain, Latin America
T1B00285	X	X	BookMaster: United Kingdom
T1B00297	X	X	BookMaster: France
T1B00361	X	X	BookMaster International
T1B00382	X	X	BookMaster: Austria, Germany, Switzerland
T1B00383	X	X	BookMaster: Belgium
T1B00384	X	X	BookMaster: Brazil
T1B00385	X	X	BookMaster: Canada (French)
T1B00386	X	X	BookMaster: Denmark, Norway
T1B00387	X	X	BookMaster: Finland, Sweden
T1B00388	X	X	BookMaster: France, Switzerland
T1B00389	X	X	BookMaster: Italy, Switzerland
T1B00390	X	X	BookMaster: Japan (Latin)
T1B00391	X	X	BookMaster: Portugal
T1B00392	X	X	BookMaster: Spain, Philippines
T1B00393	X	X	BookMaster: Latin America (Spanish)
T1B00394	X	X	BookMaster: United Kingdom, Australia, China (Hong Kong S.A.R.), Ireland, New Zealand
T1B00395	X	X	BookMaster: United States, Canada (English)
T1B00500	X	X	BookMaster: International #5
T1B00871	X	X	BookMaster: Iceland
T1B00BGS	X		BookMaster: Specials
T1D0BASE	X	X	Migration: DCF
T1D0GP12	X	X	DCF Gothic Tri-Pitch
T1DABASE	X	X	Migration: Austria, Germany
T1DDBASE	X	X	Migration: Belgium, Luxemburg, Switzerland
T1DCDCFS	X	X	U.S. Text Subset
T1DDBASE	X	X	Migration: Denmark, Iceland, Norway
T1DEBASE	X	X	Migration: Finland, Sweden
T1DFBASE	X	X	Migration: France
T1DIBASE	X	X	Migration: Italy
T1DNBASE	X	X	Migration: Netherlands, Portugal
T1DSBASE	X	X	Migration: Spain, Latin America
T1DUBASE	X	X	Migration: United Kingdom
T1E00420	X	X	Arabic Bilingual with euro
T1E00813	X	X	Greece – ISO 8859-7

Table 23. Summary of code pages for General Library and SBCS font library (continued)

Code page ID	CDP	ECP	Description
T1E00852	X	X	Latin2 Multilingual Personal Computer with euro
T1E00857	X	X	Latin5 Turkey Personal Computer with euro
T1E00864	X	X	Arabic Personal Computer with euro
T1E00869	X	X	Greece – Personal Computer
T1E00875	X	X	Greece – EBCDIC
T1E00877	X		OCR B Personal Computer with euro
T1E00893	X		OCR B with euro
T1E01008	X	X	Arabic ISO with euro
T1E01046	X	X	Arabic Extended ISO with euro
T1GE0200	X	X	Sonoran Display Fonts
T1GE0300	X	X	Sonoran Petite Fonts
T1GI0361	X	X	International Set 5
T1GI0382	X	X	Austria, Germany, Switzerland
T1GI0383	X	X	Belgium
T1GI0384	X	X	Brazil
T1GI0385	X	X	Canada (French)
T1GI0386	X	X	Denmark/Norway
T1GI0387	X	X	Sweden/Finland
T1GI0388	X	X	France, Luxembourg, Switzerland
T1GI0389	X	X	Italy, Switzerland (Italian)
T1GI0390	X	X	Japan (Latin)
T1GI0391	X	X	Portugal
T1GI0392	X	X	Spain/Philippines
T1GI0393	X	X	Latin America (Spanish)
T1GI0394	X	X	U.K., Austral., Ire., H.K., N.Z.
T1GI0395	X	X	United States, Canada (English)
T1GPI363	X		PI Fonts
T1L000GN	X	X	LCS Gothic
T1L000RN	X	X	LCS Gothic
T1L000SN	X	X	LCS Text-1 and Text-2
T1L000XN	X	X	LCS Gothic
T1L000YN	X	X	LCS Gothic
T1L00A11	X	X	LCS Gothic
T1L00APL	X		APL2
T1L00FMT	X		LCS Format Characters
T1L00KN1	X	X	LCS Gothic, Katakana (KN1)
T1L00QNC	X	X	LCS Gothic
T1L02773	X	X	LCS Gothic, Katakana (2773)
T1L02774	X	X	LCS Gothic, Katakana (2774)
T1L038BA	X	X	LCS Gothic

Table 23. Summary of code pages for General Library and SBCS font library (continued)

Code page ID	CDP	ECP	Description
T1L038TE	X	X	LCS Text-1 and Text-2
T1L0AD10	X		APL2
T1L0AG10	X		APL2
T1L0AG12	X		APL2
T1L0AG15	X		APL2
T1L0AI10	X		APL2
T1L0AT10	X		APL2
T1L0DUMP	X	X	LCS Dump Character Set
T1L0FOLD	X	X	LCS Gothic Folded
T1L0OCR1	X	X	LCS OCR A
T1L0OCR2	X	X	LCS Gothic and OCR A
T1L0OCR3	X	X	LCS Gothic and OCR A
T1L0OCRB	X	X	LCS Gothic and OCR B
T1L0PCAN	X	X	LCS Gothic
T1L0PCHN	X	X	LCS Gothic
T1M00829	X	X	Math Symbols
T1M00830	X		Math Format
T1S0AE10	X		APL (AE10)
T1S0AP10	X		APL2
T1S0S192	X		6670 Symbol Set
T1S0S193	X		6670 Symbol Set
T1S0S198	X		6670 Symbol Set
T1V10037	X	X	Country Extended: United States, Canada
T1V10273	X	X	Country Extended: Austria, Germany, Switzerland
T1V10274	X	X	Country Extended: Belgium
T1V10275	X	X	Country Extended: Brazil
T1V10277	X	X	Country Extended: Denmark, Norway
T1V10278	X	X	Country Extended: Finland, Sweden
T1V10280	X	X	Country Extended: Italy, Switzerland
T1V10281	X	X	Country Extended: Japan (Latin)
T1V10282	X	X	Country Extended: Portugal
T1V10284	X	X	Country Extended: Spain, Latin America
T1V10285	X	X	Country Extended: United Kingdom
T1V10290	X	X	Japan (Katakana)
T1V10297	X	X	Country Extended: France
T1V10500	X	X	Country Extended: International #5
T1V10871	X	X	Country Extended: Iceland

Japanese library

Table 24. Summary of code pages for Japanese font library

Code page ID	CDP	ECP	Description
T10300	X	X	Japanese DBCS-Host: JIS X0213-2000 character shape
T10300U	X	X	Japanese DBCS-Host: JIS X0213-2000 character shape
T1H00290	X	X	Japanese Katakana Extended
T1H01002	X	X	Japanese DCF Compatibility
T1H01027	X	X	Japanese Latin Extended
T1H01030	X	X	Japanese Katakana Extended with box
T1H01031	X	X	Japanese (Latin) Extended with box
T1H01041	X	X	Japanese Personal Computer Extended
T1HK0037	X	X	Japanese Latin
T1HK0290	X	X	Japanese Katakana
T1I300	X	X	Japanese DBCS Host: Supports 751 unique IBM character shapes
T1J300	X	X	Japanese DBCS Host: Supports 751 unique IBM character shapes with 14 of them changed according to JIS90
T1K300	X	X	Japanese DBCS Host: JIS X 0213-2004 character shape
T1K300U	X	X	Japanese DBCS Host: JIS X 0213-2004 character shape with User Defined Characters

Korean library

Table 25. Summary of code pages for Korean font library

Code page ID	CDP	ECP	Description
T10834	X	X	Korean Host DBCS KS
T10834U	X	X	Korean Host DBCS KS with User Defined Char
T1H00833	X	X	Korean SBCS Host
T1H01088	X	X	Korean SBCS Personal Computer
T1H01126	X	X	Korean SBCS Personal Computer
T1H01150	X	X	Korean Latin with Box
T1K834	X	X	Korean Host DBCS Full Hangul
T1K834U	X	X	Korean Host DBCS Full Hangul with User Defined Characters

Simplified Chinese library

Table 26. Summary of code pages for Simplified Chinese font library

Code page ID	CDP	ECP	Description
T10837	X	X	Simplified Chinese Host DBCS GB
T10837U	X	X	Simplified Chinese Host DBCS GB with User Defined Characters
T1H00836	X	X	Simplified Chinese Host
T1H01115	X	X	Simplified Chinese Personal Computer, GB

Table 26. Summary of code pages for Simplified Chinese font library (continued)

Code page ID	CDP	ECP	Description
T1H01151	X	X	Simplified Chinese Latin with Box
T1H01252	X	X	Simplified Chinese Personal Computer, GB18030
T1HK1114	X	X	Simplified Chinese Personal Computer GBK
T1K837	X	X	Simplified Chinese Host DBCS GB18030
T1K837U	X	X	Simplified Chinese Host DBCS GB18030 with User Defined Characters

Traditional Chinese library

Table 27. Summary of code pages for Traditional Chinese font library

Code page ID	CDP	ECP	Description
T10835	X	X	Traditional Chinese Host DBCS
T10835U	X	X	Traditional Chinese Host DBCS with User Defined Characters
T1H00037	X	X	Traditional Chinese Host DBCS GB
T1H01043	X	X	Traditional Chinese Host SBCS
T1H01114	X	X	Traditional Chinese Personal Computer SBCS
T1H01152	X	X	Traditional Chinese SBCS with box characters
T1H01159	X	X	Traditional Chinese SBCS with Euro

Chapter 7. WorldType fonts

WorldType fonts are TrueType and OpenType fonts that are supplied in a Microsoft Unicode format. The WorldType fonts include these typefaces:

- WorldType Sans
- WorldType SansDuo
- WorldType Serif
- WorldType SerifDuo

Unicode ranges

The WorldType fonts are organized by subsets and grouped by character blocks as defined by Unicode. These subsets do not fully support all glyphs in every character block and might contain glyphs from other characters blocks:

- Windows Glyph List (WGL) is a subset that supports Latin, Greek, Cyrillic, Modified Letters and Combining Marks. It has partial support for Symbols and glyphs in the Special Area. This subset provides the same basic set of characters as Microsoft Windows Glyph List 4.
- Middle East Glyph List is a subset that supports Arabic and Hebrew in addition to the WGL support.
- Indic Glyph List is a subset that supports Indic scripts in addition to the WGL support.
- Southeast Asian Glyph List is a subset that supports Thai, Lao, Khmer, and Vietnamese in addition to the WGL support.
- Complete Glyph List contains every character presently supported. In addition to WGL, Middle East, and Indic support, it supports Han, Hiragana, Katakana, Hangul, Bopomofo and Yi.

Localizations

The Complete Glyph List is available with Han localizations for Japanese, Korean, Simplified Chinese, and Traditional Chinese. There is a 64K glyph limit in the TrueType and OpenType font architecture that limits the amount of support that can be provided with a single font. This limitation requires a different font to be selected to properly represent each locale.

The set of Han glyphs is not fully localized for all four locales. Each of the localizations support the Windows 98 glyph set for a particular locale. The Simplified Chinese locale is the only uniform designed glyph set. There are fallback glyphs in the other locales for those not supported. For example, if a glyph is specified that is not part of the Windows 98 Japanese glyph set, the Simplified Chinese glyph is used for that particular glyph.

Embedded bitmaps

The Complete Glyph List is available with embedded bitmaps. The embedded bitmaps are provided for many of the Han, Hiragana, and Katakana glyphs. These bitmaps improve the quality of the glyph at screen resolutions.

The level of embedded bitmap support is based upon the Windows 95 glyph set. There are six bitmap sizes included in the fonts. Each bitmap size is designed to

represent the locale and the type style, except for the smallest bitmap, which is too small to distinguish the difference.

Naming conventions for WorldType fonts

The WorldType font file naming convention uses the format *tttllsb* with the definitions listed in Table 28 and Table 29. *ttt* identifies the typeface name and *llsb* identifies the localization, subset, and whether embedded bitmaps are present.

Table 28. *ttt* WorldType font naming convention

<i>ttt</i>	Typeface name
wt__	WT Serif
wt_d	WT SerifDuo
wts_	WT Sans
wtsd	WT SansDuo

Table 29. *llsb* WorldType font naming convention

<i>llsb</i>	Typeface name appendage	Description	Bitmaps
i__	IN	Indic	No
j_b	J	Japanese	Yes
j_eb	J EA	Japanese East Asian	Yes
k_b	K	Korean	Yes
k_eb	K EA	Korean East Asian	Yes
m__	ME	Middle East	No
s_b	SC	Simplified Chinese	Yes
s_eb	SC EA	Simplified Chinese East Asian	Yes
sxb_	SC xB	Simplified Chinese-Extension B	No
sea_	SEA	Southeast Asia	No
th_b	HK	Traditional Chinese Hong Kong	Yes
theb	HK EA	Traditional Chinese Hong Kong East Asian	Yes
tt_b	TW	Traditional Chinese Taiwan	Yes
tteb	TW EA	Traditional Chinese Taiwan East Asian	Yes
w__		Windows Glyph List 4	No

Highlights for WorldType fonts

This section describes the highlights for the latest version of the WorldType fonts that are contained in the z/OS Font Collection.

Version 8.1 of the WorldType fonts has these updates:

- Changed typeface names:
 - WT SansDuo replaces WT Sans Duo
 - WT SerifDuo replaces WT Serif Duo
 - WT SansDuo SC xB replaces WT Sans Duo SC xB

- New Southeast Asian (SEA) fonts:
 - The prior Windows Glyph subset
 - Khmer language scripts

Note: One Khmer design was used for Sans and Serif fonts. The SEA Duospace fonts (`wtsdsea_.ttf` and `wt_dsea_.ttf`) do not contain the Khmer script.

 - Lao language scripts
 - Myanmar Burmese language scripts
 - Robam Khmer Duo characters
 - Thai language scripts
 - Vietnamese language scripts
- New Amharic Ethiopian language scripts
- New Latin character set additions for African languages
- New outline glyphs to support standard Hong Kong Supplementary Character Set, HKSCS:2004; new characters to support the Traditional Chinese Hong Kong Supplemental Character Set, HKSCS:2008
- Unicode level 5.2 support for more math operators, miscellaneous technical characters, and currency symbols, including:
 - Kazakhstan Tenge symbol U+20B8
 - Indian Rupee symbol U+20B9
 - Turkish Lira symbol U+20BA
- New Unicode:
 - Sinhala (U+0D80-U+0DFF) are now included in these WorldType fonts: Complete set, Traditional Chinese Hong Kong (HK), Japanese (J), Korean (K), Simplified Chinese (SC), Traditional Chinese Taiwan (TW), and Indic (IN).
 - Georgian (U+10A0-U+10FF) and Georgian Supplement (U+2D00-U+2D2F) are now included in these WorldType fonts: Windows Glyph List, Traditional Chinese Hong Kong (HK), Japanese (J), Korean (K), Simplified Chinese (SC), and Traditional Chinese Taiwan (TW).
 - Armenian (U+0530-U+058F) and Armenian Ligatures (U+FB13-U+FB17) are now included in these WorldType fonts: Windows Glyph List, Traditional Chinese Hong Kong (HK), Japanese (J), Korean (K), Simplified Chinese (SC), and Traditional Chinese Taiwan (TW).
 - Armenian Dram sign, U+058F, is added into the Armenian language scripts.
 - Gujarati Abbreviation Sign, U+0AF0, is added into Gujarati language scripts.
 - Raised MC sign, U+1F16A, Marque de Commerce is added.
 - Raised MD sign, U+1F16B, Marque Déposée is added.
 - Arabic Samvat sign, U+0604, is added into Arabic language scripts.
- Indic Version 2 OpenType tables are now included in these WorldType fonts:
 - Traditional Chinese Hong Kong (HK)
 - Indic (IN)
 - Japanese (J)
 - Korean (K)
 - Simplified Chinese (SC)
 - Traditional Chinese Taiwan (TW)

Summary tables for WorldType fonts

This section lists summary tables for Version 8.1 base and link WorldType fonts. It also includes a summary table of symbolic links for upgrading to the latest version of WorldType fonts.

Base fonts

Table 30 provides this information for base WorldType fonts:

Full font name

The combination of the font family name and the font subfamily name.

File name

The name of the font file with a file extension of .ttf.

Localization

The view preference of the glyph shapes.

Glyph List

The set of glyphs that is contained in the font.

Bitmaps

An indicator of whether the font contains embedded bitmaps for better screen resolution quality.

The style and weight of all WorldType fonts is Roman Medium.

Table 30. Summary of base WorldType fonts

Full font name	File name	Localization	Glyph List	Bitmaps
WT Sans	wts_w____.ttf	N/A	Windows Glyph List (WGL)	No
WT Sans HK	wts_th_b.ttf	Traditional Chinese Hong Kong	Complete	Yes
WT Sans HK EA	wts_theb.ttf	Traditional Chinese Hong Kong	East Asian	Yes
WT Sans IN	wts_i____.ttf	N/A	Indic	No
WT Sans J	wts_j_b.ttf	Japanese	Complete	Yes
WT Sans J EA	wts_j_eb.ttf	Japanese	East Asian	Yes
WT Sans K	wts_k_b.ttf	Korean	Complete	Yes
WT Sans K EA	wts_k_eb.ttf	Korean	East Asian	Yes
WT Sans ME	wts_m____.ttf	N/A	Middle East	No
WT Sans SC	wts_s_b.ttf	Simplified Chinese	Complete	Yes
WT Sans SC EA	wts_s_eb.ttf	Simplified Chinese	East Asian	Yes
WT Sans SEA	wts_sea_.ttf	N/A	Southeast Asian	No
WT Sans TW	wts_tt_b.ttf	Traditional Chinese Taiwan	Complete	Yes
WT Sans TW EA	wts_tteb.ttf	Traditional Chinese Taiwan	East Asian	Yes
WT SansDuo	wtsdw____.ttf	N/A	WGL	No
WT SansDuo HK	wtsdth_b.ttf	Traditional Chinese Hong Kong	Complete	Yes
WTSans Duo HK EA	wtsdtheb.ttf	Traditional Chinese Hong Kong	East Asian	Yes

Table 30. Summary of base WorldType fonts (continued)

Full font name	File name	Localization	Glyph List	Bitmaps
WT SansDuo IN	wtsdi_*.ttf	N/A	Indic	No
WT SansDuo J	wtsdj_*.ttf	Japanese	Complete	Yes
WT Sans Duo J EA	wtsdj_*.eb.ttf	Japanese	East Asian	Yes
WT SansDuo K	wtsdk_*.ttf	Korean	Complete	Yes
WT Sans Duo K EA	wtsdl_*.eb.ttf	Korean	East Asian	Yes
WT SansDuo ME	wtsdm_*.ttf	N/A	Middle East	No
WT SansDuo SC	wtsds_*.ttf	Simplified Chinese	Complete	Yes
WT Sans Duo SC EA	wtsds_*.eb.ttf	Simplified Chinese	East Asian	Yes
WT SansDuo SC xB	wtsdsx_*.ttf	Simplified Chinese	Extension B	No
WT SansDuo SEA	wtsdsea_*.ttf	N/A	Southeast Asian	No
WT SansDuo TW	wtsdtt_*.ttf	Traditional Chinese Taiwan	Complete	Yes
WT Sans Duo TW EA	wtsdtt_*.eb.ttf	Traditional Chinese Taiwan	East Asian	Yes
WT Serif	wt_*.ttf	N/A	WGL	No
WT Serif HK	wt_*.ttf	Traditional Chinese Hong Kong	Complete	Yes
WT Serif HK EA	wt_*.ttf	Traditional Chinese Hong Kong	East Asian	Yes
WT Serif IN	wt_*.ttf	N/A	Indic	No
WT Serif J	wt_*.ttf	Japanese	Complete	Yes
WT Serif J EA	wt_*.eb.ttf	Japanese	East Asian	Yes
WT Serif K	wt_*.ttf	Korean	Complete	Yes
WT Serif K EA	wt_*.eb.ttf	Korean	East Asian	Yes
WT Serif ME	wt_*.ttf	N/A	Middle East	No
WT Serif SC	wt_*.ttf	Simplified Chinese	Complete	Yes
WT Serif SC EA	wt_*.eb.ttf	Simplified Chinese	East Asian	Yes
WT Serif SEA	wt_*.ttf	N/A	Southeast Asian	No
WT Serif TW	wt_*.ttf	Traditional Chinese Taiwan	Complete	Yes
WT Serif TW EA	wt_*.eb.ttf	Traditional Chinese Taiwan	East Asian	Yes
WT SerifDuo	wt_*.ttf	N/A	WGL	No
WT SerifDuo HK	wt_*.ttf	Traditional Chinese Hong Kong	Complete	Yes
WT Serif Duo HK EA	wt_*.ttf	Traditional Chinese Hong Kong	East Asian	Yes
WT SerifDuo IN	wt_*.ttf	N/A	Indic	No
WT SerifDuo J	wt_*.ttf	Japanese	Complete	Yes
WT Serif Duo J EA	wt_*.eb.ttf	Japanese	East Asian	Yes
WT SerifDuo K	wt_*.ttf	Korean	Complete	Yes
WT Serif Duo K EA	wt_*.eb.ttf	Korean	East Asian	Yes
WT SerifDuo ME	wt_*.ttf	N/A	Middle East	No
WT SerifDuo SC	wt_*.ttf	Simplified Chinese	Complete	Yes
WT Serif Duo SC EA	wt_*.eb.ttf	Simplified Chinese	East Asian	Yes

Table 30. Summary of base WorldType fonts (continued)

Full font name	File name	Localization	Glyph List	Bitmaps
WT SerifDuo SEA	wt_dsea_.ttf	N/A	Southeast Asian	No
WT SerifDuo TW	wt_dtt_b.ttf	Traditional Chinese Taiwan	Complete	Yes
WT Serif Duo TW EA	wt_dtteb.ttf	Traditional Chinese Taiwan	East Asian	Yes

Link fonts

Link fonts are searched when the Unicode value is not found in the base font, which extends the base font. The link font is included as a base font. Table 31 defines the link fonts added to the resource access table (RAT) for WorldType fonts. It provides this information:

Full font name

The combination of the font family name and the font subfamily name for the base font or the linked font.

File name

The name of the base or linked font file with a file extension of .ttf.

Table 31. Summary of link WorldType fonts.

Base Font		Link Font	
Full font name	File name	Full font name	File name
WT SansDuo SC	wt_sds_b.ttf	WT SansDuo SC xB	wt_sdsxb_.ttf
WT Sans SC	wt_s_s_b.ttf		
WT SerifDuo SC	wt_ds_b.ttf		
WT Serif SC	wt_s_s_b.ttf		

Symbolic links

To upgrade to the latest version of WorldType fonts, you can use the symbolic links that are found in this directory:
/usr/lpp/fonts/worldtype

Table 32 defines the symbolic links for the latest version of WorldType fonts. It provides this information:

Earlier version file name

The file name for an earlier version WorldType font.

Latest version file name

The file name for the latest version WorldType font.

Table 32. Summary of symbolic links for the latest version of WorldType fonts

Earlier version file name	Latest version file name
mts_i___.ttf	wt_s_i___.ttf
mts_j___.ttf	wt_s_j_b.ttf
mts_j_b.ttf	wt_s_j_b.ttf
mts_j_e_.ttf	wt_s_j_eb.ttf
mts_j_eb.ttf	wt_s_j_eb.ttf
mts_k___.ttf	wt_s_k_b.ttf

Table 32. Summary of symbolic links for the latest version of WorldType fonts (continued)

Earlier version file name	Latest version file name
mts_k__b.ttf	wts_k__b.ttf
mts_k_e_.ttf	wts_k_eb.ttf
mts_k_eb.ttf	wts_k_eb.ttf
mts_m___.ttf	wts_m___.ttf
mts_s___.ttf	wts_s__b.ttf
mts_s__b.ttf	wts_s__b.ttf
mts_s_e_.ttf	wts_s_eb.ttf
mts_s_eb.ttf	wts_s_eb.ttf
mts_t___.ttf	wts_th_b.ttf
mts_t__b.ttf	wts_th_b.ttf
mts_t_e_.ttf	wts_theb.ttf
mts_t_eb.ttf	wts_theb.ttf
mts_tt___.ttf	wts_tt_b.ttf
mts_tt_b.ttf	wts_tt_b.ttf
mts_tte_.ttf	wts_tteb.ttf
mts_tteb.ttf	wts_tteb.ttf
mts_w___.ttf	wts_w___.ttf
mtsans_t.ttf	wts_th_b.ttf
mtsans_w.ttf	wts_w___.ttf
mtsansdj.ttf	wtsdj__b.ttf
mtsansdk.ttf	wtsdk__b.ttf
mtsansdm.ttf	wtsdm___.ttf
mtsansds.ttf	wtsds__b.ttf
mtsansdt.ttf	wtsdth_b.ttf
mtsansdw.ttf	wtsdw___.ttf
MTSanXBS.ttf	wtsdsxb_.ttf
mtsdi___.ttf	wtsdi___.ttf
mtsdi___.ttf	wtsdj__b.ttf
mtsdi__b.ttf	wtsdj__b.ttf
mtsdi_e_.ttf	wtsdj_eb.ttf
mtsdi_eb.ttf	wtsdj_eb.ttf
mtsdi___.ttf	wtsdk__b.ttf
mtsdi__b.ttf	wtsdk__b.ttf
mtsdi_e_.ttf	wtsdk_eb.ttf
mtsdi_eb.ttf	wtsdk_eb.ttf
mtsdi___.ttf	wtsdm___.ttf
mtsdi___.ttf	wtsds__b.ttf
mtsdi__b.ttf	wtsds__b.ttf
mtsdi_e_.ttf	wtsds_eb.ttf
mtsdi_eb.ttf	wtsds_eb.ttf

Table 32. Summary of symbolic links for the latest version of WorldType fonts (continued)

Earlier version file name	Latest version file name
mtsdsxb_.ttf	wtsdsxb_.ttf
mtsdt___.ttf	wtsdth_b.ttf
mtsdt_b.ttf	wtsdth_b.ttf
mtsdt_e.ttf	wtsdtheb.ttf
mtsdt_eb.ttf	wtsdtheb.ttf
mtsdtt___.ttf	wtsdtt_b.ttf
mtsdtt_b.ttf	wtsdtt_b.ttf
mtsdtte_.ttf	wtsdtteb.ttf
mtsdtteb.ttf	wtsdtteb.ttf
mtsdw___.ttf	wtsdw___.ttf
thrdi___.ttf	wt_di___.ttf
thrdj___.ttf	wt_dj_b.ttf
thrdj_b.ttf	wt_dj_b.ttf
thrdj_e.ttf	wt_dj_eb.ttf
thrdj_eb.ttf	wt_dj_eb.ttf
thrdk___.ttf	wt_dk_b.ttf
thrdk_b.ttf	wt_dk_b.ttf
thrdk_e.ttf	wt_dk_eb.ttf
thrdk_eb.ttf	wt_dk_eb.ttf
thrdm___.ttf	wt_dm___.ttf
thrds___.ttf	wt_ds_b.ttf
thrds_b.ttf	wt_ds_b.ttf
thrds_e.ttf	wt_ds_eb.ttf
thrds_eb.ttf	wt_ds_eb.ttf
thrdt___.ttf	wt_dth_b.ttf
thrdt_b.ttf	wt_dth_b.ttf
thrdt_e.ttf	wt_dtheb.ttf
thrdt_eb.ttf	wt_dtheb.ttf
thrdtt___.ttf	wt_dtt_b.ttf
thrdtt_b.ttf	wt_dtt_b.ttf
thrdtte_.ttf	wt_dtteb.ttf
thrdtteb.ttf	wt_dtteb.ttf
thrdw___.ttf	wt_dw___.ttf
thrnd_j.ttf	wt_dj_b.ttf
thrnd_k.ttf	wt_dk_b.ttf
thrnd_m.ttf	wt_dm___.ttf
thrnd_s.ttf	wt_ds_b.ttf
thrnd_t.ttf	wt_dth_b.ttf
thrnd_w.ttf	wt_dw___.ttf
tnr_i___.ttf	wt_i___.ttf

Table 32. Summary of symbolic links for the latest version of WorldType fonts (continued)

Earlier version file name	Latest version file name
tnr_j__.ttf	wt__j__b.ttf
tnr_j_b.ttf	wt__j__b.ttf
tnr_j_e.ttf	wt__j__eb.ttf
tnr_j_eb.ttf	wt__j__eb.ttf
tnr_k__.ttf	wt__k__b.ttf
tnr_k_b.ttf	wt__k__b.ttf
tnr_k_e.ttf	wt__k__eb.ttf
tnr_k_eb.ttf	wt__k__eb.ttf
tnr_m__.ttf	wt__m__.ttf
tnr_s__.ttf	wt__s__b.ttf
tnr_s_b.ttf	wt__s__b.ttf
tnr_s_e.ttf	wt__s__eb.ttf
tnr_s_eb.ttf	wt__s__eb.ttf
tnr_t__.ttf	wt__th_b.ttf
tnr_t_b.ttf	wt__th_b.ttf
tnr_t_e.ttf	wt__theb.ttf
tnr_t_eb.ttf	wt__theb.ttf
tnr_tt__.ttf	wt__tt_b.ttf
tnr_tt_b.ttf	wt__tt_b.ttf
tnr_tte.ttf	wt__tteb.ttf
tnr_tteb.ttf	wt__tteb.ttf
tnr_w__.ttf	wt__w__.ttf
tnrwt_j.ttf	wt__j__b.ttf
tnrwt_k.ttf	wt__k__b.ttf
tnrwt_m.ttf	wt__m__.ttf
tnrwt_s.ttf	wt__s__b.ttf
tnrwt_t.ttf	wt__th_b.ttf
tnrwt_w.ttf	wt__w__.ttf
wt__j__.ttf	wt__j__b.ttf
wt__j_e.ttf	wt__j__eb.ttf
wt__k__.ttf	wt__k__b.ttf
wt__k_e.ttf	wt__k__eb.ttf
wt__s__.ttf	wt__s__b.ttf
wt__s_e.ttf	wt__s__eb.ttf
wt__th__.ttf	wt__th_b.ttf
wt__the_.ttf	wt__theb.ttf
wt__tt__.ttf	wt__tt_b.ttf
wt__tte.ttf	wt__tteb.ttf
wt__dj__.ttf	wt__dj__b.ttf
wt__dj_e.ttf	wt__dj__eb.ttf

Table 32. Summary of symbolic links for the latest version of WorldType fonts (continued)

Earlier version file name	Latest version file name
wt_dk__.ttf	wt_dk_b.ttf
wt_dk_e.ttf	wt_dk_eb.ttf
wt_ds__.ttf	wt_ds_b.ttf
wt_ds_e.ttf	wt_ds_eb.ttf
wt_dth__.ttf	wt_dth_b.ttf
wt_dthe.ttf	wt_dtheb.ttf
wt_dtt__.ttf	wt_dtt_b.ttf
wt_dtte.ttf	wt_dtteb.ttf
wts_j__.ttf	wts_j_b.ttf
wts_j_e.ttf	wts_j_eb.ttf
wts_k__.ttf	wts_k_b.ttf
wts_k_e.ttf	wts_k_eb.ttf
wts_s__.ttf	wts_s_b.ttf
wts_s_e.ttf	wts_s_eb.ttf
wts_th__.ttf	wts_th_b.ttf
wts_the.ttf	wts_theb.ttf
wts_tt__.ttf	wts_tt_b.ttf
wts_tte.ttf	wts_tteb.ttf
wtsdj__.ttf	wtsdj_b.ttf
wtsdj_e.ttf	wtsdj_eb.ttf
wtsdk__.ttf	wtsdk_b.ttf
wtsdk_e.ttf	wtsdk_eb.ttf
wtsds__.ttf	wtsds_b.ttf
wtsds_e.ttf	wtsds_eb.ttf
wtsdth__.ttf	wtsdth_b.ttf
wtsdthe.ttf	wtsdtheb.ttf
wtsdtt__.ttf	wtsdtt_b.ttf
wtsdtte.ttf	wtsdtteb.ttf

Appendix. Accessibility

Publications for this product are offered in Adobe Portable Document Format (PDF) and should be compliant with accessibility standards. If you experience difficulties when using PDF files, you may view the information through the z/OS Internet Library web site or the z/OS Information Center. If you continue to experience problems, send an email to mhvrcfs@us.ibm.com or write to:

IBM Corporation
Attention: MHVRCFS Reader Comments
Department H6MA, Building 707
2455 South Road
Poughkeepsie, NY 12601-5400
USA

Accessibility features help a user who has a physical disability, such as restricted mobility or limited vision, to use software products successfully. The major accessibility features in z/OS enable users to:

- Use assistive technologies such as screen readers and screen magnifier software
- Operate specific or equivalent features using only the keyboard
- Customize display attributes such as color, contrast, and font size.

Using assistive technologies

Assistive technology products, such as screen readers, function with the user interfaces found in z/OS. Consult the assistive technology documentation for specific information when using such products to access z/OS interfaces.

Keyboard navigation of the user interface

Users can access z/OS user interfaces using TSO/E or ISPF. Refer to *z/OS TSO/E Primer*, *z/OS TSO/E User's Guide*, and *z/OS ISPF User's Guide Vol I* for information about accessing TSO/E and ISPF interfaces. These guides describe how to use TSO/E and ISPF, including the use of keyboard shortcuts or function keys (PF keys). Each guide includes the default settings for the PF keys and explains how to modify their functions.

z/OS information

z/OS information is accessible using screen readers with the Library Server versions of z/OS books in the Internet library at:

<http://www.ibm.com/systems/z/os/zos/bkserv/>

One exception is command syntax that is published in railroad track format, which is accessible using screen readers with the Information Center, as described in "Dotted decimal syntax diagrams."

Dotted decimal syntax diagrams

Syntax diagrams are provided in dotted decimal format for users accessing the Information Center using a screen reader. In dotted decimal format, each syntax element is written on a separate line. If two or more syntax elements are always

present together (or always absent together), they can appear on the same line, because they can be considered as a single compound syntax element.

Each line starts with a dotted decimal number; for example, 3 or 3.1 or 3.1.1. To hear these numbers correctly, make sure that your screen reader is set to read out punctuation. All the syntax elements that have the same dotted decimal number (for example, all the syntax elements that have the number 3.1) are mutually exclusive alternatives. If you hear the lines 3.1 USERID and 3.1 SYSTEMID, you know that your syntax can include either USERID or SYSTEMID, but not both.

The dotted decimal numbering level denotes the level of nesting. For example, if a syntax element with dotted decimal number 3 is followed by a series of syntax elements with dotted decimal number 3.1, all the syntax elements numbered 3.1 are subordinate to the syntax element numbered 3.

Certain words and symbols are used next to the dotted decimal numbers to add information about the syntax elements. Occasionally, these words and symbols might occur at the beginning of the element itself. For ease of identification, if the word or symbol is a part of the syntax element, it is preceded by the backslash (\) character. The * symbol can be used next to a dotted decimal number to indicate that the syntax element repeats. For example, syntax element *FILE with dotted decimal number 3 is given the format 3 * FILE. Format 3* FILE indicates that syntax element FILE repeats. Format 3* * FILE indicates that syntax element * FILE repeats.

Characters such as commas, which are used to separate a string of syntax elements, are shown in the syntax just before the items they separate. These characters can appear on the same line as each item, or on a separate line with the same dotted decimal number as the relevant items. The line can also show another symbol giving information about the syntax elements. For example, the lines 5.1*, 5.1 LASTRUN, and 5.1 DELETE mean that if you use more than one of the LASTRUN and DELETE syntax elements, the elements must be separated by a comma. If no separator is given, assume that you use a blank to separate each syntax element.

If a syntax element is preceded by the % symbol, this indicates a reference that is defined elsewhere. The string following the % symbol is the name of a syntax fragment rather than a literal. For example, the line 2.1 %OP1 means that you should refer to separate syntax fragment OP1.

The following words and symbols are used next to the dotted decimal numbers:

- ? means an optional syntax element. A dotted decimal number followed by the ? symbol indicates that all the syntax elements with a corresponding dotted decimal number, and any subordinate syntax elements, are optional. If there is only one syntax element with a dotted decimal number, the ? symbol is displayed on the same line as the syntax element, (for example 5? NOTIFY). If there is more than one syntax element with a dotted decimal number, the ? symbol is displayed on a line by itself, followed by the syntax elements that are optional. For example, if you hear the lines 5 ?, 5 NOTIFY, and 5 UPDATE, you know that syntax elements NOTIFY and UPDATE are optional; that is, you can choose one or none of them. The ? symbol is equivalent to a bypass line in a railroad diagram.
- ! means a default syntax element. A dotted decimal number followed by the ! symbol and a syntax element indicates that the syntax element is the default option for all syntax elements that share the same dotted decimal number. Only

one of the syntax elements that share the same dotted decimal number can specify a ! symbol. For example, if you hear the lines 2? FILE, 2.1! (KEEP), and 2.1 (DELETE), you know that (KEEP) is the default option for the FILE keyword. In this example, if you include the FILE keyword but do not specify an option, default option KEEP will be applied. A default option also applies to the next higher dotted decimal number. In this example, if the FILE keyword is omitted, default FILE(KEEP) is used. However, if you hear the lines 2? FILE, 2.1, 2.1.1! (KEEP), and 2.1.1 (DELETE), the default option KEEP only applies to the next higher dotted decimal number, 2.1 (which does not have an associated keyword), and does not apply to 2? FILE. Nothing is used if the keyword FILE is omitted.

- * means a syntax element that can be repeated 0 or more times. A dotted decimal number followed by the * symbol indicates that this syntax element can be used zero or more times; that is, it is optional and can be repeated. For example, if you hear the line 5.1* data area, you know that you can include one data area, more than one data area, or no data area. If you hear the lines 3*, 3 HOST, and 3 STATE, you know that you can include HOST, STATE, both together, or nothing.

Note:

1. If a dotted decimal number has an asterisk (*) next to it and there is only one item with that dotted decimal number, you can repeat that same item more than once.
 2. If a dotted decimal number has an asterisk next to it and several items have that dotted decimal number, you can use more than one item from the list, but you cannot use the items more than once each. In the previous example, you could write HOST STATE, but you could not write HOST HOST.
 3. The * symbol is equivalent to a loop-back line in a railroad syntax diagram.
- + means a syntax element that must be included one or more times. A dotted decimal number followed by the + symbol indicates that this syntax element must be included one or more times; that is, it must be included at least once and can be repeated. For example, if you hear the line 6.1+ data area, you must include at least one data area. If you hear the lines 2+, 2 HOST, and 2 STATE, you know that you must include HOST, STATE, or both. Similar to the * symbol, the + symbol can only repeat a particular item if it is the only item with that dotted decimal number. The + symbol, like the * symbol, is equivalent to a loop-back line in a railroad syntax diagram.

Notices

This information was developed for products and services offered in the U.S.A. or elsewhere.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan, Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

Site Counsel
IBM Corporation
2455 South Road
Poughkeepsie, NY 12601-5400
USA

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this information and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement, or any equivalent agreement between us.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

COPYRIGHT LICENSE:

This information might contain sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

Policy for unsupported hardware

Various z/OS elements, such as DFSMS, HCD, JES2, JES3, and MVS™, contain code that supports specific hardware servers or devices. In some cases, this device-related element support remains in the product even after the hardware devices pass their announced End of Service date. z/OS may continue to service element code; however, it will not provide service related to unsupported hardware devices. Software problems related to these devices will not be accepted

for service, and current service activity will cease if a problem is determined to be associated with out-of-support devices. In such cases, fixes will not be issued.

Minimum supported hardware

The minimum supported hardware for z/OS releases identified in z/OS announcements can subsequently change when service for particular servers or devices is withdrawn. Likewise, the levels of other software products supported on a particular release of z/OS are subject to the service support lifecycle of those products. Therefore, z/OS and its product publications (for example, panels, samples, messages, and product documentation) can include references to hardware and software that is no longer supported.

- For information about software support lifecycle, see: <http://www.ibm.com/software/support/systemsz/lifecycle/>
- For information about currently-supported IBM hardware, contact your IBM representative.

Trademarks

IBM, the IBM logo, and [ibm.com](http://www.ibm.com) are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both. If these and other IBM trademarked terms are marked on their first occurrence in this information with a trademark symbol (® or ™), these symbols indicate U.S. registered or common law trademarks owned by IBM at the time this information was published. Such trademarks may also be registered or common law trademarks in other countries. A current list of IBM trademarks is available on the Web at <http://www.ibm.com/legal/copytrade.shtml>.

Adobe is either a registered trademark or a trademark of Adobe Systems Incorporated in the United States and/or other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Index

Numerics

- 240-pel fonts, definition 4
- 300-pel fonts, definition 4

A

- accessibility 97
 - contact IBM 97
 - features 97
 - screen readers 97
- AFP
 - font naming conventions 14
 - outline fonts 17
 - raster fonts 39
- assistive technologies 97

B

- baseline, character 5
- box size
 - DBCS fonts 58
 - definition 6
 - examples 8

C

- character
 - baseline 5
 - IDs 10
 - image 11
 - properties 10
 - representation 4
 - rotation 5
 - translation from keyboard to printed character 11
- character sets
 - formats for 15
 - naming conventions for CJK outline font 24
 - naming conventions for CJK simulation outline font 31
 - structure 10
- CJK fonts
 - naming conventions 24
 - summary tables 27
- CJK simulation fonts
 - naming conventions 31
 - summary tables 33
- code pages
 - double- or single-byte 14
 - naming conventions 75
 - national language 14
 - overview 75
 - sections 14
 - structure 11
 - summary tables 77
- coded fonts
 - naming conventions for CJK simulation 31

- coded fonts (*continued*)
 - structure 9
- compatibility fonts
 - definition 66
 - naming conventions 66
 - summary table 68
- concepts, font 3
- core fonts, DBCS 56

D

- DBCS fonts
 - format and operating systems 56
 - naming conventions 56
 - point and box sizes 58
 - summary table 59
- density, font 4
- direction, print 5
- double-byte character sets 14
- double-byte code pages 14
- duospace fonts 6

E

- embedded bitmaps for WorldType fonts 87
- expanded core fonts
 - SBCS raster fonts 39
 - size in pitch or points 46
- extended code pages
 - downloading 2
 - naming conventions 75
 - overview 75

F

- fixed-metric fonts 15
- font naming conventions
 - AFP 14
 - CJK fonts 24
 - CJK simulation 31
 - code pages 75
 - compatibility 66
 - DBCS 56
 - General Library 17
 - SBCS 39
 - WorldType fonts 88
- font structure, AFP 9
- fonts
 - Chinese, Japanese, and Korean (CJK) 24
 - CJK simulation 30
 - compatibility 66
 - concepts 3
 - DBCS 55
 - General Library 17
 - highlights 1
 - included in collection 1
 - link 92
 - location of 1

- fonts (*continued*)
 - Math, PI, and Sonoran 62
 - SBCS raster 39
 - spacing characteristics 5
 - structure 9
 - symbolic links for WorldType 92
 - terminology 3
 - WorldType 87
- formats
 - compatibility fonts 66
 - for character sets 15

G

- General Library fonts
 - format and operating systems 17
 - naming conventions 17
 - summary table 18

H

- half-width code pages 14
- highlights for WorldType fonts 88
- highlights, font 1

I

- image, character 11
- introduction, z/OS Font Collection 1

K

- keyboard
 - navigation 97
 - PF keys 97
 - shortcut keys 97

L

- language code pages 14
- link fonts 92
- localizations for WorldType fonts 87

M

- Math fonts, summary table 62

N

- naming conventions
 - AFP fonts 14
 - CJK fonts 24
 - CJK simulation fonts 31
 - code pages 75
 - compatibility fonts 66
 - DBCS fonts 56
 - General Library fonts 17
 - SBCS fonts 39

naming conventions (*continued*)
 WorldType fonts 88
national language code pages 14
navigation
 keyboard 97
Notices 101

O

orientation 5
outline fonts
 AFP 17
 definition 4

P

PI fonts, summary table 62
picture element (pel) 4
pitch
 definition 6
 examples 7
 sizes for SBCS Fonts 46
point size
 DBCS fonts 58
 definition 6
 examples 7
 SBCS Fonts 46
print direction 5
print resolution 4
printing attributes 10
properties, character 10

R

raster fonts
 AFP 39
 definition 4
raster pattern 4
relative metrics 16
representation of characters 4
resolution 4
rotation, character 5

S

SBCS fonts
 format and operating systems 39
 naming conventions 39
 pitch and point sizes 46
 summary table 47
screen readers
 accessibility 97
sections, code page 14
sending comments to IBM xi
shortcut keys 97
single-byte character sets 14
single-byte code pages 14
Sonoran fonts, summary table 62
spacing characteristics, font 5
structure, AFP font 9
summary tables
 CJK fonts 27
 CJK simulation fonts 33
 code pages 77
 compatibility fonts 68

summary tables (*continued*)
 DBCS fonts 59
 General Library fonts 18
 Math, PI, and Sonoran fonts 62
 SBCS fonts 47
 WorldType fonts 90
symbolic links for WorldType fonts 92

T

terminology, font 3
type family, definition 3
type font, definition 3
typeface, definition 3
typographic fonts 6

U

Unicode ranges for WorldType fonts 87
uniformly spaced fonts 5
user interface
 ISPF 97
 TSO/E 97

W

WorldType fonts
 embedded bitmaps 87
 format and typefaces 87
 highlights 88
 localizations 87
 naming conventions 88
 summary tables 90
 symbolic links 92
 Unicode ranges 87



Product Number: 5650-ZOS

Printed in USA

GA32-1048-00

