Release Date: April 1, 2020

#### **VRMF** Level Data Results:

VRMF level From:	88.54.37.0
VRMF Level To:	88.55.9.0
Report for:	All DS8880

#### **Code Bundle Contents**

DS8880 Code Bundle Level	SEA or LMC Version:	DSCLI Client	Heat Map Transfer Utility	Storage Manager	Copy Services Manager
88.55.9.0	7.8.55.22	7.8.55.22	7.8.55.22	5.8.55.1010	6.2.7

Overview of new features and functions supported by this release

#### At a glance:

• Code fixes

# This new microcode release supports DS8880 systems only.

#### Select Modifications Included in this Release Note:

This is a list of some modifications contained across one or more LIC (License Internal Code) or microcode release(s). The potential impact is variable. Specific environments may aggravate or degrade the potential impact. Problem(s) fixed and reported in this release note may not be in higher levels of code bundles.

#### **Definition of Problem Severity:**

1	High Impact	<ul><li>Acute: Irrecoverable error with potential loss of data.</li><li>Serious: Irrecoverable error with potential loss of access to data, or critical function.</li></ul>
2	Moderate	- A function not operational and/or performance might be degraded.
3	Service	- A recoverable error (no impact) and service improvements.
4	Improvements	- Improvement changes for better Usability and Serviceability.

#### **HIPER:** High Impact problem that is Pervasive: 3 or more occurrences

### Acute: An irrecoverable error with potential loss of data.

#### **Incorrect volume LRC**

- 1. **Problem Description:** During base and alias volume creation, insufficient locking may lead to incorrect LRC calculation.
- 2. Potential Impact of Problem: loss of data
- 3. Problem Severity: High Impact
- 4. Pervasive Problem: No

ID# 344090

#### Inconsistent data on secondary after error recovery

- 1. **Problem Description:** Error recovery while forming FlashCopy Consistency Groups, across multiple LSSs, may result in one or more LSSs coming out of freeze earlier than the others. **Note:** Complete fix will require Co-Req APARs OA59936 (SDM) and PH26701 (GDPS)
- 2. Potential Impact of Problem: Data inconsistency
- 3. Problem Severity: High Impact
- 4. Pervasive Problem: No

ID# 347624

#### Potential data inconsistency after failover

- 1. **Problem Description:** IBM i systems may encounter inconsistent data when skip writes are interrupted by cluster hardware failover.
- 2. Potential Impact of Problem: loss of data
- 3. Problem Severity: High Impact
- 4. Pervasive Problem: No

ID# 348193

# Serious: An irrecoverable error with potential loss of access to data, or critical function.

#### HIPER <u>SRC=BE352662 Host Adapter zHPF Global CRC error</u>

- **1. Problem Description:** An unusual zHPF chain led to CRC errors, and fencing of multiple Host Adapters.
- 2. Potential Impact of Problem: loss of access
- 3. Problem Severity: HIPER
- 4. Pervasive Problem: Yes

ID# 345019

#### 0x01B7:801A MLE

- 1. **Problem Description:** Summary Event Notification processing is using inefficient iterative methods, contributing to thread timeouts.
- 2. Potential Impact of Problem: ODD Dump, Warmstart, Failover, or HyperSwap Failure
- 3. Problem Severity: Varies depending on workload.
- **4. Pervasive Problem:** Yes Odd Dump ID# 345941

#### SRC=BE1E218D Fixed block microcode timeout

- 1. **Problem Description:** SafeGuarded Copy ran into an out-of-space condition, but older backups were not rolled off.
- 2. Potential Impact of Problem: Temporary loss of access
- 3. Problem Severity: High Impact
- 4. Pervasive Problem: No

ID# 346455

#### VRAID adapter left in service mode

- 1. **Problem Description:** After a pseudo-repair of a VRAID adapter, the adapter was left in service mode. Subsequent repair of the partner adapter was allowed to proceed, causing loss of access.
- 2. Potential Impact of Problem: loss of access
- 3. Problem Severity: High Impact
- 4. Pervasive Problem: No

ID# 346737

#### SafeGuarded Copy filling up extent pools

- 1. **Problem Description:** SGC was filling up pools faster than older backups were being removed. Fix provides a pokeable setting to fail the SGC relation if the pools are filling up, to avoid failing host I/O.
- 2. Potential Impact of Problem: loss of access
- 3. Problem Severity: High Impact
- 4. Pervasive Problem: No

ID# 347244

#### Repeated 0x0109 MLEs running Concurrent Copy

- **1. Problem Description:** 0x7D0E ODD Dump failed to clear a lock, leading to multiple 0x0109 MLEs and repeated warmstarts.
- 2. Potential Impact of Problem: Repeated warmstarts, single cluster reboot
- 3. Problem Severity: High Impact
- 4. Pervasive Problem: No

ID# 347490

# Moderate: A system path is not operational and/or performance may be degraded.

#### **Resource Manager failure**

- 1. **Problem Description:** Resource Manager runs out of Adapter Platform Object Model file descriptors.
- 2. Potential Impact of Problem: Copy Service Manager/CS Toolkit communication failure
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: Yes

#### Performance dip / 0x01B7:3041 MLE after a warmstart

- 1. Problem Description: Lock contention on global Reconnect Control Block resources.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: Yes

ID# 335072, 340755

#### MetroMirror suspended

- 1. **Problem Description:** Data arrived out of order at the secondary, causing the secondary to send unexpected status to the primary.
- 2. Potential Impact of Problem: PPRC Suspend
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 340716

#### 0x790B MLE running Dataset-level cascaded FlashCopy

- 1. **Problem Description:** While creating and withdrawing multiple relationships, a microcode logic error was encountered in Background Copy queue management.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 341109

#### 0x05E0 MLE

- **1. Problem Description:** Incorrect control structures were found when presenting PPRC path notifications.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: Yes

ID# 341866

#### 0x07D2 Host Adapter MLE while removing PPRC paths

- 1. **Problem Description:** Host Adapter was very busy processing a large number of PPRC path removes, and missed a heartbeat timer interval.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 343299

#### Stale LDAP cache

- **1. Problem Description:** ESSNI does not detect LDAP changes, and continues to use cached tokens.
- 2. Potential Impact of Problem: Security exposure
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

#### **0x516C MLE**

- 1. **Problem Description:** In a persistent all-registrants reserve, code did not properly handle the case where a reconnecting host triggered a read of reserve metadata, and the listed originator of the reserve was no longer registered. Second half is to automatically clear stale Persistent Reserve metadata during IML.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: Yes

ID# 344552, 346629

#### Host timeout during HyperSwap

- **1. Problem Description:** Add a poke to disable the release space process during PPRC Failback.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 344999

#### Track destage thread stalled

- 1. **Problem Description:** A small timing window exists where a Task Control Block can hang while waiting for a flag to to be cleared, but the task that would clear the flag has already completed. This condition will persist until the system is warmstarted.
- 2. Potential Impact of Problem: PPRC suspend
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: Yes

ID# 345144

#### CMUN02947E error removing SafeGuarded Copy volumes

- **1. Problem Description:** After withdrawing SafeGuarded Copy consistency groups and terminate SGC, reservations remained on the volumes, preventing their removal.
- 2. Potential Impact of Problem: Unable to remove former SGC volumes
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 345211

#### **Copy Services Manager unable to communicate with HMCs**

- 1. Problem Description: ESSNI is unable to execute firewall scripts because of a path issue.
- 2. Potential Impact of Problem: HMC communication failure
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 346028

#### **RPO falling behind**

- 1. **Problem Description:** Large Global Mirror environments may exceed existing resource allocations for FlashCopy per cluster and port.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

#### PPRC path throughput imbalance

- 1. **Problem Description:** Path selection algorithms may incorrectly calculate path activity in some environments. Additional options are being provided, that can be enabled by poke.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 346458

#### 0x1D07 MLE

- **1. Problem Description:** During high zHPF write activity, a write operation may encounter a microcode logic error while waiting for a data buffer.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 346587

#### **0x516C MLE**

- 1. **Problem Description:** In a persistent all-registrants reserve, code did not properly handle the case where a reconnecting host triggered a read of reserve metadata, and the listed originator of the reserve was no longer registered. Second half is to automatically clear stale Persistent Reserve metadata during IML.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: Yes

ID# 346629

#### Erratic SafeGuarded Copy consistency group performance

- **1. Problem Description:** SafeGuarded Copy check-in task is not running at a high enough priority.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 346680

#### Host Adapter 0x0B8A MLE

- 1. **Problem Description:** During HA fastload, failure to handle linked commands triggered a microcode logic error in the adapter.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

#### 0x0109 MLE

- **1. Problem Description:** Pathing thread attempted to lock a unit address control block that it already held the lock for.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 346977

#### Vary path online failure

- 1. **Problem Description:** Host Adapter ports were stuck in "Remove Logical Path in Progress" state.
- 2. Potential Impact of Problem: loss of path
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 346983

#### **0xB10A MLE**

- 1. **Problem Description:** Host adapter received unexpected PRocess LogOut on a PPRC path. PRLO is specific to FICON, and should not be seen on a Fibre Channel Protocol port.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 347305

#### **Global Mirror FlashCopy hang**

- 1. **Problem Description:** While attempting to quiesce Background QuickInit on a volume, a data structure was zeroed, causing quiesce code to indicate the quiesce was still in progress
- 2. Potential Impact of Problem: PPRC suspend
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 347334

#### 0x05E0 MLE

- 1. Problem Description: A task freed it's lock before it was completely done processing.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 347497

#### 0x6070 Host Adapter MLE

- **1. Problem Description:** Host Adapter received Link Busy from a FICON channel, when no I/O was in progress.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

#### Host Adapter communication timeout after cluster quiesce

- 1. **Problem Description:** Code load process requested ODD collection, but did not wait for data collection to finish, before quiescing the next LPAR.
- 2. Potential Impact of Problem: Warmstart
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 347685

#### Fixed Block BUSY Status on read

- 1. **Problem Description:** Read operation on FlashCopy source is receiving "Try later" response caused by invalid flags while checking for a revertible relation.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 347832

#### Make journal block reclamation pokeable persistent

- 1. Problem Description: csjrFreshMgrTimeoutSec pokeable did not persist through cluster IML.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 347918

#### Adjust data stripe destage calculations

- 1. **Problem Description:** Destage code is not optimized for current stripe structure, where extents may not begin on a stripe boundary.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 348119

#### Read cache performance on background copy workloads

- 1. **Problem Description:** Changes made to improve cleaning of metadata extents created some unintended side-effects for sequential read operations.
- 2. Potential Impact of Problem: degraded performance
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

ID# 348133

#### DS GUI and DSCLI login fails with CMUN00018E

- 1. Problem Description: Authentication timeouts led to a timer failing to reset.
- 2. Potential Impact of Problem: Unable to access the HMC
- 3. Problem Severity: Moderate
- 4. Pervasive Problem: No

### Service: A recoverable error, Service improvements.

#### AOS connection failure

- 1. Problem Description: Assist OnSite connection via proxy fails, and AOS must be restarted.
- 2. Potential Impact of Problem: Remote support access failure
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 327293

#### **REST API '500' error**

- **1. Problem Description:** Transparent Cloud Tiering connector is unable to communicate in systems that are changed to an alternate internal address range.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 341148

#### **REST API shows incorrect CKD capacity**

- 1. **Problem Description:** Capacity units were changed from extents for both Fixed Block and Count-Key-Data, to MB for FB, and cylinders for CKD. But conversion was not provided for cylinders to MB.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 341739

#### LPAR dumps "re-compressed" during IML

- **1. Problem Description:** When pruning old dumps, the newest should not be pruned, regardless of age.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 342391

#### 0x01B7:2002 MLE

- 1. **Problem Description:** Tasks that are queued waiting on a resource, will begin processing as soon as that resource is available. In systems with very high activity, that task may not be able to obtain a thread within the allotted time.
- 2. Potential Impact of Problem: ODD Dump
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

#### 0x01B7:3043 MLE

- 1. **Problem Description:** High numbers of unsolicited status interrupt threads may encounter ReConnect Control Block contention, leading to thread timeouts.
- 2. Potential Impact of Problem: ODD Dump
- 3. Problem Severity: Service
- 4. Pervasive Problem: Yes

ID# 343541

#### Unable to install Customer-signed certificates using Chrome

- 1. **Problem Description:** Unable to upload certificate files using newer versions of Chrome browser.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: Yes

ID# 344292

#### 0x980A and 0x01E8 MLEs

- **1. Problem Description:** Error recovery failure when a single Rack Power Control card lost communication with both DC-UPSs
- 2. Potential Impact of Problem: ODD Dumps
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 345082

#### CMUN00017E while attempting password change

- 1. Problem Description: User created under a custom role cannot change their own password
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 345571

#### **UPS battery replacement failure**

- **1. Problem Description:** Model 983 UPS battery replacement failed because the new battery was greater than 8 months old.
- 2. Potential Impact of Problem: Extended service action
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 345674

#### Expansion rack install failure

- 1. Problem Description: Rack object harvest failed because of a syntax error.
- 2. Potential Impact of Problem: Extended service action
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

#### **HMC hang condition**

- 1. **Problem Description:** HMC hang, cleared by reboot. This fix will add a function from R9 code to monitor and collect additional data to aid in problem determination.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 345949

#### 0x01B7:506A MLE

- 1. **Problem Description:** Lock contention on Copy Services SideFile and eXtended Distance Consistency Session locks, during periods of high Global Mirror collision activity.
- 2. Potential Impact of Problem: ODD Dump
- 3. Problem Severity: Service
- 4. Pervasive Problem: Yes

ID# 345989

#### HMC console Shift+M shortcut fails

- **1. Problem Description:** After opening browser, DS Storage Manager link works, but Shift+M shortcut displays an error.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 346048

#### DS GUI audit log offload fails

- 1. Problem Description: Two ESSNI functions were combined into a single .jar file in R8.5 SP1.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 346266

#### DS GUI displays incorrect Fibre Channel port state information

- 1. **Problem Description:** In Settings -> Fibre Channel Ports -> State Column, GUI is showing incorrect "Online" status.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 346302

#### SSD spare taken for HDD array site

- **1. Problem Description:** In rare cases, a 400G SSD spare may be used to spare out a 300G DDM during dual loop rebalance on intermixed DA pairs.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

#### 0x5170 MLE

- 1. **Problem Description:** FlashCopy withdraw encountered a deadlock condition when the target volume was also in Validation Required state.
- 2. Potential Impact of Problem: ODD Dump
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 346528

#### DS GUI cache resync hang

- 1. **Problem Description:** Volume Rebalance was stalled because it encountered out of space condition on target ranks, then restarted rather than processing the next queue.
- 2. Potential Impact of Problem: DS GUI storage manager hang
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 346610

#### Unable to login to WUI

- 1. **Problem Description:** WUI login fails if default "Customer" ID does not exist. (Customer ID is automatically removed when creating other users with "esshmccustomer" role.)
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: Yes

ID# 346643

#### <u>Test Callhome utility failure</u>

- 1. **Problem Description:** When running Test Callhome utility, two synchronous processes conflict, causing process hang and eventual test failure.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 346851

#### **Unable to access DS GUI**

- 1. **Problem Description:** After code update, DS GUI cache refresh was slowed by query threads consuming large amounts of CPU time.
- 2. Potential Impact of Problem: DS GUI login failure
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 346852

#### DS GUI does not show performance data

- **1. Problem Description:** Performance graph does not display when the system has less than 25 minutes of performance data accumulated.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

#### CMUN80000E login failure after Customer network IP change

- **1. Problem Description:** If the first configured remote authentication URL is unreachable, HMC does not retry over the second configured URL.
- 2. Potential Impact of Problem: Unable to authenticate via LDAP
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 346946

#### **CSM communication failure**

- 1. **Problem Description:** A stuck thread in ESSNI causes queries from Copy Services Manager to fail. This change will perform a thread dump when an ESSNI PE package is collected prior to restart.
- 2. Potential Impact of Problem: CSM in Severe status
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 347048

#### 0x7E1D MLE during PMFLC establish on cascaded secondary

- 1. **Problem Description:** After waiting 15 seconds for sync to complete, primary retried the Preserve Mirror FlashCopy establish, but retry found the relationship already exists.
- 2. Potential Impact of Problem: ODD Dump
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 347123

#### Incorrect DSCLI help text

- 1. **Problem Description:** Help text for lsckdvol and lsfbbvol commands shows columns that are not shown by DSCLI itself.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Service
- 4. Pervasive Problem: No

ID# 347203

### **Improvements: Improvements for better usability**

#### Allow SafeGuarded Copy target to be persistent

- **1. Problem Description:** For GDPS environments, support is added to allow persistent SGC volumes.
- 2. Potential Impact of Problem: none
- 3. Problem Severity: Improvement
- 4. Pervasive Problem: No

#### Trademarks

The following terms are trademarks of the International Business Machines Corporation in the United States, other countries, or both.

- > AIX
- > Enterprise Storage Server
- > ESCON
- > FICON
- > i5/OS
- > iSeries
- > IBM
- > pSeries
- > S/390
- > System Storage
- > TotalStorage
- > z/OS
- > zSeries

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at Copyright and trademark information at http://www.ibm.com/legal/us/en/copytrade.shtml. Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered

trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linux is a trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, and Windows NT are trademarks of Microsoft Corporation in the United States, other countries, or both.

© Copyright IBM Corp. 2004, 2011

### Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to: IBM Director of Licensing

**IBM** Corporation North Castle Drive Armonk, NY 10504-1785 U.S.A.

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATIONS "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.