## Configuring WebDAV on Microsoft IIS web servers for Cognos Analytics 11.0.x

If you are using Microsoft Windows 2012 Server, use the following steps:

- a. In the Add Roles and Features Wizard, click Role-based or feature-based installation, and click Next.
- b. Select your server, and click Next.
- c. Expand Web Server (IIS) > Web Server > Common HTTP Features, and select WebDAV Publishing.
- d. Click Next > Next, and then click Install.



If you are using Microsoft Windows 7 or 8, use the following steps:

- a. Expand Internet Information Services > World Wide Web Services > Common HTTP Features.
- b. Select WebDAV Publishing, and click OK.

Enable WebDAV

1. Under Sever name, expand your web server, Sites, and select your website. For example, select Default Web Site.

2. Double-click WebDAV Authoring Rules.



## 3. Click Enable WebDAV.

4. Enable WebDAV

File View Help											
Connections       Connections       Connections       Start Page       Connections	Use this feature t	DAV Authorir	Alerts The WebDAV feature has been disabled.								
Application Pools	Path	Users	Roles	Access	Entry Type	Actions					
⊿ 💽 Sites ⊿ 顿 Default Web Site						Enable WebDAV					
▷ · Call aspnet_client						WebDAV Settings					
▷ - <sup>66</sup> ags ▷ - <sup>66</sup> bi ▷ - <sup>66</sup> camcrypto						😢 Help					
▶ - <u>-</u> cchl ▶ - <u>-</u> ccl ▶ - <u>-</u> ccs											
> - <u> </u> ccs  > - <u> </u> cgi											

5. If you have anonymous access enabled, select True for Allow Anonymous Property Queries, and click Apply.

( ) CSX00163 → Sites → I	Default Web Site 🔸	🖾 🖂 🚱 🗸
File View Help		
Connections	Actions	
💐 - 📄 🖄 🔗	WebDAV Settings	E/ Apply
Start Page	4 Authoring Behavior	Cancel
CSX00163 (CANLAB\GSHIN)	Allow Unknown MIME Types True	WebDAV Authoring Rules
- Discretion Pools	Default MIME Type application	ion/octet-stream
⊿ - 💽 Sites	4 Lock Behavior	W Help
⊿ Obfault Web Site	Allow Locks True	
aspnet_client	Lock Store webday_	_simple_lock
	Require Lock for Writing False	
⊳	⊿ Property Behavior	
b - Camcrypto	Allow Anonymous Property Queries True	
b 🛄 cchl	Allow Custom Properties True	
b 🗂 ccl	Allow Property Queries with Infinite Depti False	
þ - 🤐 ccs	Property Store (Collection	ion)
⊳- 🧮 cgi	4 Request Filtering Behavior	
þ - 🛗 cognos2wa	Allow File Extension Filtering False	
⊳ - 🧰 common	Allow Hidden Segment Filtering False	
⊳- <u></u> cps4	Allow Verb Filtering False	
	⊿ WebDAV Behavior	
Þ- <u></u> disp	Allow Hidden Files to be Listed False	
b - documentation	Compatibility Options	
▶ <u>0</u> dojo10 –	Require SSL Access False	
k dill		
b-G explore		
b - 🗂 flex		
⊳- <u> </u>		
⊳- 🗂 fragments		

- 6. Select the virtual directory which you want to allow WebDAV access. (bi/samples/images)
- 7. Double-click WebDAV Authoring Rule



8. Click Add Authoring Rule, and add the appropriate rules for your environment

	🕞 📄 🗧 🗧 CSX00163 🔸 Sites 🔸 Default Web Site 🔸 ca 🔸 bi 🔸 samples 🔸 images 🔸									
File View Help										
File View Help     Connections     Connections     Connections     Connections     Connections     Connections        Connections        Connections        Connections           Connections           Connections                    Connections <td></td>										

😰 🖂 🏠 🔞 • File View Help Connections Actions WebDAV Authoring Rules 🕄 - 🔚 🖄 🕵 Add Authoring Rule... Start Page WebDAV Settings... Use this feature to specify rules for authorizing users to access content. 🕑 Help Path Users Roles Access Entry Type - 🕼 Application Pools ⊿ 道 Sites a 🔞 Default Web Site ? X Add Authoring Rule ⊳ 🚞 aspnet\_client ⊿ 💮 ca Allow access to: ⊳-🚞 camcrypto All content ▶-🚞 ca-modeller O Specified content: . ⊳-iii common ⊳-<sup>22</sup> css ⊳-<sup>22</sup> datasources Example: \*.bas, wsvc.axd ⊳ - 📔 dtds ⊳ - 🛄 gemini\_resource Allow access to this content to: ⊳- 🛄 images ⊳- 🛄 irot All users þ - 🛄 js ○ Specified roles or user groups: Þ 📋 lib . ⊳-<u>[</u>] m ⊳-<u> </u>pat Admin, Guest pwb O Specified users: ⊳- i prompt reportstyles ⊿ - 📔 samples User1, User2 ▷ <sup>2</sup> images▷ <sup>2</sup> sample1 Permissions ▷ i sample2 Read Schemas Source . ⊳ - 📔 utils Write - Camcrypto þ-📔 cchl 🖟 - 🛄 ccl ОК Cancel b - 🚞 ccs

## 9. Add Authoring Rule: All content, All users and permissions - Read

If you have any issue with window permissions then plaese add source and write

ⓒ ○ CSX00163 → Sites → Default Web Site → ca → bi → samples → images →								
File View Help								
File View Help Connections Co	Use this feature to sp Path *	AV Authoring pecify rules for autho Users All users	Rules rizing users to access o Roles	ontent. Access Read	Entry Type Local	Actions         Add Authoring Rule         Edit         X Remove         Move Up         Move Down         WebDAV Settings         Y Help		
a → bi → a camcrypto → a dtas → a dtas								

## 10-a. User is able to browser the image from bi/samples/images

Find	0	₹ 🗄	<ord>          Order method type&gt;         IBM.         ?</ord>
			<ord>          Order method type&gt;         IBM.         ?</ord>
<ul> <li>PINNED</li> </ul>			<order method="" type=""> IBM ?</order>
<ul> <li>Text item</li> <li>Block</li> <li>Table</li> <li>List</li> <li>Crosstab</li> </ul>			Image Browser Server URL:
Visualization			http://csx00163.canlab.ibm.com/ca/bi/samples/images
TEXTUAL     LAYOUT			common     common     action_help.gif     Alex_Active.png
<ul> <li>PROMPTING</li> </ul>			<ul> <li>Alex_Inactive.png</li> <li>background3.png</li> </ul>
ADVANCED			<ul> <li>backgroundimage.png</li> <li>backgroundimage_ussales_ed</li> <li>background_accessibility.png</li> <li>banner_cogsquare.jpg</li> <li>bas1_tip1.png</li> <li>bas1_tip2.png</li> </ul>
			OK Can

Or 10-b. User is able to browser the image from webcontent/test image

	CSX00163   Sites	Default Web Site      ca	▶ test image ▶					🚱 😣	
View	Help								
ons								Actions	
2	8	WebDAV	Authoring Rules					Add Authoring Rul	e
	þ-🚞 bi 🗖	Use this feature to spec	ify rules for authorizing users to access	r content				Edit	_
	- camcrypto	Ose this reactive to spec	iny rules for authorizing users to access	s content.				X Remove	
	⊳- <u> </u>	Path	Users Roles	Access	Entry Type			A Mayalla	
	> ccl		All Users	Nedd	LOCAL			Move Down	
	þ- <u></u> cgi							WebDAV Settings	
	cognos2wa							WebbAV Settings	*
	þ 📋 common							W Help	
	b - i cps4			vahaantant		_			
	p cri ⊳ disn		v	vebcontent					
	b - documentation	File Home	Share View				✓ Ø		
	⊳- <u></u> dojo16	🛛 🔄 🕤 ד ↑ 🚺	< ibm 🕨 cognos 🕨 analyticsgw	webcontent	✓ C Search	webcontent	٩		
	⊳- <u>—</u> dojo17 ⊳- <u>—</u> drill	- Eavorites	Name		Date modified	Туре	Size ^		
	>-🚞 explore	Deskton	migration		4/15/2017 10:42 PM	File folder			
	⊳- <u> </u>	Downloads	mod		4/15/2017 10:43 PM	File folder			
	▷ - immd	Secent places	onebox		4/15/2017 10:43 PM	File folder			
	b - hal		📗 pat		4/15/2017 10:43 PM	File folder			
	> - 🦳 icd	🛤 This PC	ppwb		4/15/2017 10:42 PM	File folder			
	þ - 🧮 irot		prompting		4/15/2017 10:43 PM	File folder			
	þ - 🧰 isapi	Sin Network	🍌 ps		4/15/2017 10:43 PM	File folder			
	iwidget	· ·	鷆 qs		4/15/2017 10:43 PM	File folder			
	b - mdsrv		🌗 queryservice		4/15/2017 10:43 PM	File folder			
	 ⊳ migration		ie portstyles		4/15/2017 10:43 PM	File folder			
	þ - 🧮 mod		Ji rv		4/15/2017 10:43 PM	File folder			
	þ 🚞 onebox		🍌 schemas		4/15/2017 10:43 PM	File folder			
	p-i pat		🎍 servlet		4/15/2017 10:43 PM	File folder			
	p - ppwp		🍌 skins		4/15/2017 10:45 PM	File folder			
	⊳- <sup>™</sup> ps		📙 test image		4/17/2017 1:03 PM	File folder			
	þ - 🧰 qs		🍌 tm1		4/15/2017 10:43 PM	File folder			
	queryservice		鷆 uipe		4/15/2017 10:43 PM	File folder	=		
	reportstyles		🍌 viscoach		4/15/2017 10:43 PM	File folder			
	P - IV N - Schemas		💰 cognoslaunch		3/10/2017 3:38 PM	JavaScript File			
	5 - Carlot servlet		i default		3/10/2017 3:39 PM	HTM File			
	🔉 🛄 skins		index		3/10/2017 3:39 PM	HTML File			
	⊳-@ sso		NagMessageXForm		2/28/2017 6:22 PM	XSL Stylesheet			
	test image		(a) version		4/15/2017 10:45 PM	XML Document	$\checkmark$		
	ptmi		<	Ш			>		
	N Scoach	51 items 1 item se	elected						



If you see any permission issue from window during run the report pdf / excel, or missing image file in pdf or excel then please add Anonymous Authenticaion Enabled under test image folder from IIS.

